

EUROFINS IPROMA, S.L. (Unipersonal)

Dirección/*Address*: C/ Lituania nº 6-8; 12006 Castellón de la Plana (Castellón)

Norma de referencia/*Reference Standard*: **UNE-EN ISO/IEC 17025:2017**

Actividad/*Activity*: **Ensayos/Testing**

Acreditación/*Accreditation* nº: **103/LE268**

Fecha de entrada en vigor/*Coming into effect*: 30/05/1997

ALCANCE DE LA ACREDITACIÓN

SCHEDULE OF ACCREDITATION

(Rev./Ed. 75 fecha/*date* 11/04/2025)

Instalaciones donde se llevan a cabo las actividades cubiertas por esta acreditación

Facilities where the activities covered by this accreditation are carried out:

	Código / <i>Code</i>
C/ Lituania nº 6-8; 12006 Castellón de la Plana (Castellón)	A
C/ Manuel Trillo, parcela 14, nave 8. Parque Tecnológico Citec.; 41120 Gelves (Sevilla)	B
Avenida de los Pirineos, nº 9, nave 17; 28700 San Sebastián de los Reyes (Madrid)	C
Calle General Llorens, 27-29; 46025 Valencia	D
Parque Huelva Empresarial, Factoría Comercial, nave 13; 21007 Huelva	E
Actividades <i>in situ</i>	I

Ensayos en el sector medioambiental. Protección radiológica / Environmental Sector Tests.

Radiological protection

Índice / Index

PROGRAMA DE ACREDITACIÓN: “Control de la calidad del agua de piscina” (NT-70.04)*	4
PROGRAMA DE ACREDITACIÓN: “Control de la calidad del agua de consumo” (NT-70.08)*	4
MUESTRAS LÍQUIDAS	4
I. Análisis físico-químicos / Physical-Chemical Analyses	4
Aguas de consumo y envasadas / Drinking/Potable Water	4
Aguas continentales/ Inland waters	31
Aguas continentales tratadas/ Treated Inland waters.....	57
Aguas residuales/Wastewater	59
Aguas residuales/Wastewater	66
Aguas residuales regeneradas y depuradas / Reclaimed water and purified water.....	85
Aguas residuales urbanas / Urban wastewater	86
Aguas marinas / Seawaters.....	87
Aguas ultralimpias / Ultra clean wáter	104
Fangos líquidos / Liquid Sludge	104
Residuos líquidos / Liquid waste	105
II. Análisis físico-químicos <i>in situ</i>	105
Aguas de consumo	105
Aguas continentales / Inland waters	105
Aguas residuales / Wastewater	106
Aguas marinas.....	106

III. Análisis microbiológicos / Microbiological analysis	107
Aguas de consumo y envasadas / Drinking/Potable water.....	107
Aguas continentales / Inland waters	108
Aguas residuales/Wastewaters	109
Aguas marinas / Seawaters.....	111
IV. Análisis de Legionella / Analysis of Legionella	113
Aguas de consumo, aguas continentales, aguas residuales y aguas marinas/ Drinking/potable water, inland waters, wastewater and seawaters.....	113
Aguas de consumo, aguas continentales y aguas residuales / Drinking/potable water, inland Waters and wastewater	113
V. Análisis de virus/ Virus Analyses	114
Aguas residuales / Wastewater	114
VI. Análisis ecotoxicológicos / Ecotoxicologic análisis	114
Aguas de consumo, aguas continentales, aguas residuales y aguas marinas / Drinking/potable water, inland waters, wastewater and sea waters	114
Aguas residuales / Wastewater	114
VII. Análisis parasitológicos / Parasitological Analyses	115
Aguas continentales y aguas residuales/ Inland waters and wastewater	115
VIII. Análisis Organolépticos / Organoleptic Analyses	115
Aguas de consumo y envasadas / Drinking/Potable Water	115
IX. Toma de muestra y análisis biológicos / Biological sampling adn análisis	116
Macroinvertebrados en curso de agua / Macroinvertebrates in water course	116
Macrofitos en ríos vadeables / Macrophytes in fordable rivers	116
Ictiofauna en ríos / Ichthyofauna in rivers	117
Diatomeas en ríos / Diatoms in rivers	117
Fitoplancton en lagos, embalses y humedales / Lakes, reservoirs and wetlands	117
X. Análisis físico-químicos in situ/ On site Physical Chemical Analyses	118
Aguas de consumo / Inland waters.....	118
Aguas continentales / Inland Waters.....	118
Aguas residuales / Wastewater	119
Aguas marinas / Sea Waters	120
XI. Toma de muestra / Sampling	121
Aguas de consumo / Potable waters	121
Aguas continentales / Inland waters	122
Aguas residuales/ Wastewater	122
Aguas residuales / Wastewater	123
Aguas marinas / Marine Waters	123
XII. Toma de muestra Legionella / Sampling Legionella	124
Aguas de consumo, aguas continentales y aguas residuales (incluye lixiviados, aguas regeneradas y aguas depuradas) / Potable waters, inland waters and wastewater (including leachate, reclaimed water and treated water).....	124
MUESTRAS SÓLIDAS	125
I. Análisis físico-químicos / Physical-Chemical analyses	125
Suelos / Soils	125
Sedimentos / Sediments	133
Lodos de depuradora / Sewage Sludge.....	140
Residuos sólidos / Solid Waste.....	141
Biomasa.....	146
Biota (equinodermos, peces, crustáceos y moluscos) /Biota (equinoderms, fish, shellfish and seaweed)	146
Biota (equinodermos, peces, moluscos y algas) / Biota (equinoderms, fish, shellfish and seaweed).....	147
Material vegetal y sus residuos, lodos de EDAR, cenizas, estiércol y biomasa	147
Foliares	149

Crustáceos.....	149
II. Análisis microbiológicos / <i>Microbiological analysis</i>	149
Suelos, sedimentos, lodos y residuos sólidos / <i>Soils, sediments, sludge and solid waste</i>	149
III. Análisis ecotoxicológicos / <i>Ecotoxicological analysis</i>.....	150
Suelos, sedimentos, lodos y residuos sólidos / <i>Soils, sediments, sludge and solid waste</i>	150
IV. Toma de muestra / <i>Sampling</i>	150
Suelos, sedimentos, lodos de depuradora y residuos sólidos / <i>Soils, sediments, sewage Sludge and solid waste</i>	150
RADIACTIVIDAD AMBIENTAL	151
Aguas de consumo y aguas continentales / <i>Drinking/Potable and Inland Waters</i>	151

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

PROGRAMA DE ACREDITACIÓN: “Control de la calidad del agua de piscina” (NT-70.04)*
Ensayos para informar sobre la calidad del agua de piscina:

- pH.
- Temperatura “in situ”.
- Turbidez.
- Cloro libre residual “in situ”.
- Cloro combinado residual “in situ”.
- Recuento de *Escherichia coli*.
- Recuento de *Pseudomonas aeruginosa*.
- Detección y recuento *Legionella spp*.
- Ácido isocianúrico

*Disponible en la página web de ENAC

PROGRAMA DE ACREDITACIÓN: “Control de la calidad del agua de consumo” (NT-70.08)*
Ensayos para informar sobre la calidad del agua de consumo:

- Examen organoléptico
- Análisis de control
- Análisis completo
- Control en el grifo del consumidor

*Disponible en la página web de ENAC

MUESTRAS LÍQUIDAS
I. Análisis físico-químicos / Physical-Chemical Analyses

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
pH (4 - 10 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A, E
Conductividad / Conductivity (10 - 10000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Conductividad / Conductivity (20 - 50000 µS/cm)		E
Turbidez / Turbidity (0,3 - 200 UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	A, E
Sólidos en suspensión / Suspended solids (≥ 3 mg/l)	GRV/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 872	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Sólidos totales disueltos / <i>Solid completely dissolved</i> (≥ 30 mg/l)	GRV/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-77031	A
Sales solubles / <i>Soluble Salts</i> (≥ 14 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> J.RODIER. "Análisis de aguas"	A
Sulfuros disueltos por electrodo selectivo / <i>Dissolved Sulfides by selective electrode</i> (≥ 0,4 mg/l)	ES/004-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-S2-G	A
Cloruros por titulación volumétrica / <i>Chlorides by volumetric titration</i> (≥ 20 mg/l)	VL/036-a Método interno basado en/ <i>In-house method based on:</i> SM 4500- Cl'B	E
Alcalinidad, Alcalinidad total y dureza temporal por titulacion volumétrica / <i>Alkalinity, total alkalinity and temporary hardness by volumetric titration</i> Carbonatos / <i>Carbonates</i> (≥ 20 mg/l CaCO ₃) Bicarbonatos por titulación volumétrica / <i>Bicarbonates by volumetric titration</i> (≥ 20 mg/l CaCO ₃) (≥ 25 mg/l HCO ₃ ⁻) Hidróxidos / <i>Hydroxides</i> (≥ 6,8 mg/l OH ⁻)	VL/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Carbonatos y bicarbonatos por titulación volumétrica / <i>Carbonates and Bicarbonates by volumetric titration</i> (≥ 25 mg/l)		E
Alcalinidad, Alcalinidad total y dureza temporal por titulacion potenciométrica / <i>Alkalinity, total alkalinity and temporary hardness by potentiometric titration</i> Carbonatos / <i>Carbonates</i> (≥ 20 mg/l CaCO ₃) Bicarbonatos por titulación potenciométrica / <i>Bicarbonates by potentiometric titration</i> (≥ 20 mg/l CaCO ₃) (≥ 25 mg/l HCO ₃ ⁻) Hidróxidos / <i>Hydroxides</i> (≥ 6,8 mg/l OH ⁻)	PT/001-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Nitrógeno Kjeldahl por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 1 mg/l)	VL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 Norg C	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Oxidabilidad por titulación volumétrica / <i>Oxidability by volumetric titration</i> (≥ 0,5 mg/l)	UNE-EN ISO 8467	A
Oxidabilidad por titulación volumétrica / <i>Oxidability by volumetric titration</i> (≥ 1 mg/l)		E
Oxidabilidad por titulación volumétrica / <i>Oxidability by volumetric titration</i> (≥ 0,5 mg/l)	VL/011-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 8467	A
Sulfitos por titulación volumétrica / <i>Sulfites by volumetric titration</i> (≥ 1,0 mg/l)	VL/023-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 SO32-B	A
Dureza temporal por cálculo / <i>Temporary hardness by calculation</i> (≥ 20 mg/l CaCO ₃)	PT/001-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Sulfuros disueltos por espectofotometría UV-VIS / <i>Dissolved Sulfides by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	EA/041-a Método interno basado en/ <i>In-house method based on:</i> UNE 77043	A
Amonio por espectrofotometría UV-VIS / <i>Ammonia by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NH3 F	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate by UV-VIS spectrophotometry</i> (≥ 0,016 mg P/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate by UV-VIS spectrophotometry</i> (≥ 0,016 mg P/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus UV-VIS spectrophotometer</i> (≥ 0,050 mg P/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE 77061	A
Cromo VI por espectrofotometría UV-VIS / <i>Chrome VI by UV-VIS spectrophotometry</i> (≥ 0,005 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE 77061	A
Nitrógeno oxidado por espectrofotometría UV-VIS / <i>Nitric Oxidized Nitrogen by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO3 F	A
Nitritos por espectrofotometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> (≥ 0,010 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Nitrógeno oxidado por cálculo / <i>Nitric Oxidized Nitrogen by calculation</i> (≥ 0,10 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO3 F	A
Indice de Fenoles por espectrofotometría UV-VIS / <i>Phenols by UV-VIS spectrophotometry</i> (≥ 0,020 mg/l)	EA/029-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14402	A
Tensioactivos aniónicos por espectrofotometría UV-VIS / <i>Anionic surfactants by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	EA/030-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16265	A
Cloro residual libre y total por espectrofotometría UV-VIS / <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Cloro residual libre y total por espectrofotometría UV-VIS / <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)		E
Color y color aparente por espectrofotometría UV-VIS / <i>Colour and apparent colou by UV-VIS spectrophotometry</i> (≥ 3 mg/l Pt-Co)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887	A
Color por espectrofotometría UV-VIS / <i>Colour and apparent colou by UV-VIS spectrophotometry</i> (≥ 4 mg/l Pt-Co)		E
Nitratos por espectrofotometría UV-VIS / <i>Nitrates by UV-VIS spectrophotometry</i> (≥ 2,5 mg/l)	EA/013-a Método interno basado en/ <i>In-house method based on:</i> DIN 38405-9	E
Nitritos por espectrometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> (≥ 0,026 mg/l)	EA/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	E
Amonio por espectrofotometría UV-VIS / <i>Ammonia by UV-VIS spectrophotometry</i> (≥ 0,06 mg/l)	EA/017-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NO3 F	E
Aluminio por espectrofotometría UV-VIS / <i>Aluminum by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	EA/065-a Método interno basado en/ <i>In-house method based on:</i> SM 3500 Al D	E
Boro por espectrofotometría UV-VIS / <i>Boron by UV-VIS spectrophotometry</i> (≥ 0,5 mg/l)	EA/064-a Método interno basado en/ <i>In-house method based on:</i> Métodos Oficiales de Análisis Ministerio de Agricultura Pesca y Alimentación	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Bromuros por electrometría / <i>Bromides by electrometry</i> (≥ 0,2 mg/l)	ES/012-a Método interno basado en/ <i>In-house method based on:</i> EPA 9211	E
Cianuros libres por electrometría / <i>Free cyanides by electrometry</i> (≥ 0,02 mg/l)	ES/011-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-CN F	E
Fluoruros por electrometría / <i>Fluorides electrometry</i> (≥ 0,25 mg/l)	ES/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1179	E
Cianuros libres y totales por espectrofotometría UV-VIS / <i>Free and total cyanides by UV-VIS spectrophotometer</i> Cianuros Libres / <i>Free cyanides</i> (≥ 0,012 mg/l) Cianuros Totales / <i>Total cyanides</i> (≥ 0,012 mg/l)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14403-2	A
Aceites, grasas e hidrocarburos por espectroscopía IR / <i>Oils, greases and hydrocarbons by IR spectroscopy</i> (≥ 0,05 mg/l)	IR/001-a, Rev. 31 Método interno/ <i>In-house method</i>	A
Carbono Orgánico total (TOC) y disuelto por espectroscopía IR (COD) / <i>Total and soluble Organic carbon by IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-1484	A, E
Carbono Total (TC) e Inorgánico (IC) por espectroscopía IR / <i>Total carbon (TC), and Inorganic (IC)a by IR spectroscopy</i> (≥ 5 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	A
Mercurio disuelto por fluorescencia atómica / <i>Soluble mercury by atomic fluorescence</i> (≥ 0,05 µg/l)	FA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17852	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Metales, metales disueltos y totales por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / Soluble metals by inductively coupled plasma spectroscopy (ICP/AES)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Aluminio / Aluminum ($\geq 0,025 \text{ mg/l}$) Hierro / Iron ($\geq 0,005 \text{ mg/l}$) Azufre / Sulfur ($\geq 0,66 \text{ mg/l}$) Magnesio / Magnesium ($\geq 0,5 \text{ mg/l}$) Bario / Barium ($\geq 0,025 \text{ mg/l}$) Manganese / Manganese ($\geq 0,005 \text{ mg/l}$) Berilio / Beryllium ($\geq 0,010 \text{ mg/l}$) Molibdeno / Molybdenum ($\geq 0,005 \text{ mg/l}$) Bismuto / Bisito ($\geq 0,010 \text{ mg/l}$) Níquel / Nickel ($\geq 0,005 \text{ mg/l}$) Boro / Boron ($\geq 0,050 \text{ mg/l}$) Litio / Lithium ($\geq 0,050 \text{ mg/l}$) Calcio / Calcium ($\geq 0,5 \text{ mg/l}$) Plata / Silver ($\geq 0,025 \text{ mg/l}$) Cadmio / Cadmium ($\geq 0,002 \text{ mg/l}$) Potasio / Potassium ($\geq 1 \text{ mg/l}$) Cromo / Chrome ($\geq 0,002 \text{ mg/l}$) Silicio / Silicium ($\geq 0,12 \text{ mg/l}$) Cromo III / Chrome III ($\geq 0,005 \text{ mg/l}$) Sodio / Sodium ($\geq 1 \text{ mg/l}$) Cobalto / Cobalt ($\geq 0,005 \text{ mg/l}$) Talio / Thallium ($\geq 0,025 \text{ mg/l}$) Cobre / Copper ($\geq 0,015 \text{ mg/l}$) Teluro / Tellurium ($\geq 0,015 \text{ mg/l}$) Estaño / Tin ($\geq 0,015 \text{ mg/l}$) Titanio / Titanium ($\geq 0,010 \text{ mg/l}$) Estroncio / Strontium ($\geq 0,025 \text{ mg/l}$) Vanadio / Vanadium ($\geq 0,010 \text{ mg/l}$) Fósforo / Phosphorus ($\geq 0,3 \text{ mg/l}$) Zinc / Zinc ($\geq 0,015 \text{ mg/l}$)		
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals, soluble metals and total metals by inductively coupled plasma (ICP/MS)	ICP-MS/001-a ICP-MS/002-a	A
Torio / Thorium ($\geq 0,5 \mu\text{g/l}$)	Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals, soluble metals and total metals by inductively coupled plasma spectrometry (ICP/MS)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / Aluminum ($\geq 10 \mu\text{g/l}$) Magnesio / Magnesium ($\geq 0,5 \text{ mg/l}$) Antimonio / Antimony ($\geq 1 \mu\text{g/l}$) Manganese / Manganese ($\geq 5 \mu\text{g/l}$) Arsenico / Arsenic ($\geq 1 \mu\text{g/l}$) Mercurio / Mercury ($\geq 0,1 \mu\text{g/l}$) Bario / Barium ($\geq 10 \mu\text{g/l}$) Molibdeno / Molybdenum ($\geq 3 \mu\text{g/l}$) Berilio / Beryllium ($\geq 3 \mu\text{g/l}$) Níquel / Nickel ($\geq 1 \mu\text{g/l}$) Bismuto / Bismuth ($\geq 10 \mu\text{g/l}$) Plata / Silver ($\geq 10 \mu\text{g/l}$) Boro / Boro ($\geq 10 \mu\text{g/l}$) Plomo / Lead ($\geq 1 \mu\text{g/l}$) Cadmio / Cadmium ($\geq 1 \mu\text{g/l}$) Potasio / Potassium ($\geq 1 \text{ mg/l}$) Calcio / Calcium ($\geq 0,5 \text{ mg/l}$) Selenio / Selenium ($\geq 1 \mu\text{g/l}$) Cobalto / Cobalt ($\geq 1 \mu\text{g/l}$) Sodio / Sodium ($\geq 1 \text{ mg/l}$) Cobre / Copper ($\geq 10 \mu\text{g/l}$) Teluro / Tellurium ($\geq 10 \mu\text{g/l}$) Cromo / Chromium ($\geq 5 \mu\text{g/l}$) Talio / Thallium ($\geq 10 \mu\text{g/l}$) Estaño / Tin ($\geq 10 \mu\text{g/l}$) Uranio / Uranium ($\geq 1 \mu\text{g/l}$) Estroncio / Strontium ($\geq 10 \mu\text{g/l}$) Vanadio / Vanadium ($\geq 1 \mu\text{g/l}$) Hierro / Iron ($\geq 5 \mu\text{g/l}$) Zinc / Zinc ($\geq 10 \mu\text{g/l}$)		
Bromatos por cromatografía iónica / Bromides by ion chromatography ($\geq 2,5 \mu\text{g/l}$)	CI/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15061	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Aniones por cromatografía iónica / Anions by ion chromatography Nitratos / Nitrates ($\geq 0,5 \text{ mg/l}$) Bromuros / Bromides ($\geq 1 \text{ mg/l}$) Fluoruros / Fluorides ($\geq 0,015 \text{ mg/l}$) Cloruros / Chlorides ($\geq 0,5 \text{ mg/l}$) Sulfatos / Sulfates ($\geq 0,5 \text{ mg/l}$)	CI/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	A
Cloritos y cloratos por cromatografía iónica / Chlorite and chlorate ion chromatography Cloritos / Chlorides ($\geq 5 \mu\text{g/l}$) Cloratos / Chlorates ($\geq 5 \mu\text{g/l}$)	CI/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-4	A
Cromo VI por cromatografía iónica / Chrome VI by ion chromatography ($\geq 5 \mu\text{g/l}$)	CI/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 218.7	A
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS) Bromodiclorometano/ Bromodichloromethane Bromoformo / Bromoform Cloroformo / Chloroform Dibromoclorometano / Dibromochloromethane ($\geq 1 \mu\text{g/l}$)	CGM/044-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17943	E
Compuestos organoestánicos por cromatografía de gases / espectrometría de masas (CG/MS) / Organotin compounds by gas chromatography / mass spectrometry (GC/MS) Monobutilestaño / Monobutyltin Dibutilestaño / Dibutyltin Tributilestaño / Tributyltin ($\geq 0,01 \mu\text{g/l}$)	CGM/009-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A
Compuestos organoestánicos por cromatografía de gases / espectrometría de masas (CG/MS) / Organotin compounds by gas chromatography / mass spectrometry (GC/MS) Monobutilestaño / Monobutyltin ($\geq 0,002 \mu\text{g/l}$) Dibutilestaño / Dibutyltin ($\geq 0,002 \mu\text{g/l}$) Tributilestaño / Tributyltin ($\geq 0,0002 \mu\text{g/l}$)	CGM/036-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A
Cloroalcanos (C ₁₀ -C ₁₃) por cromatografía de gases / espectrometría de masas-masas (CG/MS-MS) / Chloroalkanes C ₁₀ -C ₁₃ by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS) ($\geq 0,2 \mu\text{g/l}$)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Octil-nonilfenoles y fenoles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Octyl phenol and nonyl phenols by gas chromatography / mass spectrometry (GC / MS)</i> Fenol / <i>Phenol</i> o-Cresol / <i>o-Cresol</i> m, p-Cresol / <i>m,p-Cresol</i> 2-Clorofenol / <i>2-Chlorophenol</i> 2,6-Diclorofenol / <i>2,6-Dichlorophenol</i> 2,4-Diclorofenol / <i>2,4-Dichlorophenol</i> 4-t-octilfenol / <i>4-t-octylphenol</i> Suma de Fenoles / <i>Sum of phenols</i>	CGM/014-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653 2,4,6-Triclorofenol / <i>2,4,6-trichlorophenol</i> 2,4,5-Triclorofenol / <i>2,4,5-Trichlorophenol</i> 2,3,4,6-Tetraclorofenol / <i>2,3,4,6-tetrachlorophenol</i> 4-n-nonilfenol / <i>4-n-nonylphenol</i> 4-n-octifeno / <i>4-n-octylphenol</i> Pentaclorofenol / <i>Pentachlorophenol</i> $(\geq 0,050 \mu\text{g/l})$ $(\geq 0,010 \mu\text{g/l})$	A
Di (2-etilhexil) ftalato (DEHP) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Di (2-ethylhexyl) phthalate (DEHP) by gas chromatography / mass spectrometry</i> $(\geq 0,5 \mu\text{g/l})$	CGM/012-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 18856	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> 1,1-Dicloroetileno / 1,1- <i>Dichloroethylene</i> Dibromoclorometano / <i>Dibromochloromethane</i> 4-Clorotolueno / 4-Chlorotoluene 1,3,5-Trimetilbenceno / 1,3,5- <i>Trimethylbenzene</i> Clorobenceno / <i>Chlorobenzene</i> 1,2-Dibromoetano / 1,2- <i>dibromoethane</i> Sulfuro de Carbono / <i>Carbon sulphide</i> Tolueno / <i>Toluene</i> Terc-Butilbenceno / <i>Tert-Butylbenzene</i> CIS 1,2-Dicloroetileno / <i>CIS 1,2-Dichloroethylene</i> TRANS 1,2-Dicloroetileno / 1,2- <i>TRANS Dicloroethylene</i> n-Propilbenceno / <i>n-propylbenzene</i> 1,1-Dicloroetano / <i>1,1-dichloroethane</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-tetrachloroethane</i> Etilbenceno / <i>Ethylbenzene</i> 1,2,4-Trimetilbenceno / 1,2,4- <i>Trimethylbenzene</i> 1,3-Diclorobenceno / 1,3- <i>Dichlorobenzene</i> Naftaleno / <i>Naphthalene</i> 1,1,1-Tricloroetano / 1,1,1- <i>trichloroethane</i> Sec-Butilbenceno / <i>Sec-Butylbenzene</i> 1,2-Diclorobenceno / 1,2- <i>Dichlorobenzene</i> Estireno / <i>Styrene</i> p-Isopropiltolueno / <i>p-isopropyltoluene</i> n-Butilbenceno / <i>n- Butylbenzene</i> Bromodicitrormetano / <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> 1,4-Diclorobenceno / 1,4- <i>Dichlorobenzene</i>	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943 o-Xileno / <i>o-Xylene</i> 1,1,2,2-Tetracloroetano / <i>1,1,2,2-tetrachloroethane</i> Isopropilbenceno / <i>Isopropylbenzene</i> 1,2-Dicloropropano / <i>1,2-dichloropropane</i> Bromobenceno / <i>Bromobenzene</i> Ciclohexano / <i>Cyclohexane</i> CIS (Z) 1,3-Dicloro-1-Propeno / <i>CIS (Z) 1,3-Dichloro-1-propene</i> TRANS (E) 1,3-Dicloro-1-Propeno / <i>TRANS (E) 1,3-Dichloro-1-propene</i> Metil-terc-butileter (MTBE) / <i>Methyl tert-butyl ether</i> Etil-terc-butileter (ETBE) / <i>Ethyl-terc-Butyl ether</i> Cloroformo / <i>Chloroform</i> Metil isobutil cetona / <i>Methyl isobutyl ketone</i> 1,2,3-Trimetilbenceno / <i>1,2,3-trimethylbenzene</i> 1,1,2-Tricloroetano / <i>1,1,2-trichloroethane</i> Pentacloroetano / <i>Pentachloroethane</i> Tetracloruro de carbono / <i>Carbon tetrachloride</i> Dibromometano / <i>Dibromomethane</i> 2-Clorotolueno / <i>2-Chlorotoluene</i> 1,2-Dibromo-3-Cloropropano / <i>1,2-Dibromo-3-chloropropane</i> Diclorometano / <i>Dichloromethane</i> 1,3 Dicloropropano / <i>1,3 Dichloropropane</i> Bromoclorometano / <i>Bromochloromethane</i> 2,2 Dicloropropano / <i>2,2-Dichloropropane</i> 1,1 Dicloropropileno / <i>1,1-dichloropropylene</i> 1,2,3 Tricloropropano / <i>1,2,3- Trichloropropane</i>	A

(≥ 0,001 mg/l)

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,3,5 Triclorobenceno / <i>1,3,5 Trichlorobenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> ($\geq 0,0001 \text{ mg/l}$) m,p-xileno / <i>m,p-Xylene</i> ($\geq 0,002 \text{ mg/l}$) Tetracloroetileno / <i>Tetrachloroethylene</i> Tricloroetileno / <i>Trichloroethylene</i> ($\geq 0,0005 \text{ mg/l}$) Benceno / <i>Benzene</i> 1,2-Dicloroetano / <i>1,2-Dichloroethane</i> ($\geq 0,0003 \text{ mg/l}$)	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Geosmina y 2-Metilisoborneol por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Geosmin and 2-Methylisoborneol by gas chromatography / mass spectrometry (GC/MS)</i> Geosmina / <i>Geosmin</i> 2-Metilisoborneol / <i>2- Methylisoborneol</i> ($\geq 5 \text{ ng/l}$)	CGM/020-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)</i> Fluoreno/ <i>Fluorene</i> Alfa-HCH/ <i>Alpha-HCH</i> Beta-HCH/ <i>Beta-HCH</i> Lindano / <i>Lindane</i> Fenantreno / <i>Phenanthrene</i> Antraceno/ <i>Anthracene</i> Delta-HCH / <i>Delta-HCH</i> Heptaclor / <i>Heptachlor</i> Fenclorfos/ <i>Fenclorfos</i> Aldrin/ <i>Aldrin</i> Clorpirifos/ <i>Chlorpyrifos</i> Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i> Pendimetalin/ <i>Pendimethalin</i> Fluoranteno/ <i>Fluoranthene</i> Pireno/ <i>Pyrene</i> ($\geq 0,01 \mu\text{g/l}$)	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108 Endosulfan-I/ <i>Endosulfan-I</i> Endosulfan-II/ <i>Endosulfan-II</i> Dieldrin/ <i>Dieldrin</i> p,p'-DDE/p,p'-DDE p,p'-DDD/p,p'-DDD Oxyfluorfen/ <i>Oxyfluorfen</i> Endrin/ <i>Endrin</i> p,p'-DDT/ p,p'-DDT Endosulfan Sulfato/ <i>Endosulfansulfate</i> ClodinafopPropargil/ <i>Clodinafop Propargil</i> Benzo(a)Antraceno/ <i>Benzo (a) anthracene</i> Criseno/ <i>Chrysene</i> Dibenzo(a, h)Antraceno/ <i>Dibenzo (a, h) Anthracene</i> Endrin Cetona/ <i>Endrin Cetone</i> Diuron/ <i>Diuron</i> ($\geq 0,003 \mu\text{g/l}$)	E
Benzo(b)Fluoranteno / <i>Benzo (b)fluoranthene</i> Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i> Benzo(ghi)Perileno / <i>Benzo (ghi) Perylene</i> Indeno(1,2,3-cd)pireno / <i>Indeno (1,2,3-cd) pyrene</i> Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>		
Terbutilacina/ <i>Terbutylazine</i> Atracina/ <i>Atrazine</i> Ametrina/ <i>Ametrine</i> ($\geq 0,02 \mu\text{g/l}$)	Prometrina/ <i>Prometryne</i> Terbutrina/ <i>Terbutryne</i> Propacina / <i>Propazine</i>	

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)</i>	CGM/019-a Método interno basado en/ <i>In-house method based on:</i>	A
Trifluralin/ <i>Trifuralin</i>	Metidation/ <i>Metidation</i>	
p,p'-DDE/p,p'-DDE	Acenafteno/ <i>Acenaphthene</i>	
Alfa-HCH/ <i>Alpha-HCH</i>	Criseno/ <i>Chrysene</i>	
Endrin/ <i>Endrin</i>	Acenaftileno/ <i>Acenaphthylene</i>	
Hexaclorobenceno/ <i>Hexachlorobenzene</i>	Dibenzo(a, h)Antraceno/ <i>Dibenzo (a, h) Anthracene</i>	
Endosulfan-II/ <i>Endosulfan-II</i>	Antraceno/ <i>Anthracene</i>	
Beta-HCH/ <i>Beta-HCH</i>	Fluoranteno/ <i>Fluoranthene</i>	
p,p'-DDD/p,p'-DDD	Benzo(a)Antraceno/ <i>Benzo (a) anthracene</i>	
Lindano/ <i>Lindane</i>	Naftaleno/ <i>Naphthalene</i>	
EndosulfanSulfato/ <i>Endosulfansulfate</i>	Fenantreno/ <i>Phenanthrene</i>	
Delta-HCH/ <i>Delta-HCH</i>	Pireno/ <i>Pyrene</i>	
p,p'-DDT/p,p'-DDT	Fluoreno/ <i>Fluorene</i>	
Heptaclor/ <i>Heptachlor</i>	BDE-28 (2,4,4' - Tribromodifenil Eter)/ <i>BDE-28 (2,4,4' - Tribromodiphenyl Ether)</i>	
Pentaclorobenceno/ <i>Pentachlorobenzene</i>	Aldrin/ <i>Aldrin</i>	
Alaclor/ <i>Alachlor</i>	BDE-47 (2,2',4,4'-Tetrabromodifenil Eter)/ <i>BDE-47 (2,2',4,4'-Tetrabromodiphenyl Ether)</i>	
Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i>	Metolaclor/ <i>Metolachlor</i>	
Endosulfan-I/ <i>Endosulfan-I</i>	Isodrin/ <i>Isodrin</i>	
Isodrin/ <i>Isodrin</i>	Dieldrin/ <i>Dieldrin</i>	
Dieldrin/ <i>Dieldrin</i>	o,p'-DDT/o,p'-DDT	
ClodinafopPropargil/ <i>Clodinafop Propargil</i>	ClodinafopPropargil/ <i>Clodinafop Propargil</i>	
Oxyfluorfen/ <i>Oxyfluorfen</i>	Pendimentalin/ <i>Pendimethalin</i>	
Pendimentalin/ <i>Pendimethalin</i>	Diclorofentión/ <i>Dichlofenthion</i>	
Diclorofentión/ <i>Dichlofenthion</i>	Metil Bromofos/ <i>Methyl Bromophos</i>	
Metil Bromofos/ <i>Methyl Bromophos</i>	Bifenilo / <i>Biphenyl</i>	
Bifenilo / <i>Biphenyl</i>	Oxido de bifenilo / <i>Biphenyl Oxide</i>	
(≥ 0,010 µg/l)		
Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)</i>	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Cipermetrina/ <i>Cypermethrin</i> Ciproconazol/ <i>Cyproconazole</i> Clorprofam/ <i>Chlorpropham</i> Fenclofros/ <i>Fenclofros</i> Etil Bromofos/ <i>Ethyl Bromophos</i> Clorpirifos/ <i>Chlorpyrifos</i> Clorfenvinfos/ <i>Chlorgenvinphos</i> Fenitrotion/ <i>Fenitrothion</i> Tetraclorvinfos/ <i>Tetrachlorvinphos</i> Etil Paration/ <i>Ethyl parathion</i> Épsilon-HCH/ <i>Epsilon-HCH</i> o,p'-DDE/ <i>o,p'-DDE</i> Cadusafos/ <i>Cadusafos</i> Metil Paration/ <i>Methyl Parathion</i> Fenamifos/ <i>Fenamiphos</i> Diazinon/ <i>Diazinon</i> Etil Azinfos/ <i>Ethyl Azinphos</i> Permetrina/ <i>Permethrin</i> λ -Cihalotrín/ <i>λ -Cyhalothrin</i> Tetraconazol/ <i>Tetraconazole</i>	PCB-28/PCB-28 PCB-52/PCB-52 PCB-101/PCB-101 PCB-118/PCB-118 PCB-138/PCB-138 PCB-153/PCB-153 PCB-180/PCB-180 Terbumeton/ <i>Terbumeton</i> Secbumeton/ <i>Secbumeton</i> Dicofol/ <i>Dicofol</i> Tebuconazol/ <i>Tebuconazole</i> o,p'-DDD/ <i>o,p'-DDD</i> Etoprofos/ <i>Ethoprophos</i> Etion/ <i>Ethion</i> Almizcle xileno/ <i>Musk Xylene</i> Malation/ <i>Malathion</i>	
(0,010 µg/l)		
Benzo(b)Fluoranteno / <i>Benzo (b) fluoranthene</i> Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i> Benzo(ghi)Perileno / <i>Benzo (ghi) Perylene</i> Indeno(1,2,3-cd)pireno / <i>Indeno (1,2,3-cd) pyrene</i> Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>	(≥ 0,003 µg/l)	
Terbutilacina/ <i>Terbutylazine</i> Atracina/ <i>Atrazine</i> Ametrina/Ametrine Fipronil/ <i>Fipronil</i> Simacina/Simazine	Prometrina/ <i>Prometryne</i> Trietacina/ <i>Trietazine</i> Terbutrina/ <i>Terbutryne</i> Molinate/ <i>Molinate</i> (≥ 0,02 µg/l)	

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Epiclorhidrina por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Epichlorohydrin by gas chromatography / mass spectrometry (GC/MS)</i> (≥ 0,030 µg/l)	CGM/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Cloruro de vinilo por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Vinyl chloride by gas chromatography / mass spectrometry (GC/MS)</i> (≥ 0,15 µg/l)	CGM/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Trifluralin/ <i>Trifuralin</i>	Pendimentalin/ <i>Pendimethalin</i>	
p,p'-DDE/p,p'-DDE	Acenafteno/ <i>Acenaphthene</i>	
Alfa-HCH/ <i>Alpha-HCH</i>	Criseno/ <i>Chrysene</i>	
Endrin/ <i>Endrin</i>	Acenaftileno/ <i>Acenaphthylene</i>	
Hexaclorobenceno/ <i>Hexachlorobenzene</i>	Dibenzo(a,h) Antraceno	
Endosulfan-II/ <i>Endosulfan-II</i>	/Dibenzo (a, h) Anthracene	
Beta-HCH/ <i>Beta-HCH</i>	Antraceno/ <i>Anthracene</i>	
p,p'-DDD/p,p'-DDD	Fluoranteno/ <i>Fluoranthene</i>	
Lindano/ <i>Lindane</i>	Benzo(a)Antraceno	
EndosulfanSulfato/ <i>Endosulfansulfate</i>	/ Benzo (a) anthracene	
Delta-HCH/ <i>Delta-HCH</i>	Indeno(1,2,3-cd)pireno	
p,p'-DDT/ <i>p,p'-DDT</i>	/Indeno (1,2,3-cd) pyrene	
Heptaclor/ <i>Heptachlor</i>	Benzo(b)Fluoranteno/ <i>Benzo (b) fluoranthene</i>	
Pentaclorobenceno/ <i>Pentachlorobenzene</i>	Fenantreno/ <i>Phenanthrene</i>	
Aldrin/ <i>Aldrin</i>	Benzo(ghi)Perileno	
Alaclor/ <i>Alachlor</i>	/ Benzo (ghi) Perylene	
Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i>	Pireno/ <i>Pyrene</i>	
Metolaclor/ <i>Metolachlor</i>	Benzo(k)Fluoranteno/ <i>Benzo (k) fluoranthene</i>	
Endosulfan-I/ <i>Endosulfan-I</i>	Fluoreno/ <i>Fluorene</i>	
Isodrin/ <i>Isodrin</i>	PCB-28/ <i>PCB-28</i>	
Dieldrin/ <i>Dieldrin</i>	PCB-52/ <i>PCB-52</i>	
o,p'-DDT/ <i>o,p'-DDT</i>	PCB-101/ <i>PCB-101</i>	
ClodinafopPropargil/ <i>Clodinafop Propargil</i>	PCB-118/ <i>PCB-118</i>	
Oxyfluorfen/ <i>Oxyfluorfen</i>	PCB-138/ <i>PCB-138</i>	
Aclonifen/ <i>Aclonifen</i>	PCB-153/ <i>PCB-153</i>	
Bifenox/ <i>Bifenox</i>	PCB-180/ <i>PCB-180</i>	
Mirex/ <i>Mirex</i>	Cipermetrina I-IV / <i>Cypermethrin I-IV</i>	
Alfa-Clordano (Cis-Clordano)/ <i>Alfa-Clordane</i> (<i>Cis-Clordane</i>)	Épsilon-HCH/ <i>Epsilon-HCH</i>	
Gamma-Clordano (Trans-Clordano)/ <i>Gamma-Clordane</i>	o,p'-DDD/ <i>o,p'-DDD</i>	
Clordano) Bifentrin/ <i>Bifenthrin</i>	o,p'-DDE/ <i>o,p'-DDE</i>	
Permetrina/ <i>Permethrin</i>	Dicofol/ <i>Dicofol</i>	
	(≥ 0,0005 µg/l)	
Naftaleno / <i>Naphtalene</i>	(≥ 0,010 µg/l)	
Deltametrin/ <i>Deltamethrin</i>	(≥ 0,005 µg/l)	

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Diclorofentión/ <i>Dichlofenthion</i>	Clorfenvinfos/ <i>Chlорfenvinphos</i>	
Metil Bromofos/ <i>Methyl Bromophos</i>	Fenitrotrion/ <i>Fenitrothion</i>	
Fenclorfos/ <i>Fenclorfos</i>	Tetraclorvinfos/ <i>Tetrachlorvinphos</i>	
Etil Bromofos/ <i>Ethyl Bromophos</i>	Etil Paration/ <i>Ethyl parathion</i>	
Clorpirifos/ <i>Chlorpyrifos</i>	Metidation/ <i>Metidation</i>	
Diazinon/ <i>Diazinon</i>	Fenamifos/ <i>Fenamiphos</i>	
Metil Paration/ <i>Methyl Parathion</i>	Etion/ <i>Ethion</i>	
Malation/ <i>Malathion</i>	Etoprofós/ <i>Ethoprophos</i>	
Etil Azinfos/ <i>Ethyl Azinphos</i>	Cadusafos/ <i>Cadusafos</i>	
(≥ 0,005 µg/l)		
BDE28 (2,4,4' - Tribromodifenil Eter) / <i>BDE28 (2,4,4' - Tribromodifenil Ether)</i>		
BDE-47 (2,2',4,4'-Tetrabromodifenil Etre) / <i>BDE-47 (2,2 ', 4,4'-Tetrabromodifenil Ether)</i>		
BDE-99 (2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE-99 (2,2 ', 4,4', 5-</i>		
<i>Pentabromodiphenyl Ether)</i>		
BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE-100 (2,2 ', 4,4', 6-</i>		
<i>Pentabromodiphenyl Ether)</i>		
BDE-153 (2,2',4,4',5,5' - Hexabromodifenil Eter) / <i>BDE-153 (2,2 ', 4,4', 5,5 '</i>		
<i>hexabromodiphenyl ether)</i>		
BDE-154 (2,2',4,4',5,6' - Hexabromodifenil Eter) / <i>BDE-154 (2,2 ', 4,4', 5,6 '</i>		
<i>hexabromodiphenyl ether)</i>		
(≥ 0,0002 µg/l)		
Terbutilacina/ <i>Terbutylazine</i>	Prometrina/ <i>Prometryne</i>	
Atracina/ <i>Atrazine</i>	Triacetina/ <i>Trietazine</i>	
Ametrina/ <i>Ametrine</i>	Terbutrina/ <i>Terbutryne</i>	
Simacina/ <i>Simazine</i>	Molinate/ <i>Molinate</i>	
(≥ 0,010 µg/l)		
Terbumeton/ <i>Terbumeton</i>		
Secbumeton/ <i>Secbumeton</i>		
Almizcle xileno/ <i>Musk Xylene</i>		
Tebuconazol/ <i>Tebuconazole</i>		
Hexabromobifenil/ <i>Hexabromobiphenyl</i>		
Bifenilo / <i>Biphenyl</i>		
Óxido de bifenilo / <i>Biphenyl Oxide</i>		
(≥ 0,010 µg/l)		
Hexabromociclododecano (HBCDD)/ <i>Hexabromocyclododecane (HDCDD)</i>		
(≥ 0,050 µg/l)		
Benzo (a)Pireno / <i>Benzo(a)Pyrene</i>		
(≥ 0,00017 µg/l)		
Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i> Trifluralin/ <i>Trifluralin</i> p,p'-DDE/ <i>p,p'-DDE</i> Alfa-HCH/ <i>Alpha-HCH</i> Endrin/ <i>Endrin</i> Hexaclorobenceno/ <i>Hexachlorobenzene</i> Endosulfan-II/ <i>Endosulfan-II</i> Beta-HCH/ <i>Beta-HCH</i> p,p'-DDD/ <i>p,p'-DDD</i> Lindano/ <i>Lindane</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> Delta-HCH/ <i>Delta-HCH</i> p,p'-DDT/ <i>p,p'-DDT</i> Heptaclor/ <i>Heptachlor</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Aldrin/ <i>Aldrin</i> Alaclor/ <i>Alachlor</i> Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i> Metolaclor / <i>Metolachlor</i> Endosulfan-I/ <i>Endosulfan-I</i> Isodrin/ <i>Isodrin</i> Dieldrin/ <i>Dieldrin</i> o,p'-DDT/ <i>o,p'-DDT</i> ClodinafopPropargil/ <i>Clodinafop Propargil</i> Oxyfluorfen / <i>Oxyfluorfen</i> Pendimetalin / <i>Pendimethalin</i> Aclonifen/ <i>Aclonifen</i> Bifenox/ <i>Bifenox</i> Mirex/ <i>Mirex</i> Alfa-Clordano (Cis-Clordano) / <i>Alfa-Clordane (Cis-Clordane)</i> Gamma-Clordano (Trans-Clordano) / <i>Gamma-Clordane (Trans-Clordane)</i> Naftaleno / <i>Naphthalene</i> Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>	CGM/033-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108 Acenafteno / <i>Acenaphthene</i> Criseno / <i>Chrysene</i> Acenaftileno / <i>Acenaphthylene</i> Dibenzo(a,h)Antraceno / <i>Dibenzo (a, h) Anthracene</i> Antraceno / <i>Anthracene</i> Fluoranteno / <i>Fluoranthene</i> Benzo(a)Antraceno / <i>Benzo (a) anthracene</i> Indeno(1,2,3-cd)pireno / <i>Indeno (1,2,3-cd) pyrene</i> Benzo(b)Fluoranteno / <i>Benzo (b) fluoranthene</i> Fenantreno / <i>Phenanthrene</i> Benzo(ghi)Perileno / <i>Benzo (ghi) Perylene</i> Pireno / <i>Pyrene</i> Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i> Fluoreno / <i>Fluorene</i> Épsilon-HCH/ <i>Epsilon-HCH</i> o,p'-DDD / <i>o,p'-DDD</i> o,p'-DDE / <i>o,p'-DDE</i> Dicofol/ <i>Dicofol</i> ($\geq 0,005 \mu\text{g/l}$) ($\geq 0,050 \mu\text{g/l}$) ($\geq 0,003 \mu\text{g/l}$)	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i>	CGM/033-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Clorprofam/ <i>Chlorpropham</i> ($\geq 0,005 \mu\text{g/l}$)		
Diclorofentión/ <i>Dichlofenthion</i> Metil Bromofos/ <i>Methyl Bromophos</i> Fenclorfos/ <i>Fenclorfos</i> Etil Bromofos/ <i>Ethyl Bromophos</i> Clorpirifos/ <i>Chlorpyrifos</i> Diazinon/ <i>Diazinon</i> Metil Paration/ <i>Methyl Parathion</i> Malation/ <i>Malathion</i> Etil Azinfos/ <i>Ethyl Azinphos</i> ($\geq 0,020 \mu\text{g/l}$)	Clorfenvinfos/ <i>Chlорfenvinphos</i> Fenitrotrión/ <i>Fenitrothion</i> Tetraclorvinfos/ <i>Tetrachlorvinphos</i> Etil Paration/ <i>Ethyl parathion</i> Metidation/ <i>Metidation</i> Fenamifos/ <i>Fenamiphos</i> Etion/ <i>Ethion</i> Etoprofos/ <i>Ethoprophos</i> Cadusafos/ <i>Cadusafos</i>	
Terbutilacina/ <i>Terbutylazine</i> Atracina/ <i>Atrazine</i> Ametrina/ <i>Ametrine</i> Simacina/ <i>Simazine</i> Terbumeton/ <i>Terbumeton</i> Secbumeton/ <i>Secbumeton</i> Almizcle xíleno/ <i>Musk Xylene</i> ($\geq 0,020 \mu\text{g/l}$)	Prometrina/ <i>Prometryne</i> Trietacina/ <i>Trietazine</i> Terbutrina/ <i>Terbutryne</i> Molinate/ <i>Molinate</i> Tebuconazol/ <i>Tebuconazole</i> Fipronil/ <i>Fipronil</i> Tetraconazol/ <i>Tetraconazole</i> Ciproconazol/ <i>Cyproconazole</i>	
Cipermetrina/ <i>Cypermethrin</i> Permetrina/ <i>Permethrin</i> λ -Cihalotríñ/ λ -Cyhalothrin ($\geq 0,005 \mu\text{g/l}$)		
Suma de compuestos		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Comuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOC's) by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> 1,1,1,2-Tetracloroetano / 1,1,1,2-tetrachloroethane 1,1,1-Tricloroetano / 1,1,1-trichloroethane 1,1,2,2-Tetracloroetano / 1,1,2,2-tetrachloroethane 1,1,2-Tricloroetano / 1,1,2-trichloroethane 1,1-Dicloroetano / 1,1-dichloroethane 1,1-Dicloroetileno / 1,1-Dichloroethylene 1,1-Dicloropropileno / 1,1-dichloropropylene 1,2,3,4-Tetraclorobenceno / 1,2,3,4-tetrachlorobenzen 1,2,3-Tricloropropano / 1,2,3-Trichloropropane 1,2,3-Trimetilbenceno / 1,2,3-Trimethylbenzene 1,2,4-Trimetilbenceno / 1,2,4-Trimethylbenzene 1,2-Dibromo-3-Cloropropano / 1,2-Dibromo-3-chloropropane 1,2-Dibromoetano / 1,2-Dibromoethane 1,2-Diclorobenceno / 1,2-Dichlorobenzene 1,2-Dicloropropano / 1,2-dichloropropane 1,3,5-Trimetilbenceno / 1,3,5-Trimethylbenzene 1,3-Diclorobenceno / 1,3-Dichlorobenzene 1,3-Dicloropropano / 1,3-dichloropropane 1,4-Diclorobenceno / 1,4-Dichlorobenzene 2,2-Dicloropropano / 2,2-Dichloropropane 2-Clortolueno / 2-Chlorotoluene 4-Clortolueno / 4-Chlorotoluene Bromobenceno / Bromobenzene Bromodicitrometano / Bromodichloromethane $(\geq 0,5 \mu\text{g/l})$	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,3,5 Triclorobenceno / <i>1,3,5 Trichlorobenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> ($\geq 0,10 \mu\text{g/l}$) m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / <i>1,2,3,5+1,2,4,5-tetrachlorobenzene</i> ($\geq 1,0 \mu\text{g/l}$) 1,2-Dicloroetano / <i>1,2-Dichloroethane</i> ($\geq 0,3 \mu\text{g/l}$) Cloruro de Vinilo / <i>Vinyl chloride</i> Hexacloroetano / <i>Hexachloroetane</i> Benceno / Benzene ($\geq 0,20 \mu\text{g/l}$) Suma de compuestos	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Hidrocarburos Volátiles del Petróleo (GROS) (C ₅ -C ₁₀) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / <i>C₅-C₁₀ hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 25 \mu\text{g/l}$) Fracción Alifática C5-C10 ($\geq 15 \mu\text{g/l}$) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> ($\geq 5 \mu\text{g/l}$) Fracción Aromática C6-C10 ($\geq 10 \mu\text{g/l}$) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> ($\geq 2 \mu\text{g/l}$) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> ($\geq 5 \mu\text{g/l}$)	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID) / <i>Solvents by headspace (HS)/ gas chromatography / flame ionization detector (GC/FID)</i> Etanol / <i>Ethanol</i> Acetona / <i>Acetone</i> Ter-Butanol / <i>Ter-Butanol</i> ($\geq 1,0 \text{ mg/l}$) Metanol / <i>Methanol</i> ($\geq 2,0 \text{ mg/l}$)	CG/025-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Fenoles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Phenols by gas chromatography / spectrometry-mass spectrometry (GC / MS-MS)</i> Fenol/ <i>Phenol</i> 2,4,6-Triclorofenol o-Cresol/ <i>o-Cresol</i> /2,4,6-Trichlorophenol m -Cresol/ <i>m - Cresol</i> 2,4,5-Triclorofenol/ p-Cresol/ <i>p-Cresol</i> 2,4,5-Trichlorophenol 2-Clorofenol/ <i>2-chlorophenol</i> 2,3,4,6-Tetraclorofenol/2,3,4,6-tetrachlorophenol 2,4-Dimetilfenol/ <i>2,4-dimethylphenol</i> 4-n-nonilfenol/4-n-nonilphenol 4-cloro-3-metilfenol/4-cloro-3-methylphenol/ 4-n-octifenol/4-n-octifenol 2,6-Diclorofenol/ <i>2,6-dichlorophenol</i> 4-n-octifenol/4-n-octifenol 2,4-Diclorofenol+2,5-Diclorofenol / <i>2,4-dichlorophenol+2,5-dichlorophenol</i> ($\geq 0,050 \mu\text{g/l}$) 4-t-octilfenol / <i>4-t-octylphenol</i> ($\geq 0,010 \mu\text{g/l}$) Pentaclorofenol/ <i>pentachlorophenol</i> ($\geq 0,030 \mu\text{g/l}$) Nonilfenol técnico / <i>técnico nonilphenol</i> ($\geq 0,20 \mu\text{g/l}$) Suma de Fenoles / <i>Sum of phenols</i>	CGM/038-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
Hidrocarburos en el rango C ₁₀ -C ₄₀ (aceite mineral) por cromatografía de gases/ionización de llama (CG/FID) / <i>C₁₀-C₄₀ hydrocarbons (mineral oils) by gas chromatography / flame ionisation detector (GC / FID)</i> ($\geq 0,04 \text{ mg/l}$) C ₁₀ -C ₂₈ ($\geq 0,03 \text{ mg/l}$) C ₂₉ -C ₄₀ ($\geq 0,01 \text{ mg/l}$)	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 9377-2	A
Glifosato y Ácido Aminometil fosfórico (AMPA) por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / <i>Aminomethyl glyphosate and phosphoric acid (AMPA) by high-performance liquid chromatography / mass spectrometry (HPLC / MS)</i> ($\geq 0,030 \mu\text{g/l}$)	CLMS/007-a Método interno basado en/ <i>In-house method based on:</i> ISO 16308	A
Octil-nonilfenoles y fenoles por cromatografía líquida de alta eficacia / espectrometría de masas (HPLC/MS) / <i>Octyl and nonyl phenols by high-performance liquid chromatography / mass spectrometry (HPLC/MS)</i> 4-n-nonilfenol / <i>4-n-nonylphenol</i> ($\geq 0,05 \mu\text{g/l}$) 4-t-octilfenol / <i>4-t-octylphenol</i> ($\geq 0,010 \mu\text{g/l}$) 4-n-octilfenol / <i>4-n-octylphenol</i> ($\geq 0,05 \mu\text{g/l}$) Nonilfenol técnico / <i>Technical nonylphenol</i> ($\geq 0,05 \mu\text{g/l}$) Pentaclorofenol / <i>Pentachlorophenol</i> ($\geq 0,05 \mu\text{g/l}$) Ortifenilfenol / <i>Orthophenylphenol</i> ($\geq 0,05 \mu\text{g/l}$) Bisfenol A / <i>Bisphenol A</i> ($\geq 0,05 \mu\text{g/l}$)	CLMS/019-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
(E)-Mevinfos/(E)-Mevinphos (Z)-Mevinfos/(Z)-Mevinphos 2-Hidroxiatrazina/2-Hydroxyatrazine 3,4-Dicloroanilina/3,4-Dichloroaniline 4-Isopropilanilina/4-Isopropylaniline Acetamiprid/Acetamiprid Aldicarb sulfona/Aldicarb sulfone Aldicarb sulfoxido/Aldicarb sulfoxide Aldicarb/Aldicarb Ametrina/Ametrine Atracina/Atrazine Azoxistrobin/Azoxystrobin Benalaxil/Benalaxil Bromacilo/Bromacil Carbaril/Carbaryl Carbendazima/Carbendazim Carbofuran/Carbofuran Cianacina/Cyanazine Cibutrina/Cibutrina Ciprodinilo/Cyprodinilo Clorsulfuron/Chlorosulfuron Clortoluron/Chlortoluron Clotianidina/Clothianidin Desetyl-atracina/Desethyl-atrazine Desetilterbumeton/ Desethylterbumeton Desetilo-Terbutilacina/ Desethyl- Terbutylazine Desisopropil-atracina/ Desisopropyl- atrazine Diazinon/Diazinon Diclorvos/Dichlorvos Diflubenzuron/Diflubenzuron Diflufenican/Diflufenican Dimetenamida/Dimethenamid Dimetoato/Dimethoate	CLMS/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A
Dimetomorf/Dimetomorph Diuron/Diuron Flazasulfuron/Flazasulfuron Flufenacet/Flufenacet Flufenoxuron/ Flufenoxuron Flurocloridona/ Flurochloridone Fostiazato/Phosthiazate Imazalil/ Imazalil Imidacloprid/Imidacloprid Isoproturon/Isoproturon Linuron/Linuron Lufenuron/ Lufenuron Malation/Malathion Mepanipyrim/ Mepanipyrim Metaflumizona/ Metaflumizone Metalaxil/ Metalaxyl Metamitron/Metamitron Metil-Pirimifos/Methyl-Pirimifos Metiocarb/Methiocarb Metomilo/Methomyl Metribucina/Metribuzin Metsulfuron-metil/Metsulfuron- methyl Miclobutanol/ Myclobutanil Molinato/Molinate Ometoato/Omethoate Oxadazon/Oxadazon Oxamilo/Oxamyl Pirifenoxt/Pirifenoxt Pirimetanil/Pyrimethanil Pirimicarb/Pirimicarb Procloraz/Prochloraz Prometrina/Prometryne Propazina/Propazine Propizamida/ Propyzamide Prosulfocarb/Prosulfocarb $(\geq 0,010 \mu\text{g/l})$		

ENSAYO TEST	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO CODE
Aguas de consumo y envasadas / Drinking/Potable Water		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Pesticides by high-performance liquid chromatography / mass spectrometry (HPLC / MS)	CLMS/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A
Quinoxifeno/ <i>Quinoxyfen</i> Quizalofop-p-etyl/ <i>Quizalofop-p-ethyl</i> Simacina/ <i>Simazine</i> Simetrina/ <i>Simetryne</i> Terbutilacina/ <i>Terbutylazine</i> Terbutrina/ <i>Terbutryn</i> Tiabendazol/ <i>Thiabendazole</i> ($\geq 0,010 \mu\text{g/l}$)	Tiacloprid/ <i>Thiacloprid</i> Tiametoxam/ <i>Thiamethoxam</i> Triadimenol/ <i>Triadimenol</i> Trialato/ <i>Triallat</i> Trietacina/ <i>Trietazine</i>	
Tribenuron-metil/ <i>Tribenuron-methyl</i> ($\geq 0,030 \mu\text{g/l}$)		
Plaguicidas fenoxiácidos por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Phenoxyacid pesticides by high-performance liquid chromatography / mass spectrometry (HPLC/MS)	CLMS/005-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
MCPA/MCPA ($\geq 0,02 \mu\text{g/l}$) 2, 4 D/2,4 D ($\geq 0,030 \mu\text{g/l}$) Dicamba/ <i>Dicamba</i> ($\geq 0,03 \mu\text{g/l}$) Diclorprop/ <i>Dichlorprop</i> ($\geq 0,030 \mu\text{g/l}$) Mecoprop/ <i>Mecoprop</i> ($\geq 0,030 \mu\text{g/l}$) Bentazon/ <i>Bentazon</i> ($\geq 0,020 \mu\text{g/l}$) Fluroxipir/ <i>Fluroxypyr</i> ($\geq 0,020 \mu\text{g/l}$) 2,4,5-T/2,4,5-T ($\geq 0,020 \mu\text{g/l}$) 2,4-DB/2,4-DB ($\geq 0,020 \mu\text{g/l}$) Dalapon/ <i>Dalapon</i> ($\geq 0,050 \mu\text{g/l}$) Diclofop/ <i>Diclophop</i> ($\geq 0,020 \mu\text{g/l}$) Fenoprop/ <i>Phenoprop</i> ($\geq 0,020 \mu\text{g/l}$)		
Acrilamida por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Acrylamide by high-performance liquid chromatography / mass spectrometry (HPLC/MS) ($> 0,03 \mu\text{g/l}$)	CLMS/011-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Fármacos por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pharmacological compounds and hormones by high-performance liquid chromatography /direct injection mass spectrometry (HPLC/ MS / MS)</i>	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Amisulprid / <i>Amisulprid</i> Azitromicina / <i>Azithromycin</i> Benzotriazol / <i>Benzotriazole</i> Carbamazepina / <i>Carbamazepine</i> Citalopram / <i>Citalopram</i> Claritromicina / <i>Clarithromycin</i> Diclofenaco / <i>Diclofenac</i>	Eritromicina / <i>Erythromycine</i> Irbesartan / <i>Irbesartan</i> Hidroclorotiazida/Hydrochlorothiazide Metoprolol / <i>Metoprolol</i> Ofloxacin / <i>Ofloxacin</i> Sulfametoxazol / <i>Sulfamethoxazole</i> Trimetoprim / <i>Trimethoprim</i>	
$(\geq 0,010 \mu\text{g/l})$		
Ibuprofeno / <i>Ibuprofen</i> $(\geq 0,050 \mu\text{g/l})$		
Triclosan / <i>Triclosan</i> $(\geq 0,10 \mu\text{g/l})$		
Venlafaxin / <i>Venlafaxine</i> $(\geq 0,006 \mu\text{g/l})$ Suma de 4-Metilbenzotriazol/4-Methylbenzotriazole y 6-Metilbenzotriazol/6-Methylbenzotriazole $(\geq 0,050 \mu\text{g/l})$		
Ácidos haloacéticos por cromatografía líquida de alta eficacia / espectrometría de masas (HPLC/MS) / <i>Haloacetic acids by high-performance liquid chromatography / mass spectrometry (HPLC/MS)</i> Ácido monocloroacético / <i>Monochloroacetic acid</i> Ácido dicloroacético / <i>Dichloroacetic acid</i> Ácido tricloroacético / <i>Trichloroacetic acid</i> Ácido monobromoacético / <i>Monobromoacetic acid</i> Ácido dibromoacético / <i>Dibromoacetic acid</i> Suma de compuestos	CLMS/023-a Método interno basado en/ <i>In-house method based on:</i> EPA 557	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Compuestos per y polifluoroalquiladas (PFAS) por cromatografía líquida de alta eficacia/espectrometría de masas-masas (HPLC/MS-MS) / <i>Per and polyfluoroalkyl compounds by high-performance liquid chromatography / mass-mass spectrometry (HPLC / MS-MS)</i> Ácido perfluorooctanoico (PFOA)/ <i>Perfluorooctanoic acid (PFOA)</i> Ácido perfluorononanoico (PFNA)/ <i>Perfluorononanoic acid (PFNA)</i> Ácido perfluorodecanoico (PFDA)/ <i>Perfluorodecanoic acid (PFDA)</i> Ácido perfluorododecanoico (PFDoDA)/ <i>Perfluorododecanoic acid (PFDoDA)</i> Ácido perfluorotridecanoico (PFTrDA)/ <i>Perfluorotridecanoic Acid (PFTrDA)</i> Ácido perfluorobutano sulfónico (PFBS)/ <i>Perfluorobutane sulfonic acid (PFBS)</i> Ácido perfluoropentano sulfónico (PFPeS)/ <i>Perfluoropentane sulfonic acid (PFPeS)</i> Ácido perfluorohexano sulfónico (PFHxS)/ <i>Perfluorohexane sulfonic acid (PFHxS)</i> Ácido perfluoroheptano sulfónico (PFHpS)/ <i>Perfluoroheptane sulfonic acid (PFHpS)</i> Ácido perfluoroctanosulfónico (PFOS)/ <i>Perfluoroctanesulfonic acid (PFOS)</i> Ácido perfluorononano sulfónico (PFNS)/ <i>Perfluorononane Sulfonic Acid (PFNS)</i> Ácido perfluorodecano sulfónico (PFDS)/ <i>Perfluorodecane Sulfonic Acid (PFDS)</i> Ácido perfluoroundecano sulfónico (PFUnDS)/ <i>Perfluoroundecane Sulfonic Acid (PFUnDS)</i> Ácido perfluorododecano sulfónico (PFDoDS)/ <i>Perfluorododecane Sulfonic Acid (PFDoDS)</i> Ácido perfluorotridecano sulfónico (PFTrDS)/ <i>Perfluorotridecane Sulfonic Acid (PFTrDS)</i> (≥ 0,002 µg/l) Ácido perfluorohexanoico (PFHxA)/ <i>Perfluorohexanoic acid (PFHxA)</i> (≥ 0,005 µg/l) Ácido perfluorobutanoico (PFBA)/ <i>Perfluorobutanoic acid (PFBA)</i> Ácido perfluoropentanoico (PFPeA)/ <i>Perfluoropentanoic acid (PFPeA)</i> Ácido perfluoroheptanoico (PFHpA)/ <i>Perfluoroheptanoic acid (PFHpA)</i> Ácido perfluoroundecanoico (PFUnDA)/ <i>Perfluoroundecanoic acid (PFUnDA)</i> (≥ 0,01 µg/l) Bisfenol A/ <i>Bisphenol A</i> (≥ 0,5 µg/l) Suma de compuestos	CLMS/028-a Método interno basado en/ <i>In-house method based on:</i> EPA 537	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> (E)-Mevinfos / (E)-Mevinphos (Z)-Mevinfos / (Z)-Mevinphos 2-Hidroxiatrazina / <i>2-Hydroxyatrazine</i> 3,4-Dicloroanilina / <i>3,4-Dichloroaniline</i> 4-Isopropilanilina / <i>4-Isopropylaniline</i> Acetamiprid / <i>Acetamiprid</i> Aldicarb / <i>Aldicarb</i> Aldicarb sulfona / <i>Aldicarb sulfone</i> Aldicarb sulfoxido / <i>Aldicarb sulfoxide</i> Ametrina / <i>Ametrine</i> Atracina / <i>Atrazine</i> Azoxistrobin / <i>Azoxystrobin</i> Benalaxil / <i>Benalaxil</i> Bromacilo / <i>Bromacil</i> Carbaril / <i>Carbaryl</i> Carbendazima / <i>Carbendazim</i> Carbofuran / <i>Carbofuran</i> Cianacina / <i>Cyanazine</i> Cibutrina / <i>Cibutrina</i> Ciprodinilo / <i>Cyprodinilo</i> Clorsulfuron / <i>Chlorosulfuron</i> Clortoluron / <i>Chlortoluron</i> Clotianidina / <i>Clothianidin</i> Desetyl-atracina / <i>Desethyl-atrazine</i> Desetylterbumeton / <i>Desethylterbumeton</i> Desetyl-Terbutilacina / <i>Desethyl-Terbutylazine</i> Desisopropil-atracina / <i>Desisopropyl-atrazine</i> Diazinon / <i>Diazinon</i> Diclorvos / <i>Dichlorvos</i> Diflubenzuron / <i>Diflubenzuron</i> Diflufenican / <i>Diflufenican</i> Dimetenamida / <i>Dimethenamid</i> Dimetoato / <i>Dimethoate</i> Dimetomorf / <i>Dimetomorph</i> Diuron / <i>Diuron</i> Flazasulfuron / <i>Flazasulfuron</i> Flufenacet / <i>Flufenacet</i> Flufenoxuron / <i>Flufenoxuron</i> Flurocloridona / <i>Flurochloridone</i> ($\geq 0,010 \mu\text{g/l}$)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A

ENSAYO TEST	NORMA / PROCEDIMIENTO DE ENSAYO METHOD/TEST PROCEDURE	CÓDIGO CODE
Aguas de consumo y envasadas / Drinking/Potable Water		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
2,4 D / 2,4 D 2,4,5-T/2,4,5-T 2,4-DB/2,4-DB Bentazon/ Bentazon Dalapon/Dalapon Dicamba / Dicamba Lufenuron/ Lufenuron	Diclofop/Diclophop Diclroprop/ Dichlororp Fenoprop/Phenoprop Fluroxipir/ Fluroxypyrr MCPA/ MCPA Mecoprop/ Mecoprop (≥ 0,020 µg/l) (≥ 0,030 µg/l)	
Microcistinas (totales) por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / Total Microcystins by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Microcistina LR / Microcystin - LR Microcistina RR / Microcystin – RR Microcistina YR/ Microcystin – YR Microcistina Desmetil RR/ Microcystin - demethyl-RR (≥ 0,050 µg/l)		
Hormonas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / Hormones by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)	CLMS/030-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Estrona / Estrone 17-α-Etinilestradiol/ 17-α-Ethinylestradiol 17-β-Estradiol/ 17-β-Estradiol (≥ 0,2 ng/l) (≥ 5,0 ng/l) (≥ 0,9 ng/l)		
Dureza, dureza total, cálcica y/o magnésica por cálculo / Hardness, total hardness, calcium and / or magnesium by calculation	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 2340-B	A
Dureza y dureza total / Hardness and total hardness (≥ 0,4°F)		
Dureza cálcica / Calcium hardness (≥ 0,2°F)		
Dureza magnésica / Magnesium hardness (≥ 0,2°F)		
Índice de Langelier por cálculo / Langelier index by calculation	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> J. Rodier	A
Cloro combinado por cálculo / Combined chlorine by calculation (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Cloro combinado por cálculo / Combined chlorine by calculation (≥ 0,1 mg/l)		E
Nitrógeno total por cálculo / Total nitrogen by calculation (≥ 1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Cromo III por cálculo / Chromium III by calculation (≥ 5,0 µg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable Water		
Cromo VI por cálculo / <i>Chromium VI by calculation</i> (≥ 5 µg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Nitratos por cálculo / <i>Nitrates by calculation</i> (≥ 0,5 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NO3 F	A
Amonio no ionizado por cálculo / <i>Non Ionized Ammonia by calculation</i> (≥ 0,005 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NH3 F	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ Inland waters		
pH (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A
Conductividad / <i>Conductivity</i> (10 - 50000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Turbidez / <i>Turbidity</i> (0,4 - 200 UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	A
Sólidos en suspensión / <i>Suspended solids</i> (≥ 2 mg/l)	GRV/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 872	A
Sólidos totales disueltos / <i>Solids Completely Dissolved</i> (≥ 30 mg/l)	GRV/006-a Método interno basado en/ <i>In-house method based on:</i> UNE 77031	A
Sólidos sedimentables (V30, V60) / <i>Settleable solids (V30, V60)</i> (≥ 0,5 ml/l)	SD/001-a Método interno basado en/ <i>In-house method based on:</i> UNE 77032	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Alcalinidad, Alcalinidad total y dureza temporal por titulación volumétrica / <i>Alkalinity, total alkalinity and temporary hardness by volumetric titration</i> Carbonatos / <i>Carbonates</i> $(\geq 20 \text{ mg/l } CaCO_3)$ Bicarbonatos por titulación volumétrica / <i>Bicarbonates by volumetric titration</i> $(\geq 20 \text{ mg/l } CaCO_3)$ $(\geq 25 \text{ mg/l } HCO_3^-)$ Hidróxidos / <i>Hydroxides</i> $(\geq 6,8 \text{ mg/l } OH^-)$	VL/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Alcalinidad, Alcalinidad total y dureza temporal por titulación potenciométrica / <i>Alkalinity, total alkalinity and temporary hardness by potentiometric titration</i> Carbonatos / <i>Carbonates</i> $(\geq 5 \text{ mg/l } CaCO_3)$ Bicarbonatos por titulación potenciométrica / <i>Bicarbonates by potentiometric titration</i> Bicarbonatos / <i>Bicarbonates</i> $(\geq 5 \text{ mg/l } CaCO_3)$ Hidróxidos / <i>Hydroxides</i> $(\geq 6,8 \text{ mg/l } OH^-)$	PT/001-a a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Nitrógeno Kjeldahl por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> $(\geq 1 \text{ mg/l})$	VL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 Norg C	A
Nitrógeno amoniacal por titulación volumétrica / <i>Ammonia nitrogen by volumetric titration</i> $(\geq 1 \text{ mg/l})$	VL/013-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NH3 C	A
Oxidabilidad por titulación volumétrica / <i>Oxidability by volumetric titration</i> $(\geq 0,5 \text{ mg/l})$	VL/011-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 8467	A
Sulfitos por titulación volumétrica / <i>Sulfites by volumetric titration</i> $(\geq 1 \text{ mg/l})$	VL/023-a Método interno basado en/ <i>In-house method based on:</i> SM4500SO32-B	A
Halógenos Orgánicos Disueltos (AOX) por titulación columbitométrica / <i>Dissolved organic halogens (AOX) by coulometric titration</i> $(\geq 10 \mu\text{g/l})$	CAL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9562	A
Demanda Bioquímica de Oxígeno (DBO ₅) por método manometérico / <i>Biochemical Oxygen Demand (BOD₅) by manometric method</i> $(\geq 5 \text{ mg/l})$	MN/001-a Método interno basado en/ <i>In-house method based on:</i> SM 5210B D	A
Demanda Bioquímica de Oxígeno (DBO ₅) por electrometría / <i>Biochemical Oxygen Demand (BOD₅) by electrometry</i> $(\geq 2 \text{ mg/l})$	ES/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 5815-1	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Fluoruros por electrometría / <i>Fluorides electrometry</i> (≥ 0,05 mg/l)	ES/002-a Metodo interno basado en/ <i>In-house method based on:</i> ASTM D 1179	A
Sulfuros disueltos por electrodo selectivo / <i>Dissolved Sulfides by selective electrode</i> (≥ 0,4 mg/l)	ES/004-a Metodo interno basado en/ <i>In-house method based on:</i> SM 4500-S2-G	A
Sulfuros disueltos y totales por espectrofotometría UV-VIS / <i>Total and dissolved sulfides UV-VIS spectrophotometer</i> Sulfuros disueltos / <i>Dissolved Sulfides</i> (≥ 0,05 mg/l) Sulfuros totales / <i>Total Sulfides</i> (≥ 0,05 mg/l)	EA/041-a Método interno basado en/ <i>In-house method based on:</i> UNE 77043	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate UV-VIS spectrophotometer</i> (≥ 0,016 mg P/l)	COL/007-a Metodo interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Nitrógeno Oxidado por espectrofotometría UV-VIS / <i>Nitric Oxidized Nitrogen by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO ₃ F	A
Nitritos por espectrofotometría UV-VIS / <i>Nitrites UV-VIS spectrophotometer</i> (≥ 0,010 mg/l)	COL/007-a Metodo interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	A
Cromo VI por espectrofotometría UV-VIS / <i>Chromium VI UV-VIS spectrophotometer</i> (≥ 1,5 µg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE 77061	A
Amoniaco por espectrofotometría UV-VIS / <i>Ammonium UV-VIS spectrophotometer</i> (≥ 0,05 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NH ₃ F	A
Demanda Química de Oxígeno (DQO) por espectrofotometría UV-VIS / <i>Chemical Oxygen Demand (COD) by UV-VIS spectrophotometry</i> (≥ 5 mg/l)	EA/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 15705	A
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus UV-VIS spectrophotometer</i> (≥ 0,05 mg/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus UV-VIS spectrophotometer</i> (≥ 0,004 mg/l)	EA/061-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate UV-VIS spectrophotometer</i> (≥ 0,016 mg P/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Cloro residual libre y total por espectrofotometría UV-VIS / <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Cianuros libres y totales por espectrofotometría UV-VIS / <i>Free cyanides by UV-VIS spectrophotometry</i> <i>Cianuros Libres / Free cyanides</i> (≥ 0,001 mg/l) <i>Cianuros Totales / Total cyanides</i> (≥ 0,001 mg/l)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14403-2	A
Tensioactivos aniónicos por espectrofotometría UV-VIS / <i>Anionic surfactants UV-VIS spectrophotometer</i> (≥ 0,05 mg/l)	EA/030-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16265	A
Tensioactivos cationicos por espectrofotometría UV-VIS / <i>Cationic surfactant UV-VIS spectrophotometer</i> (≥ 0,5 mg/l)	EA/032-a Método interno basado en/ <i>In-house method based on:</i> DIN 38409-20	A
Tensioactivos no iónicos por espectrofotometría UV-VIS / <i>Nonionic surfactant by UV-VIS</i> (≥ 0,5 mg/l)	EA/033-a Método interno basado en/ <i>In-house method based on:</i> SM 5540 D	A
Color y color aparente por espectrofotometría UV-VIS / <i>Color and apparent color UV-VIS spectrophotometer</i> (≥ 3 mg/l Pt-Co)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887 Método C	A
Formaldehido por espectrofotometría UV-VIS/ <i>Formaldehyde by UV-VIS spectrophotometry</i> (≥ 0,5 mg/l)	EA/025-a Método interno basado en/ <i>In-house method based on:</i> Kit comercial (*)	A
Clorofila "a" por espectrofotometría UV-VIS / <i>Chlorophyll UV-VIS spectrophotometer</i> (≥ 1,0 µg/l)	EA/024-a Metodo interno basado en/ <i>In-house method based on:</i> SM 10200 H	A
Ácido isocianúrico por espectrofotometría UV-VIS / <i>Isocyanuric acid by UV-VIS spectrophotometry</i> (≥ 10 mg/l)	EA/059-a Método interno basado en/ <i>In-house method based on:</i> NEN 6493	A
Indice de Fenoles por espectrofotometría UV-VIS / <i>Phenols UV-VIS spectrophotometer</i> (≥ 0,020 mg/l)	EA/029-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14402	A
Aceites, grasas e hidrocarburos por espectroscopía IR / <i>Oils, greases and hydrocarbons by IR spectroscopy</i> (≥ 0,050 mg/l)	IR/001-a Rev. 31 Método interno / <i>In-house method</i>	A

(*) La información sobre el kit concreto usado está disponible en el laboratorio
Information about the specific kit used is available in the laboratory

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ Inland waters		
Carbono Orgánico Total (TOC) y disuelto (COD) por espectroscopía IR / <i>Total Organic icy and dissolved (TOC) IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-1484	A
Carbono Total (TC) e Inorgánico (IC) por espectroscopía IR / <i>Total carbon (TC), and Inorganic (IC)a by IR spectroscopy</i> (≥ 5 mg/l)	CAL/001-a Rev.28 20-11-20 Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	A
Nitrógeno total por combustión y detección quimioluminiscencia / <i>Total nitrogen by combustion and chemiluminescence detection</i> (≥ 0,5 mg/l)	CAL/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12260	A
Mercurio disuelto y total por fluorescencia atómica / <i>Dissolved and total mercury by atomic fluorescence</i> (≥ 0,015 µg/l)	FA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17852	A
Mercurio disuelto y total por espectrofotometría de absorción atómica de vapor frío / <i>Total nitrogen by combustion and chemiluminescence detection electrochemical</i> (≥ 0,5 µg/l)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales y metales disueltos por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / <i>Dissolved metals spectroscopy inductively coupled plasma (ICP/AES)</i> Aluminio/Aluminum (≥ 0,025 mg/l) Hierro/Iron (≥ 0,005 mg/l) Antimonio/Antimony (≥ 0,050 mg/l) Litio/Lithium (≥ 0,010 mg/l) Arsénico/Arsenic (≥ 0,025 mg/l) Magnesio/Magnesium (≥ 0,5 mg/l) Azufre/Sulphur (≥ 0,66 mg/lS) Manganeso/Manganese (≥ 0,005 mg/l) Bario/Barium (≥ 0,025 mg/l) Molibdeno/Molybdenum (≥ 0,005 mg/l) Berilio/Beryllium (≥ 0,010 mg/l) Níquel/Nickel (≥ 0,005 mg/l) Bismuto/Bismuth (≥ 0,010 mg/l) Plata/Silver (≥ 0,025 mg/l) Boro/Boro (≥ 0,050 mg/l) Plomo/Lead (≥ 0,015 mg/l) Cadmio/Cadmium (≥ 0,002 mg/l) Potasio/Potassium (≥ 1 mg/l) Calcio/Calcium (≥ 0,5 mg/l) Selenio/Selenium (≥ 0,025 mg/l) Cobalto/Cobalt (≥ 0,005 mg/l) Silicio/Silicon (≥ 0,12 mg/l Si) Cobre/Copper (≥ 0,015 mg/l) Sodio/Sodium (≥ 1 mg/l) Cromo/Chromium (≥ 0,002 mg/l) Talio/Thallium (≥ 0,025 mg/l) Cromo III/Chromium III (≥ 0,005 mg/l) Teluro/Tellurium (≥ 0,015 mg/l) Estaño/Tin (≥ 0,015 mg/l) Titanio/Titanium (≥ 0,010 mg/l) Estroncio/Strontium (≥ 0,025 mg/l) Vanadio/Vanadium (≥ 0,010 mg/l) Fósforo/Phosphorus (≥ 0,3 mg/l P) Zinc/Zinc (≥ 0,015 mg/l)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ Inland waters		
Metales totales por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / Total metals spectroscopy inductively coupled plasma (ICP / AES) Aluminio/Aluminum ($\geq 0,050 \text{ mg/l}$) Fósforo/Phosphorus ($\geq 0,3 \text{ mg/l}$) Antimonio/Antimony ($\geq 0,050 \text{ mg/l}$) Hierro/Iron ($\geq 0,010 \text{ mg/l}$) Arsénico/Arsenic ($\geq 0,025 \text{ mg/l}$) Magnesio/Magnesium ($\geq 0,5 \text{ mg/l}$) Azufre/Sulphur ($\geq 0,66 \text{ mg/l}$) Sulfuro/Manganese ($\geq 0,005 \text{ mg/l}$) Bario/Barium ($\geq 0,050 \text{ mg/l}$) Molibdeno/Molybdenum ($\geq 0,005 \text{ mg/l}$) Berilio/Beryllium ($\geq 0,010 \text{ mg/l}$) Níquel/Nickel ($\geq 0,005 \text{ mg/l}$) Bismuto/Bismuth ($\geq 0,010 \text{ mg/l}$) Sodio/Sodium ($\geq 1 \text{ mg/l}$) Boro/Boro ($\geq 0,050 \text{ mg/l}$) Potasio/Potassium ($\geq 1 \text{ mg/l}$) Cadmio/Cadmium ($\geq 0,005 \text{ mg/l}$) Selenio/Selenium ($\geq 0,025 \text{ mg/l}$) Cobre/Copper ($\geq 0,020 \text{ mg/l}$) Plomo/Lead ($\geq 0,020 \text{ mg/l}$) Calcio/Calcium ($\geq 0,5 \text{ mg/l}$) Talio/Thallium ($\geq 0,050 \text{ mg/l}$) Cobalto/Cobalt ($\geq 0,005 \text{ mg/l}$) Teluro/Tellurium ($\geq 0,020 \text{ mg/l}$) Cromo/Chromium ($\geq 0,005 \text{ mg/l}$) Titanio/Titanium ($\geq 0,010 \text{ mg/l}$) Cromo III/Chromium III ($\geq 0,005 \text{ mg/l}$) Plata/Silver ($\geq 0,1 \text{ mg/l}$) Estaño/Tin ($\geq 0,020 \text{ mg/l}$) Vanadio/Vanadium ($\geq 0,020 \text{ mg/l}$) Estroncio/Strontium ($\geq 0,050 \text{ mg/l}$) Zinc/Zinc ($\geq 0,020 \text{ mg/l}$)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals and soluble metals by inductively coupled plasma spectrometry (ICP-MS) Torio / Thorium ($\geq 0,5 \mu\text{g/l}$) Silicio / Silicium ($\geq 0,12 \text{ mg/l}$)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals, soluble metals and total metals by inductively coupled plasma spectrometry (ICP/MS) Aluminio / Aluminum ($\geq 10 \mu\text{g/l}$) Hierro / Iron ($\geq 5 \mu\text{g/l}$) Antimonio / Antimony ($\geq 0,5 \mu\text{g/l}$) Magnesio / Magnesium ($\geq 0,5 \text{ mg/l}$) Arsénico / Arsenic ($\geq 0,5 \mu\text{g/l}$) Manganeso / Manganese ($\geq 5 \mu\text{g/l}$) Bario / Barium ($\geq 10 \mu\text{g/l}$) Molibdeno / Molybdenum ($\geq 1 \mu\text{g/l}$) Berilio / Beryllium ($\geq 1 \mu\text{g/l}$) Níquel / Nickel ($\geq 0,5 \mu\text{g/l}$) Bismuto / Bismuth ($\geq 10 \mu\text{g/l}$) Plata / Silver ($\geq 1 \mu\text{g/l}$) Boro / Boro ($\geq 10 \mu\text{g/l}$) Plomo / Lead ($\geq 0,36 \mu\text{g/l}$) Cadmio / Cadmium ($\geq 0,024 \mu\text{g/l}$) Potasio / Potassium ($\geq 1 \text{ mg/l}$) Calcio / Calcium ($\geq 0,5 \text{ mg/l}$) Selenio / Selenium ($\geq 0,3 \mu\text{g/l}$) Cobalto / Cobalt ($\geq 0,5 \mu\text{g/l}$) Sodio / Sodium ($\geq 1 \text{ mg/l}$) Cobre / Copper ($\geq 0,5 \mu\text{g/l}$) Talio / Thallium ($\geq 10 \mu\text{g/l}$) Cromo / Chromium ($\geq 0,5 \mu\text{g/l}$) Teluro / Tellurium ($\geq 1 \mu\text{g/l}$) Cromo III / Chromium III ($\geq 5 \mu\text{g/l}$) Uranio / Uranium ($\geq 0,5 \mu\text{g/l}$) Estaño / Tin ($\geq 5 \mu\text{g/l}$) Vanadio / Vanadium ($\geq 0,5 \mu\text{g/l}$) Estroncio / Strontium ($\geq 10 \mu\text{g/l}$) Zinc / Zinc ($\geq 9 \mu\text{g/l}$) Fosforo / phosphorus ($\geq 0,050 \text{ mg/l}$)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals, soluble metals and total metals by inductively coupled plasma spectrometry (ICP/MS)</i>	ICP-MS/001-a ICP-MS/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / <i>Aluminum</i> ($\geq 10 \mu\text{g/l}$) Hierro / <i>Iron</i> ($\geq 5 \mu\text{g/l}$) Antimonio / <i>Antimony</i> ($\geq 0,5 \mu\text{g/l}$) Magnesio / <i>Magnesium</i> ($\geq 0,01 \text{ mg/l}$) Arsénico / <i>Arsenic</i> ($\geq 0,5 \mu\text{g/l}$) Manganeso / <i>Manganese</i> ($\geq 5 \mu\text{g/l}$) Azufre / <i>Sulfur</i> ($\geq 3 \text{ mg/l}$) Mercurio ($\geq 0,05 \mu\text{g/l}$) Bario / <i>Barium</i> ($\geq 10 \mu\text{g/l}$) Molibdeno / <i>Molybdenum</i> ($\geq 1 \mu\text{g/l}$) Berilio / <i>Beryllium</i> ($\geq 1 \mu\text{g/l}$) Níquel / <i>Nickel</i> ($\geq 0,5 \mu\text{g/l}$) Bismuto / <i>Bismuth</i> ($\geq 10 \mu\text{g/l}$) Plata / <i>Silver</i> ($\geq 1 \mu\text{g/l}$) Boro / <i>Boro</i> ($\geq 10 \mu\text{g/l}$) Plomo / <i>Lead</i> ($\geq 0,36 \mu\text{g/l}$) Cadmio / <i>Cadmium</i> ($\geq 0,024 \mu\text{g/l}$) Potasio / <i>Potassium</i> ($\geq 0,5 \text{ mg/l}$) Calcio / <i>Calcium</i> ($\geq 0,1 \text{ mg/l}$) Selenio / <i>Selenium</i> ($\geq 0,3 \mu\text{g/l}$) Cerio / <i>Cerium</i> ($\geq 10 \mu\text{g/l}$) Sodio / <i>Sodium</i> ($\geq 0,05 \text{ mg/l}$) Cobalto / <i>Cobalt</i> ($\geq 0,5 \mu\text{g/l}$) Talio / <i>Thallium</i> ($\geq 10 \mu\text{g/l}$) Cobre / <i>Copper</i> ($\geq 0,5 \mu\text{g/l}$) Teluro / <i>Tellurium</i> ($\geq 1 \mu\text{g/l}$) Cromo / <i>Chromium</i> ($\geq 0,5 \mu\text{g/l}$) Titanio / <i>Titanium</i> ($\geq 10 \mu\text{g/l}$) Estaño / <i>Tin</i> ($\geq 5 \mu\text{g/l}$) Uranio / <i>Uranium</i> ($\geq 0,5 \mu\text{g/l}$) Estroncio / <i>Strontium</i> ($\geq 10 \mu\text{g/l}$) Vanadio / <i>Vanadium</i> ($\geq 0,5 \mu\text{g/l}$) Fosforo / <i>Phosphorus</i> ($\geq 0,050 \text{ mg/l}$) Zinc / <i>Zinc</i> ($\geq 9 \mu\text{g/l}$)		
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals and soluble metals by inductively coupled plasma spectrometry (ICP/MS)</i>	ICP-MS/001-a ICP-MS/014-a	A
Torio / <i>Thorium</i> ($\geq 0,5 \mu\text{g/l}$) Silicio / <i>Silicium</i> ($\geq 1,0 \text{ mg/l}$)	Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	
Aniones por cromatografía iónica / <i>Anions by ion chromatography</i>	CI/002-a	A
Nitratos / <i>Nitrates</i> ($\geq 0,1 \text{ mg/l}$) Bromuros / <i>Bromides</i> ($\geq 1 \text{ mg/l}$) Fluoruros / <i>Fluorides</i> ($\geq 0,015 \text{ mg/l}$) Cloruros / <i>Chlorides</i> ($\geq 0,1 \text{ mg/l}$) Sulfatos / <i>Sulfates</i> ($\geq 0,1 \text{ mg/l}$)	Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	
Bromatos por cromatografía iónica / <i>Bromides by ion chromatography</i> ($\geq 2,5 \mu\text{g/l}$)	CI/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15061	A
Acetato, Cianato y tiocianato por cromatografía iónica / <i>Acetate, Cyanate and thiocyanate by ion chromatography</i>	CI/007-a	A
Acetato / <i>Acetate</i> ($\geq 0,1 \text{ mg/l}$) Cianato / <i>Cyanate</i> ($\geq 0,25 \text{ mg/l}$) Tiocianato / <i>Thiocyanate</i> ($\geq 0,20 \text{ mg/l}$)	Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-3	
Cromo VI por cromatografía iónica / <i>Chrome VI by ion chromatography</i> ($\geq 1,5 \mu\text{g/l}$)	CI/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 218.7	A
Epiclorhidrina por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Epichlorohydrin by gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 0,030 \mu\text{g/l}$)	CGM/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Cloruro de vinilo por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Vinyl chloride by gas chromatography / mass spectrometry (GC/MS)</i> (≥ 0,15 µg/l)	CGM/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Di (2-etilhexil) ftalato (DEHP), por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Di (2-ethylhexyl) phthalate (DEHP), gas chromatography/mass spectrometry</i> (≥ 0,5 µg/l)	CGM/012-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 18856	A
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño, Dibutilestaño, Tributilestaño / <i>Monobutyltin, dibutyltin, Tributyltin</i> (≥ 0,01 µg/l)	CGM/009-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A
Geosmina y 2-Metilisoborneol por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Geosmin and 2-Methylisoborneol by gas chromatography / mass spectrometry (GC/MS)</i> Geosmina / <i>Geosmin</i> (≥ 5 ng/l) 2-Metilisoborneol / <i>2-Methylisoborneol</i> (≥ 10 ng/l)	CGM/020-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Octil-nonilfenoles y fenoles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Nonylphenols and octylphenols by gas chromatography / mass spectrometry (GC / MS)</i> Fenol/ <i>Phenol</i> 2,4,5-Triclorofenol o-Cresol/ <i>o-Cresol</i> /2,4,5-Trichlorophenol m, p-Cresol/ <i>m,p-Cresol</i> 2,3,4,6-Tetraclorofenol/2,3,4,6-tetrachlorophenol 2-Clorofenol/ <i>2-chlorophenol</i> 4-n-nonilfenol/4-n-nonilphenol 2,6-Diclorofenol/ <i>2,6-dichlorophenol</i> 4-n-octifenol/4-n-octifeno 2,4-Diclorofenol/ <i>2,4-dichlorophenol</i> Pentaclorofenol/ <i>pentachloropheno</i> (≥ 0,050 µg/l) 4-t-octilfenol / <i>4-t-octylphenol</i> (≥ 0,010 µg/l) Suma de Fenoles / <i>Sum of phenols</i>	CGM/014-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Fenoles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Phenols by gas chromatography / spectrometry-mass spectrometry (GC/MS-MS)</i>	CGM/038-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
Fenol/ <i>Phenol</i> o-Cresol/ <i>o-Cresol</i> m -Cresol/ <i>m -Cresol</i> p-Cresol/ <i>p-Cresol</i> 2-Clorofenol/ <i>2-chlorophenol</i> 2,4-Dimetilfenol/ <i>2,4-dimethylphenol</i> 4-cloro-3-metilfenol/ <i>4-chloro-3-methylphenol</i> 2,6-Diclorofenol/ <i>2,6-dichlorophenol</i> 2,4-Diclorofenol+2,5-Diclorofenol / <i>2,4-dichlorophenol+2,5-dichlorophenol</i> ($\geq 0,050 \mu\text{g/l}$) 4-t-octilfenol / <i>4-t-octylphenol</i> ($\geq 0,010 \mu\text{g/l}$) Pentaclorofenol/ <i>pentachlorophenol</i> ($\geq 0,030 \mu\text{g/l}$) Nonilfenol técnico / <i>técnico nonilphenol</i> ($\geq 0,20 \mu\text{g/l}$)		
Suma de Fenoles / <i>Sum of phenols</i>		
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño/Monobutyltin ($\geq 0,002 \mu\text{g/l}$) Dibutilestaño/Dibutyltin ($\geq 0,002 \mu\text{g/l}$) Tributilestaño/Tributyltin ($\geq 0,0002 \mu\text{g/l}$)	CGM/036-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Comuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC/MS)</i> 1,1-Dicloroetileno / <i>1,1-Dichloroethylene</i> Dibromoclorometano / <i>Dibromochloromethane</i> 4-Clorotolueno / <i>4-Chlorotoluene</i> 1,3,5-Trimetilbenceno/ <i>1,3,5-Trimethylbenzene</i> Chlorobenceno / <i>Chlorobenzene</i> 1,2,4-Trimetilbenceno / <i>1,2,4-Trimethylbenzene</i> 1,2-Dibromoetano / <i>1,2-dibromoethane</i> Sulfuro de Carbono / <i>Carbon disulphide</i> Tolueno/ <i>toluene</i> Terc-Butilbenceno / <i>Tert-Butylbenzene</i> Cis-1,2-Dicloroetileno / <i>CIS 1,2-Dichloroethylene</i> trans-1,2-Dicloroetileno / <i>TRANS 1,2-Dichloroethylene</i> n-Propilbenceno/ <i>n-propylbenzene</i> 1,1-Dicloroetano/ <i>1,1-dichloroethane</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-tetrachloroethane</i> Etilbenceno / <i>Ethylbenzene</i> 1,3-Diclorobenceno / <i>1,3-Dichlorobenzene</i> Naftaleno/ <i>Naphthalene</i> 1,1,1-Tricloroetano / <i>1,1,1-trichloroethane</i> Sec-Butilbenceno / <i>Sec-Butylbenzene</i> 1,2-Diclorobenceno/ <i>1,2-Dichlorobenzene</i> Estireno/ <i>Styrene</i> p-Isopropiltolueno/ <i>p-isopropyltoluene</i> n-Butilbenceno / <i>n-Butylbenzene</i> Bromodicitrómico/ <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> 1,4-Diclorobenceno / <i>1,4-Dichlorobenzene</i> o-Xylene/ <i>o-xylene</i> 1,1,2,2-Tetracloroetano / <i>1,1,2,2-tetrachloroethane</i> Isopropilbenceno / <i>Isopropyl benzene</i> 1,2-Dicloropropano / <i>1,2-dichloropropane</i> (≥ 0,001 mg/l)	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC/MS)</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,3,5 Triclorobenceno / <i>1,3,5 Trichlorobenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> ($\geq 0,0001 \text{ mg/l}$) m,p-xileno / <i>m, p-xylene</i> ($\geq 0,002 \text{ mg/l}$)	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Hidrocarburos en el rango C ₁₀ -C ₄₀ (aceite mineral) por cromatografía de gases/ionización de llama (CG/FID) / <i>C₁₀-C₄₀ hydrocarbons (mineral oils) by gas chromatography / flame ionisation detector (GC/FID)</i> ($\geq 0,04 \text{ mg/l}$) C ₁₀ -C ₂₈ ($\geq 0,03 \text{ mg/l}$) C ₂₉ -C ₄₀ ($\geq 0,01 \text{ mg/l}$)	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 9377-2 TNRCC 1006 UNE-EN ISO/TS 16558-2	A
Fracciones alifáticas y aromáticas de hidrocarburos semivolátiles de petróleo por cromatografía de gases/ionización de llama (CG/FID) / <i>Aliphatic and aromatic fractions of semivolatile petroleum hydrocarbons by gas chromatography/flame ionisation detector (GC/FID)</i>	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9377-2 TNRCC 1006 UNE-EN ISO/TS 16558-2	A
Fracciones alifáticas TPH alifáticos C10-C40 ($\geq 0,20 \text{ mg/l}$) TPH alifáticos >C10-C12 ($\geq 0,04 \text{ mg/l}$) TPH alifáticos >C12-C16 ($\geq 0,04 \text{ mg/l}$) TPH alifáticos >C16-C21 ($\geq 0,04 \text{ mg/l}$) TPH alifáticos >C21-C35 ($\geq 0,04 \text{ mg/l}$) TPH alifáticos >C35-C40 ($\geq 0,04 \text{ mg/l}$)		
Fracciones aromáticas TPH aromáticos C10-C40 ($\geq 0,20 \text{ mg/l}$) TPH aromáticos >C10-C12 ($\geq 0,04 \text{ mg/l}$) TPH aromáticos >C12-C16 ($\geq 0,04 \text{ mg/l}$) TPH aromáticos >C16-C21 ($\geq 0,04 \text{ mg/l}$) TPH aromáticos >C21-C35 ($\geq 0,04 \text{ mg/l}$) TPH aromáticos >C35-C40 ($\geq 0,04 \text{ mg/l}$)		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Comuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)</i> Trifluralin/ <i>Trifluralin</i> p,p'-DDE/ <i>p,p'-DDE</i> Alfa-HCH/ <i>Alpha-HCH</i> Endrin/ <i>Endrin</i> Hexaclorobenceno/ <i>Hexachlorobenzene</i> Endosulfan-II/ <i>Endosulfan-II</i> Beta-HCH/ <i>Beta-HCH</i> p,p'-DDD/ <i>p,p'-DDD</i> Lindano/ <i>Lindane</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> Delta-HCH/ <i>Delta-HCH</i> p,p'-DDT/ <i>p,p'-DDT</i> Heptaclor/ <i>Heptachlor</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Aldrin/ <i>Aldrin</i> Alaclor/ <i>Alachlor</i> Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i> Metolaclor/ <i>Metolachlor</i> Endosulfan-I/ <i>Endosulfan-I</i> Isodrin/ <i>Isodrin</i> Dieldrin/ <i>Dieldrin</i> o,p'-DDT/ <i>o,p'-DDT</i> ClodinafopPropargil/ <i>Clodinafop Propargil</i> Oxyfluorfen/ <i>Oxyfluorfen</i> Pendimetalin/ <i>Pendimethalin</i> Diclorofentión/ <i>Dichlofenthion</i> Metil Bromofos/ <i>Methyl Bromophos</i> Fenclorfos/ <i>Fenclorfos</i> Etil Bromofos/ <i>Ethyl Bromophos</i> Clorpirifos/ <i>Chlorpyrifos</i> Clorfenvinfos/ <i>Chlорfenvinphos</i> Fenitrotion/ <i>Fenitrothion</i> Tetraclorvinfos/ <i>Tetrachlorvinphos</i> Metidation/ <i>Metidation</i> Acenafteno/ <i>Acenaphthene</i> Criseno/ <i>Chrysene</i> Acenaftíleno/ <i>Acenaphthylene</i> Dibenzo(a,h) Antraceno /Dibenzo (a, h) Anthracene Antraceno/ <i>Anthracene</i> ($\geq 0,010 \mu\text{g/l}$)	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)</i>	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Almizcle xileno/ <i>Musk Xylene</i> Bifenilo / <i>Biphenyl</i> Cadusafos/ <i>Cadusafos</i> Cipermetrina/ <i>Cypermethrin</i> Ciproconazol/ <i>Cyproconazole</i> Clorprofam/ <i>Chlorpropham</i> Diazinon/ <i>Diazionon</i> Épsilon-HCH/ <i>Epsilonom-HCH</i> Etil Azinfos/ <i>Ethyl Azinfos</i> Etil Paration/ <i>Ethyl parathion</i> Etion/ <i>Ethion</i>	Etoprofós/ <i>Ethoprophos</i> Fenamifos/ <i>Fenamiphos</i> Malation/ <i>Malathion</i> Metil Paration/ <i>Methyl Parathion</i> o,p'-DDD/ <i>o,p'-DDD</i> o,p'-DDE/ <i>o,p'-DD</i> Oxido de bifenilo / <i>Biphenyl Oxide</i> Permetrina/ <i>Permethrin</i> λ -Cihalotrín/ λ - <i>Cyhalothrin</i> Tebuconazol/ <i>Terbuconazole</i> Tetraconazol/ <i>Tetraconazole</i>	
(≥ 0,010 µg/l)		
Terbutilacina/ <i>Terbutylazine</i> Atracina/ <i>Atrazine</i> Ametrina/ <i>Ametrine</i> Simacina/ <i>Simazine</i> Fipronil/ <i>Fipronil</i>	Prometrina/ <i>Prometryne</i> Trietacina/ <i>Trietazine</i> Terbutrina/ <i>Terbutryne</i> Molinate/ <i>Molinate</i>	
(≥ 0,020 µg/l)		
Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>	(≥ 0,007 µg/l)	
Suma de compuestos		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i> Trifluralin/ <i>Trifluralin</i> p,p'-DDE/ <i>p,p'-DDE</i> Alfa-HCH/ <i>Alpha-HCH</i> Endrin/ <i>Endrin</i> Hexaclorobenceno/ <i>Hexachlorobenzene</i> Endosulfan-II/ <i>Endosulfan-II</i> Beta-HCH/ <i>Beta-HCH</i> p,p'-DDD/ <i>p,p'-DDD</i> Lindano/ <i>Lindane</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> Delta-HCH/ <i>Delta-HCH</i> p,p'-DDT/ <i>p,p'-DDT</i> Heptaclor/ <i>Heptachlor</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Aldrin/ <i>Aldrin</i> Alaclor/ <i>Alachlor</i> Heptaclor Epóxido (isómero B)/ <i>Heptachlor epoxide (isomer B)</i> Metolaclor/ <i>Metolachlor</i> Endosulfan-I/ <i>Endosulfan-I</i> Isodrin/ <i>Isodrin</i> Dieldrin/ <i>Dieldrin</i> o,p'-DDT/ <i>o,p'-DDT</i> Clodinafop Propargil/ <i>Clodinafop Propargil</i> Oxyfluorfen/ <i>Oxyfluorfen</i> Aclonifen/ <i>Aclonifen</i> Bifenox/ <i>Bifenox</i> Mirex/ <i>Mirex</i> Alfa-Clordano (Cis-Clordano) / <i>Alfa-Clordane (Cis-Clordane)</i> Gamma-Clordano (Trans-Clordano) / <i>Gamma-Clordane (Trans Clordane)</i> ($\geq 0,0005 \mu\text{g/l}$)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108 Pendimetalin/ <i>Pendimethalin</i> Acenafteno/ <i>Acenaphthene</i> Criseno/ <i>Crysene</i> Acenaftileno/ <i>Acenaphthylene</i> Dibenzo (a,h)Antraceno / <i>Dibenzo (a, h)anthracene</i> Anthracene Antraceno/ <i>Anthracene</i> Fluoranteno / <i>Fluoranthene</i> Benzo(a) Antraceno / <i>Benzo (a) anthracene</i> Indeno(1,2,3-cd)piren / <i>Indeno (1,2,3-cd) pyrene</i> Benzo(b)Fluoranteno / <i>Benzo (b) fluoranthene</i> Fenantreno/ <i>phenanthrene</i> Benzo(g,h,i)Perileno / <i>Benzo (ghi) Perylene</i> Pireno/ <i>Pyrene</i> Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i> Fluoreno/ <i>Fluorene</i> PCB-28/ <i>PCB-28</i> PCB-52/ <i>PCB-52</i> PCB-101/ <i>PCB-101</i> PCB-118/ <i>PCB-118</i> PCB-138/ <i>PCB-138</i> PCB-153/ <i>PCB-153</i> PCB-180/ <i>PCB-180</i> Cipermetrina I-IV/ <i>Cypermethrin I-IV</i> Épsilon-HCH/ <i>Epsilon-HCH</i> o,p'-DDD/ <i>o,p'-DDD</i> o,p'-DDE/ <i>o,p'-DDE</i> Dicofol/ <i>Dicofol</i>	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/ MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Naftaleno / <i>Naphthalene</i> Hexabromobifenil Terbumeton ($\geq 0,010 \mu\text{g/l}$)	Secbumeton Almizcle xileno Tebuconazol	
Deltametrin/ <i>Deltamethrin</i> Diclorofentión/ <i>Dichlofenthion</i>	Clorfenvinfos/ <i>Chlорfenvinphos</i> Fenitrotion / <i>Fenitrothion</i>	
Metil Bromofos/ <i>Methyl Bromophos</i>	Tetraclorvinfos / <i>Tetrachlorvinphos</i>	
Fenclorfos/ <i>fenclofros</i>	Etil Paration / <i>Ethyl parathion</i>	
Etil Bromofos/ <i>Ethyl Bromophos</i>	Meditation / <i>Metidation</i>	
Clorpirifos/ <i>chlorpyrifos</i>	Fenamifos/ <i>Fenamiphos</i>	
Diazinon/ <i>Diazinon</i>	Etion/ <i>Ethion</i>	
Metil Paration/ <i>Methyl Parathion</i>	Etoprofos/ <i>Ethoprophos</i>	
Malation/ <i>Malathion</i>	Cadusafos/ <i>Cadusafos</i>	
Etil Azinfos/ <i>Ethyl Azinphos</i>		
($\geq 0,005 \mu\text{g/l}$)		
Bifentrin/ <i>Bifenthrin</i>		
Permetrina/ <i>Permethrin</i>	($\geq 0,0005 \mu\text{g/l}$)	
Hexabromociclododecano (HBCDD)/ <i>Hexabromocyclododecane (HBCDD)</i>	($\geq 0,050 \mu\text{g/l}$)	
BDE28(2,4,4'-Tribromodifenil Eter) / <i>BDE-28 (2,4,4 '- Tetrabromo Diphenyl Ether)</i>		
BDE47(2,2',4,4'-tetrabromodifenil Eter) / <i>BDE-47 (2,2 ', 4,4'- Tetrabromodiphenyl Ether)</i>		
BDE99(2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE-99 (2,2 ', 4,4', 5- Pentabromodiphenyl Ether)</i>		
BDE100(2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE-100 (2,2 ', 4,4', 6- Pentabromodiphenyl Ether)</i>		
BDE153(2,2',4,4',5, 5'-Hexabromodifenil Eter) / <i>BDE-153 (2,2 ', 4,4', 5,5 '- hexabromodiphenyl ether)</i>		
BDE154(2,2',4,4',5, 6'Hexabromodifenil Eter) / <i>BDE-154 (2,2 ', 4,4', 5,6 '- hexabromodiphenyl ether)</i>		
($\geq 0,0002 \mu\text{g/l}$)		
Terbutilacina / <i>Terbutylazine</i>	Prometrina / <i>Prometryn</i>	
Atracina/ <i>Atrazine</i>	Trietacina / <i>Trietazine</i>	
Ametrina/ <i>Ametrine</i>	Terbutrina/ <i>Terbutryne</i>	
Simacina / <i>Simazine</i>	Molinato/ <i>Molinate</i>	
Bifenilo / <i>Biphenyl</i>	Óxido de bifenilo / <i>Biphenyl Oxide</i>	
($\geq 0,010 \mu\text{g/l}$)		
Benzo(a)Pireno/ <i>Benzo(a)Pyrene</i>	($\geq 0,00017 \mu\text{g/l}$)	
Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Comuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS) / gas chromatography / mass spectrometry (GC / MS)</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-tetrachloroethane</i> 1,1,1-Tricloroetano / <i>1,1,1-trichloroethane</i> 1,1,2,2-Tetracloroetano / <i>1,1,2,2-tetrachloroethane</i> 1,1,2-Tricloroetano / <i>1,1,2-trichloroethane</i> 1,1-Dicloroetano / <i>1,1-dichloroethane</i> 1,1-Dicloroetileno / <i>1,1-Dichloroethylene</i> 1,1-Dicloropropileno / <i>1,1-dichloropropylene</i> 1,2,3,4-Tetraclorobenceno/ <i>1,2,3,4-tetrachlorobenzene</i> 1,2,3-Tricloropropano / <i>1,2,3-Trichloropropane</i> 1,2,3-Trimetilbenceno / <i>1,2,3-trimethylbenzene</i> 1,2,4-Trimetilbenceno / <i>1,2,4-Trimethylbenzene</i> 1,2-Dibromo-3-Cloropropano / <i>1,2-Dibromo-3-chloropropane</i> 1,2-Dibromoetano / <i>1,2-dibromoethane</i> 1,2-Diclorobenceno / <i>1,2-Dichlorobenzene</i> 1,2-Dicloropropano / <i>1,2-dichloropropane</i> 1,3,5-Trimetilbenceno / <i>1,3,5-Trimethylbenzene</i> 1,3-Diclorobenceno / <i>1,3-Dichlorobenzene</i> 1,3-Dicloropropano / <i>1,3-dichloroproppane</i> 1,4-Diclorobenceno / <i>1,4-Dichlorobenzene</i> 2,2-Dicloropropano / <i>2,2-Dichloropropane</i> 2-Clortolueno / <i>2-Chlorotoluene</i> 4-Clortolueno / <i>4-Chlorotoluene</i> Bromobenceno / <i>Bromobenzene</i> ($\geq 0,5 \mu\text{g/l}$)	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,3,5 Triclorobenceno / <i>1,3,5 Trichlorobenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> ($\geq 0,10 \mu\text{g/l}$) m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / <i>1,2,3,5+1,2,4,5-tetrachlorobenzene</i> ($\geq 1,0 \mu\text{g/l}$) 1,2-Dicloroetano / <i>1,2-Dichloroethane</i> ($\geq 0,3 \mu\text{g/l}$) Benceno / <i>Benzene</i> Cloruro de Vinilo / <i>Vinyl chloride</i> Hexacloroetano / <i>Hexachloroetane</i> ($\geq 0,20 \mu\text{g/l}$) Suma de compuestos	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Hidrocarburos Volátiles del Petróleo (GROS) (C ₅ -C ₁₀) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / <i>C₅-C₁₀ hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 25 \mu\text{g/l}$) Fracción Alifática C5-C10 ($\geq 15 \mu\text{g/l}$) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> ($\geq 5 \mu\text{g/l}$) Fracción Aromática C6-C10 ($\geq 10 \mu\text{g/l}$) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> ($\geq 2 \mu\text{g/l}$) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> ($\geq 5 \mu\text{g/l}$)	CGM/microc-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID) / <i>Solvents by headspace (HS)/ gas chromatography / flame ionization detector (GC/FID)</i> Acetona / <i>Acetone</i> Etanol / <i>Ethanol</i> Ter-Butanol / <i>Ter-Butanol</i> ($\geq 1,0 \text{ mg/l}$) Metanol / <i>Methanol</i> ($\geq 2,0 \text{ mg/l}$)	CG/025-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Bifenilos policlorados por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography / mass spectrometry -mass spectrometry (GC / MS-MS)</i> PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153, PCB 180 ($\geq 0,002 \mu\text{g/l}$) Suma de compuestos	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Benzo (a) pireno / <i>Benzo (a) pyrene</i> ($\geq 0,004 \mu\text{g/l}$) Acenafteno / <i>Acenaphthene</i> Acenaftileno / <i>Acenaphthylene</i> Antraceno / <i>Anthracene</i> Benzo (a) antraceno / <i>Benzo (a) anthracene</i> Benzo (b) fluoranteno / <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno / <i>Benzo (g,h,i) perylene</i> Benzo (k) fluoranteno / <i>Benzo (k) fluoranthene</i> ($\geq 0,010 \mu\text{g/l}$)	Criseno / <i>Chrysene</i> Dibenzo (a,h) antraceno / <i>Dibenzo (a, h) anthracene</i> Fenantreno / <i>Phenanthrene</i> Fluoranteno / <i>Fluoranthene</i> Fluoreno / <i>Fluorene</i> Indeno (1,2,3,c,d) pireno / <i>Indeno (1,2,3,c,d) pyrene</i> Naftaleno / <i>Naphthalene</i> Pireno / <i>Pyrene</i>	A
Bifenilo y Óxido de Bifenilo por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Biphenyl and Biphenyl Oxide by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Bifenilo/ <i>Biphenyl</i> Óxido de Bifenilo/ <i>Biphenyl Oxide</i> ($\geq 0,10 \mu\text{g/l}$)	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Plaguicidas por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Pesticides by gas chromatography / mass spectrometry- mass spectrometry (GC/MS-MS)</i> Aldrin/ <i>Aldrin</i> Heptaclor Epóxido (isómero B) Alfa-Clordano (Cis-Clordano)/ <i>Alfa-Clordane (Cis-Clordane)</i> / <i>Heptachlor epoxide (isomer B)</i> Alfa-HCH/ <i>Alpha-HCH</i> Heptaclor/ <i>Heptachlor</i> Beta-HCH/ <i>Beta-HCH</i> Hexaclorobenceno/ <i>Hexachlorobenzene</i> Delta-HCH/ <i>Delta-HCH</i> Isodrin/ <i>Isodrin</i> Dieldrin/ <i>Dieldrin</i> Lindano/ <i>Lindane</i> Endosulfan-I/ <i>Endosulfan-I</i> o,p'-DDD/ <i>o,p'-DDD</i> Endosulfan-II/ <i>Endosulfan-II</i> o,p'-DDE/ <i>o,p'-DDE</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> o,p'-DDT/ <i>o,p'-DDT</i> Endrin/ <i>Endrin</i> p,p'-DDD/p,p'-DDD Gamma-Clordano (Trans-Clordano)/ <i>Gamma-Clordane (Trans-Clordane)</i> p,p'-DDE/p,p'-DDE Heptaclor Epóxido (isómero A)/ <i>Heptachlor epoxide (isomer A)</i> p,p'-DDT/ <i>p,p'-DDT</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Trifluralin/ <i>Trifuralin</i> ($\geq 0,010 \mu\text{g/l}$)	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A
Ametrina/ <i>Ametrine</i> Terbutilazina/ <i>Terbutylazin</i> Atrazina/ <i>Atrazine</i> Terbutrina/ <i>Terbutryne</i> Prometrina/ <i>Prometryne</i> Trietazina/ <i>Trietazine</i> Simazina/ <i>Simazin</i> ($\geq 0,020 \mu\text{g/l}$)		
p-cloroanilina/ <i>p-chloroaniline</i> ($\geq 0,010 \mu\text{g/l}$)		
Suma de compuestos		
Cloroalcanos ($C_{10}-C_{13}$) por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Chloroalkanes $C_{10}-C_{13}$ by gas chromatography / mass spectrometry-mass spectrometry (GC / MS-MS)</i> ($\geq 0,2 \mu\text{g/l}$)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Cromo III y Cromo VI por especiación y cromatografía líquida de alta eficacia (HPLC) con detección por ICP/MS / <i>Chromium III and chromium VI by speciation by high-performance liquid chromatography (HPLC) and detection by ICP / MS</i> ($> 0,10 \mu\text{g/l}$)	CL-ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> EPA 218	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Plaguicidas fenóxiacidos por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / <i>Phenoxyacid pesticides by high-performance liquid chromatography / mass spectrometry (HPLC / MS)</i> MCPA/ <i>MCPA</i> ($\geq 0,02 \mu\text{g/l}$) 2, 4 D ($\geq 0,030 \mu\text{g/l}$) Dicamba/ <i>Dicamba</i> ($\geq 0,03 \mu\text{g/l}$) Dicloprop/ <i>Dichloroprop</i> ($\geq 0,030 \mu\text{g/l}$) Mecoprop/ <i>Mecoprop</i> ($\geq 0,030 \mu\text{g/l}$) Bentazon/ <i>Bentazone</i> ($\geq 0,020 \mu\text{g/l}$) Fluroxipir/ <i>Fluroxypyr</i> ($\geq 0,020 \mu\text{g/l}$) 2,4,5-T/2,4,5-T ($\geq 0,020 \mu\text{g/l}$) 2,4-DB/2,4-DB ($\geq 0,020 \mu\text{g/l}$) Dalapon/ <i>Dalapon</i> ($\geq 0,050 \mu\text{g/l}$) Diclofop/ <i>Diclofop</i> ($\geq 0,020 \mu\text{g/l}$) Fenoprop/ <i>Phenoprop</i> ($\geq 0,020 \mu\text{g/l}$)	CLMS/005-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Glifosato y Ácido Aminometil fosfórico (AMPA) por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / <i>Glyphosate and Aminomethyl phosphoric acid (AMPA) by high-performance liquid chromatography / mass spectrometry (HPLC/MS)</i> ($\geq 0,030 \mu\text{g/l}$)	CLMS/007-a Método interno basado en/ <i>In-house method based on:</i> ISO 16308	A
Ácidos haloacéticos por cromatografía líquida de alta eficacia / espectrometría de masas (HPLC/MS) / <i>Haloacetic acids by high-performance liquid chromatography / mass spectrometry (HPLC/MS)</i> Ácido monocloroacético / <i>Monochloroacetic acid</i> Ácido dicloroacético / <i>Dichloroacetic acid</i> Ácido tricloroacético / <i>Trichloroacetic acid</i> Ácido monobromoacético / <i>Monobromoacetic acid</i> Ácido dibromoacético / <i>Dibromoacetic acid</i> Suma de compuestos	CLMS/023-a Método interno basado en/ <i>In-house method based on:</i> EPA 557	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
(E)-Mevinfos/(E)-Mevinphos (Z)-Mevinfos/(Z)-Mevinphos 2-Hidroxiatrazina/2-Hydroxyatrazine 3,4-Dicloroanilina/3,4-Dichloroaniline	CLMS/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A
(E)-Mevinfos/(E)-Mevinphos	Dimetomorf/ <i>Dimetomorph</i>	
(Z)-Mevinfos/(Z)-Mevinphos	Diuron/ <i>Diuron</i>	
2-Hidroxiatrazina/2-Hydroxyatrazine	Flazasulfuron/ <i>Flazasulfuron</i>	
3,4-Dicloroanilina/3,4-Dichloroaniline	Flufenacet/ <i>Flufenacet</i>	
4-Isopropilanilina/4-Isopropylaniline	Flufenoxuron/ <i>Flufenoxuron</i>	
Acetamiprid/Acetamiprid	Flurocloridona/ <i>Flurochloridone</i>	
Aldicarb sulfona/Aldicarb sulfone	Fostiazato/ <i>Phosthiazate</i>	
Aldicarb sulfoxido/Aldicarb sulfoxide	Imazalil/ <i>Imazalil</i>	
Aldicarb/Aldicarb	Imidacloprid/ <i>Imidacloprid</i>	
Ametrina/Ametrine	Isoproturon/ <i>Isoproturon</i>	
Atracina/Atrazine	Linuron/ <i>Linuron</i>	
Azoxistrobin/Azoxystrobin	Lufenuron/ <i>Lufenuron</i>	
Benalaxil/Benalaxil	Malation/ <i>Malathion</i>	
Bromacilo/Bromacil	Mepanipyrim/ <i>Mepanipyrim</i>	
Carbaril/Carbaryl	Metaflumizona/ <i>Metaflumizone</i>	
Carbendazima/Carbendazim	Metalaxil/ <i>Metalaxyl</i>	
Carbofuran/Carbofuran	Metamitron/ <i>Metamitron</i>	
Cianacina/Cyanazine	Metil-Pirimifos/ <i>Methyl-Pirimifos</i>	
Cibutrina/Cibutrina	Metiocarb/ <i>Methiocarb</i>	
Ciprodinilo/Cyprodinilo	Metomilo/ <i>Methomyl</i>	
Clorsulfuron/Chlorosulfuron	Metribucina/ <i>Metribuzin</i>	
Clortoluron/Chlortoluron	Metsulfuron-metil/ <i>Metsulfuron-</i>	
Clotianidina/Clothianidin	<i>methyl</i>	
Desetyl-atracina/Desethyl-atrazine	Miclobutanal/ <i>Myclobutanil</i>	
Desetylterbumeton/Desethylterbumeton	Molinato/ <i>Molinate</i>	
Desetilo-Terbutilacina/Desethyl-Terbutylazine	Ometoato/ <i>Omethoate</i>	
Desisopropil-atracina/Desisopropyl-atrazine	Oxadiazon/ <i>Oxadiazon</i>	
Diazinon/Diazinon	Oxamilo/ <i>Oxamyl</i>	
Diclorvos/Dichlorvos	Pirifenox/ <i>Pirifenox</i>	
Diflubenzuron/Diflubenzuron	Pirimetanil/ <i>Pyrimethanil</i>	
Diflufenican/Diflufenican	Pirimicarb/ <i>Pirimicarb</i>	
Dimetenamida/Dimethenamid	Prochloraz/ <i>Prochloraz</i>	
Dimetoato/Dimethoate	Prometrina/ <i>Prometryne</i>	
	Propazina/ <i>Propazine</i>	
	Propizamida/ <i>Propyzamide</i>	
	Prosulfocarb/ <i>Prosulfocarb</i>	
<i>(≥ 0,010 µg/l)</i>		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO TEST	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO CODE
Aguas continentales/ Inland waters		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Pesticides by high-performance liquid chromatography / mass spectrometry (HPLC / MS)	CLMS/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A
Quinoxifeno/Quinoxifen Quizalofop-p-etyl/Quizalofop-p-ethyl Simacina/Simazine Simetrina/Simetryne Terbutilacina/Terbutylazine Terbutrina/Terbutryn Tiabendazol/ Thiabendazole	Tiacloprid/Thiacloprid Tiametoxam/Thiamethoxam Triadimenol/Triadimenol Trialato/Triallat Trietacina/ Trietazine	
(≥ 0,010 µg/l)		
Tribenuron-metil/Tribenuron-methyl (≥ 0,030 µg/l)		
Acrilamida por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Acrylamide by high-performance liquid chromatography / mass spectrometry (HPLC / MS)	CLMS/011-a Método interno basado en / <i>In-house method based on:</i> EPA 538	A
(≥ 0,03 µg/l)		
Octil-noniilfenoles y fenoles por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Octyl- nonyl phenols and phenols by high-performance liquid chromatography / mass spectrometry (HPLC/MS)	CLMS/019-a Método interno basado en / <i>In-house method based on:</i> EPA 543	A
4-n-noniilfenol/4-n-nonylphenol	(≥ 0,05 µg/l)	
4-t-octilfenol/4-t-octylphenol	(≥ 0,010 µg/l)	
4-n-octilfenol/4-n-octylphenol	(≥ 0,05 µg/l)	
Nonilfenol técnico/Technical nonylphenol	(≥ 0,05 µg/l)	
Pentaclorofenol/Pentachlorophenol	(≥ 0,05 µg/l)	
Ortifenilfenol/Orthophenylphenol	(≥ 0,05 µg/l)	
Bisfenol A/Bisphenol A	(≥ 0,05 µg/l)	

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
<p>Compuestos per y polifluoroalquilados (PFAS) por cromatografía líquida de alta eficacia/espectrometría de masas-masas (HPLC/MS-MS) / <i>Per and polyfluoroalkyl compounds by high-performance liquid chromatography / mass-mass spectrometry (HPLC / MS-MS)</i></p> <p>Ácido perfluorooctanoico (PFOA)/<i>Perfluorooctanoic acid (PFOA)</i> Ácido perfluorononanoico (PFNA)/<i>Perfluorononanoic acid (PFNA)</i> Ácido perfluorodecanoico (PFDA)/<i>Perfluorodecanoic acid (PFDA)</i> Ácido perfluorododecanoico (PFDoDA)/<i>Perfluorododecanoic acid (PFDoDA)</i> Ácido perfluorotridecanoico (PFTrDA)/<i>Perfluorotridecanoic Acid (PFTrDA)</i> Ácido perfluorobutano sulfónico (PFBS)/<i>Perfluorobutane sulfonic acid (PFBS)</i> Ácido perfluoropentano sulfónico (PFPeS)/<i>Perfluoropentane sulfonic acid (PFPeS)</i> Ácido perfluorohexano sulfónico (PFHxS)/<i>Perfluorohexane sulfonic acid (PFHxS)</i> Ácido perfluoroheptano sulfónico (PFHpS)/<i>Perfluoroheptane sulfonic acid (PFHpS)</i> Ácido perfluoroctanosulfónico (PFOS)/<i>Perfluoroctanesulfonic acid (PFOS)</i> Ácido perfluorononano sulfónico (PFNS)/<i>Perfluorononane Sulfonic Acid (PFNS)</i> Ácido perfluorodecano sulfónico (PFDS)/<i>Perfluorodecane Sulfonic Acid (PFDS)</i> Ácido perfluoroundecano sulfónico (PFUnDS)/<i>Perfluoroundecane Sulfonic Acid (PFUnDS)</i> Ácido perfluorododecano sulfónico (PFDoDS)/<i>Perfluorododecane Sulfonic Acid (PFDoDS)</i> Ácido perfluorotridecano sulfónico (PFTrDS)/<i>Perfluorotridecane Sulfonic Acid (PFTrDS)</i> $(\geq 0,002 \mu\text{g/l})$</p> <p>Ácido perfluorobutanoico (PFBA)/<i>Perfluorobutanoic acid (PFBA)</i> $(\geq 0,005 \mu\text{g/l})$</p> <p>Ácido perfluorohexanoico (PFHxA)/<i>Perfluorohexanoic acid (PFHxA)</i> Ácido perfluoropentanoico (PFPeA)/<i>Perfluoropentanoic acid (PFPeA)</i> Ácido perfluoroheptanoico (PFHpA)/<i>Perfluoroheptanoic acid (PFHpA)</i> Ácido perfluoroundecanoico (PFUnDA)/<i>Perfluoroundecanoic acid (PFUnDA)</i> $(\geq 0,01 \mu\text{g/l})$</p> <p>Bisfenol A/<i>Bisphenol A</i> $(\geq 0,5 \mu\text{g/l})$</p> <p>Suma de compuestos</p>	CLMS/028-a Método interno basado en/ <i>In-house method based on:</i> EPA 537	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> (E)-Mevinfos / (E)- <i>Mevinphos</i> (Z)-Mevinfos / (Z)- <i>Mevinphos</i> 2-Hidroxiatrazina / <i>2-Hydroxyatrazine</i> 3,4-Dicloroanilina / <i>3,4-Dichloroaniline</i> 4-Isopropilanilina / <i>4-Isopropylaniline</i> Acetamiprid / <i>Acetamiprid</i> Aldicarb sulfona / <i>Aldicarb sulfone</i> Aldicarb sulfoxido / <i>Aldicarb sulfoxide</i> Aldicarb / <i>Aldicarb</i> Ametrina / <i>Ametrine</i> Atracina / <i>Atrazine</i> Azoxistrobin / <i>Azoxystrobin</i> Benalaxil / <i>Benalaxil</i> Bromacilo / <i>Bromacil</i> Carbaril / <i>Carbaryl</i> Carbendazima / <i>Carbendazim</i> Carbofuran / <i>Carbofuran</i> Cianacina / <i>Cyanazine</i> Cibutrina / <i>Cibutrina</i> Ciprodinilo / <i>Cyprodinil</i> Clorsulfuron / <i>Chlorosulfuron</i> Clortoluron / <i>Chlortoluron</i> Clotianidina / <i>Clothianidin</i> Desetyl-atracina / <i>Desethyl-atrazine</i> Desetylterbumeton / <i>Desethylterbumeton</i> Desetyl-Terbutilacina / <i>Desethyl-Terbutylazine</i> Desisopropil-atracina / <i>Desisopropyl-atrazine</i> Diazinon / <i>Diazinon</i> Diclorvos / <i>Dichlorvos</i> Diflubenzuron / <i>Diflubenzuron</i> Diflufenican / <i>Diflufenican</i> Dimetenamida / <i>Dimethenamid</i> Dimetoato / <i>Dimethoate</i> Dimetomorf / <i>Dimetomorph</i> Diuron / <i>Diuron</i> Flazasulfuron / <i>Flazasulfuron</i> Flufenacet / <i>Flufenacet</i> Flufenoxuron / <i>Flufenoxuron</i> Flurocloridona / <i>Flurochloridone</i> ($\geq 0,010 \mu\text{g/l}$)	CLMS/029-a Método interno basado en/ <i>In-house method based on</i> EPA 538	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Nicosulfuron / <i>Nicosulfuron</i> (≥ 0,010 µg/l) 2,4 D / <i>2,4 D</i> 2,4,5-T/ <i>2,4,5-T</i> 2,4-DB/ <i>2,4-DB</i> Bentazon/ <i>Bentazon</i> Dalapon/ <i>Dalapon</i> Dicamba / <i>Dicamba</i> Lufenuron/ <i>Lufenuron</i> (≥ 0,020 µg/l) (≥ 0,030 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on</i> EPA 538	A
Microcistinas (totales) por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Total Microcystins by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Microcistina LR / <i>Microcystin - LR</i> Microcistina LR / <i>Microcystin - RR</i> Microcistina RR/ <i>Microcystin - YR</i> Microcistina Desmetil RR/ <i>Microcystin - demethyl-RR</i> (≥ 0,050 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on</i> EPA 538	A
Fármacos por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pharmacological compounds and hormones by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Amisulprid / <i>Amisulprid</i> Azitromicina / <i>Azithromycin</i> Benzotriazol / <i>Benzotriazole</i> Carbamazepina / <i>Carbamazepine</i> Citalopram / <i>Citalopram</i> Claritromicina / <i>Clarithromycin</i> Diclofenaco / <i>Diclofenac</i> Ibuprofeno / <i>Ibuprofen</i> Venlafaxin / <i>Venlafaxine</i> Triclosan / <i>Triclosan</i> Suma de 4-Metilbenzotriazol/4-Methylbenzotriazole y 6-Metilbenzotriazol/6-Methylbenzotriazole (≥ 0,050 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on</i> EPA 538	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Hormonas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Hormones by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Estrona / Estrone ($\geq 0,2 \text{ ng/l}$) 17- α -Ethinilestradiol/ 17- α -Ethinylestradiol ($\geq 5,0 \text{ ng/l}$) 17- β -Estradiol/ 17- β -Estradiol ($\geq 0,9 \text{ ng/L}$)	CLMS/030-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Nitrógeno orgánico por cálculo / <i>Organic nitrogen by calculation</i> ($\geq 1 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno oxidable por cálculo / <i>Oxidizable nitrogen by calculation</i> ($\geq 0,5 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno total por cálculo / <i>Total nitrogen by calculation</i> ($\geq 1 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno oxidado por cálculo / <i>Nitric Oxidized Nitrogen by calculation</i> ($\geq 0,10 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO3 F	A
Amonio no ionizado por cálculo / <i>Non Ionized Ammonia by calculation</i> ($\geq 0,005 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NH3 F	A
Cloro combinado por cálculo / <i>Combined chlorine by calculation</i> ($\geq 0,05 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
SAR por cálculo / <i>SAR by calculation</i>	CALCU/001-a NORMAS RIVERSIDE	A
Dureza, dureza total, cálcica y/o magnésica por cálculo/ <i>Hardness, total hardness, calcium and / or magnesium by calculation</i> Dureza y dureza total / <i>Hardness and total hardness</i> ($\geq 0,05^{\circ}\text{F}$) Dureza cálcica/ <i>Calcium hardness</i> ($\geq 0,2^{\circ}\text{F}$) Dureza magnésica/ <i>Magnesium hardness</i> ($\geq 0,2^{\circ}\text{F}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 2340 B	A
Cromo VI por cálculo / <i>Chrome VI by calculation</i> ($\geq 0,005 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Cromo III y Cromo III total por cálculo / <i>Chrome III and total chrome III calculation</i> ($\geq 0,002 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales/ <i>Inland waters</i>		
Tensioactivos totales por cálculo / <i>Total surfactants by calculation</i> (≥ 1,1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 5540 A	A
Nitratos por cálculo / <i>Nitrates by calculation</i> (≥ 0,5 mg/l)	CALCU/001-a Metodo interno basado en/ <i>In-house method based on:</i> SM4500-NO3 F	A

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas continentales tratadas/ <i>Treated Inland waters</i>		
pH (1 -13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	E
Conductividad/ <i>Conductivity</i> (20 - 50000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	E
Turbidez/ <i>Turbidity</i> (1 - 1000 UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	E
Sólidos en suspensión/ <i>Suspended solids</i> (≥ 5 mg/l)	GRV/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 872	E
Carbonatos y bicarbonatos por titulación volumétrica/ <i>Carbonates and Bicarbonates by volumetric titration</i> (≥ 25 mg/l)	VL/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	E
Cloruros por titulación volumétrica/ <i>Chlorides by volumetric titration</i> (≥ 20 mg/l)	VL/036-a Método interno basado en/ <i>In-house method based on:</i> SM 4500- Cl ⁻ B	E
Oxidabilidad por titulación volumétrica / <i>Oxidability by volumetric titration</i> (≥ 1 mg/l O ₂)	VL/011-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 8467	E
Cianuros libres por electrometría/ <i>Free cyanides by electrometry</i> (≥ 0,02 mg/l)	ES/011-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-CN F	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas continentales tratadas/ Treated Inland waters		
Fluoruros por electrometría / <i>Fluorides by electrometry</i> (≥ 0,25 mg/l)	ES/002-a Metodo interno basado en/ <i>In-house method based on:</i> ASTM D 1179	E
Bromuros por electrometría / <i>Bromides by electrometry</i> (≥ 0,2 mg/l)	ES/012-a Método interno basado en/ <i>In-house method based on:</i> EPA Método 9211	E
Demanda Bioquímica de Oxígeno (DBO ₅) por método manométrico / <i>Biochemical Oxygen Demand (BOD₅) by manometric method</i> (≥ 5 mg/l)	MN/001-a Método interno basado en/ <i>In-house method based on:</i> SM 5210D	E
Aluminio por espectrofotometría UV-VIS / <i>Aluminum by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	EA/065-a Método interno basado en/ <i>In-house method based on:</i> SM 3500 Al D	E
Amonio por espectrofotometría UV-VIS / <i>Ammonia by UV-VIS spectrophotometry</i> (≥ 0,06 mg/l)	EA/017-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NO3 F	E
Boro por espectrofotometría UV-VIS / <i>Boron by UV-VIS spectrophotometry</i> (≥ 0,5 mg/l)	EA/064-a Método interno basado en/ <i>In-house method based on:</i> Métodos Oficiales de Análisis. Ministerio de Agricultura Pesca y Alimentación	E
Cloro residual libre y total por espectrofotometría UV-VIS / <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	E
Color por espectrofotometría UV-VIS / <i>Colour by UV-VIS spectrophotometry</i> (≥ 4 mg/l Pt/Co)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887	E
Demanda Química de Oxígeno (DQO) por espectrofotometría UV-VIS / <i>Chemical Oxygen Demand (COD) by UV-VIS spectrophotometry</i> (≥ 10 mg/l)	EA/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 15705	E
Fosfatos por espectrofotometría UV-VIS / <i>Phosphate by UV-VIS spectrophotometry</i> (≥ 3,1 mg/l)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	E
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas continentales tratadas/ <i>Treated Inland waters</i>		
Nitratos por espectrofotometría UV-VIS / <i>Nitrates by UV-VIS spectrophotometry</i> (≥ 2,5 mg/l)	EA/013-a Método interno basado en/ <i>In-house method based on:</i> DIN 38405-9	E
Nitritos por espectrometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> (≥ 0,026 mg/l)	EA/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	E
Nitrógeno total por espectrofotometría UV-VIS / <i>Total Nitrogen by UV-VIS spectrophotometry</i> (≥ 2,5 mg/l)	EA/022-a Método interno basado en/ <i>In-house method based on:</i> UNE 11905-1	E
Titanio disuelto y total por espectrofotometría UV-VIS / <i>Soluble and total Titanium by UV-VIS spectrophotometry</i> (≥ 1 mg/l)	COL/008-a Rev. 6 Método interno / <i>In-house method</i>	E
Carbono Orgánico Total (COT) por espectroscopía IR / <i>Total Organic carbón by IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	E
Nitrógeno total por quimioluminiscencia / <i>Total nitrogen by chemiluminescence detection</i> (≥ 1 mg/l)	CAL/004-a Método interno basado en/ <i>In-house method based on:</i> EN 12260	E
Compuestos Orgánicos Volátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> Bromodiclorometano / <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> Cloroformo / <i>Chloroform</i> Dibromoclorometano / <i>Dibromochloromethane</i> (≥ 1 µg/l)	CGM/044-a Método interno basado en/ <i>In-house method based on:</i> UNE EN ISO-17943	E
Nitrógeno total Kjeldahl por cálculo (≥ 1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N	E

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/ <i>Wastewater</i>		
pH (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A, E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Conductividad / <i>Conductivity</i> (10 - 50000 $\mu\text{S}/\text{cm}$)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Conductividad / <i>Conductivity</i> (20 - 50000 $\mu\text{S}/\text{cm}$)		E
Turbidez / <i>Turbidity</i> (0,40 - 2000 UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7027	A
Turbidez / <i>Turbidity</i> (1 - 4000 UNT)		E
Sólidos en suspensión / <i>Suspended solids</i> ($\geq 5 \text{ mg/l}$)	GRV/003-a Método interno basado en/ <i>In-house method based on:</i> UNE EN 872	A, E
Sales solubles (según D 103/2000 de 6 de marzo de la Agencia Catalana del Agua) ($\geq 10 \mu\text{S}/\text{cm}$)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Sólidos suspendidos volátiles / <i>Volatile suspended solids</i> ($\geq 0,25 \%$)	GRV/005-a Método interno basado en/ <i>In-house method based on:</i> UNE 77034	A
Sólidos totales disueltos / <i>Total Dissolved Solids</i> ($\geq 30 \text{ mg/l}$)	GRV/006-a Método interno basado en/ <i>In-house method based on:</i> UNE 77031	A
Materia sedimentable (V30, V60) / <i>Settleable matter</i> ($\geq 0,5 \text{ ml/l}$)	SD/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-77032	A
Aceites y grasas por gravimetría / <i>Oils and grease / extractable matter to hexane per gravimetry</i> ($\geq 10 \text{ mg/l}$)	GRV/016-a Método interno basado en/ <i>In-house method based on:</i> SM5520 D	A
Aceites y grasas por gravimetría / <i>Oils and grease / extractable matter to hexane per gravimetry</i> ($\geq 5 \text{ mg/l}$)		E
Densidad por densimetría y gravimetría / <i>Density by densimetry and gravimetric</i> ($\geq 0,80 \text{ g/cc}$)	DS/001-a Método interno basado en/ <i>In-house method based on:</i> UNE 55702	A
Cloruros por titulación volumétrica / <i>Chlorides by volumetric titration</i> ($\geq 20 \text{ mg/l}$)	VL/036-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-Cl'B	E
Sulfitos por titulación volumétrica / <i>Sulfites by volumetric titration</i> ($\geq 1 \text{ mg/l}$)	VL/023-a Metodo interno basado en/ <i>In-house method based on:</i> SM 4500 SO32- B	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Nitrógeno Kjeldahl por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 2,0 mg/l)	VL/007-a Metodo interno basado en/ <i>In-house method based on:</i> SM 4500Norg C	A
Nitrógeno amoniacal por titulación volumétrica / <i>Ammonia nitrogen by volumetric titration</i> (≥ 1 mg/l)	VL/013-a Metodo interno basado en/ <i>In-house method based on:</i> SM 4500 NH3 C-a	A
Alcalinidad, Alcalinidad total y dureza temporal por titulación volumétrica / <i>Alkalinity, total alkalinity and temporary hardness by volumetric titration</i> Carbonatos / <i>Carbonates</i> (≥ 20 mg/l CaCO_3) Bicarbonatos por titulación volumétrica / <i>Bicarbonates by volumetric titration</i> (≥ 20 mg/l CaCO_3) (≥ 25 mg/l HCO_3^-) Hidróxidos / <i>Hydroxides</i> (≥ 6,8 mg/l OH^-)	VL/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Alcalinidad, Alcalinidad total y dureza temporal por titulación potenciométrica / <i>Alkalinity, total alkalinity and temporary hardness by potentiometric titration</i> Carbonatos / <i>Carbonates</i> (≥ 20 mg/l CaCO_3) Bicarbonatos por titulación potenciométrica / <i>Bicarbonates by potentiometric titration</i> (≥ 20 mg/l CaCO_3) (≥ 25 mg/l HCO_3^-) Hidróxidos / <i>Hydroxides</i> (≥ 6,8 mg/l OH^-)	PT/001-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A
Halógenos Orgánicos Disueltos (AOX) por titulación columbimétrica / <i>Dissolved organic halogens (AOX) by coulometric titration</i> (≥ 10 µg/l)	CAL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9562	A
Demanda Bioquímica de Oxígeno (DBO ₅) por método manométrico / <i>Biochemical Oxygen Demand (BOD₅) by manometric method</i> (≥ 5 mg/l)	MN/001-a Método interno basado en/ <i>In-house method based on:</i> SM 5210D	A, E
Amonio por electrometría / <i>Ammonia by electrometry</i> (≥ 0,6 mg/l)	ES/013-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NH ₃ F	E
Bromuros por electrometría / <i>Bromides by electrometry</i> (≥ 0,2 mg/l)	ES/012-a Método interno basado en/ <i>In-house method based on:</i> EPA Método 9211	E
Cianuros libres por electrometría / <i>Free cyanides by electrometry</i> (≥ 0,02 mg/l)	ES/011-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-CN F	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Demanda Bioquímica de Oxígeno (DBO_5) por electrometría / <i>Biochemical Oxygen Demand (BOD_5) by electrometry</i> ($\geq 3 \text{ mg/l}$)	ES/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 5815-1	A
Fluoruros por electrometría / <i>Fluorides by electrometry</i> ($\geq 0,050 \text{ mg/l}$)	ES/002-a Metodo interno basado en/ <i>In-house method based on:</i>	A
Fluoruros por electrometría / <i>Fluorides by electrometry</i> ($\geq 0,25 \text{ mg/l}$)	<i>ASTM D 1179</i>	E
Sulfuros disueltos/ Dissolved sulfur por electrometría / <i>Sulfides by electrometry</i> ($\geq 0,40 \text{ mg/l}$)	ES/004-a Metodo interno basado en/ <i>In-house method based on:</i> SM 4500-S2 G	A
Aluminio disuelto por espectrofotometría UV-VIS / <i>Soluble Aluminum by UV-VIS spectrophotometry</i> ($\geq 0,05 \text{ mg/l}$)	EA/065-a Método interno basado en/ <i>In-house method based on:</i> SM 3500 Al D	E
Boro por espectrofotometría UV-VIS / <i>Boron by UV-VIS spectrophotometry</i> ($\geq 0,5 \text{ mg/l}$)	EA/064-a Método interno basado en/ <i>In-house method based on:</i> Métodos Oficiales de Análisis. Ministerio de Agricultura Pesca y Alimentación	E
Cloro residual libre y total por espectrofotometría UV-VIS/ <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> ($\geq 0,1 \text{ mg/l}$)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	E
Color por espectrofotometría UV-VIS/ <i>Colour by UV-VIS spectrophotometry</i> ($\geq 4 \text{ mg/l Pt/Co}$)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887	E
Demanda Química de Oxígeno (DQO) por espectrofotometría UV-VIS/ <i>Chemical Oxygen Demand (COD) by UV-VIS spectrophotometry</i> ($\geq 10 \text{ mg/l}$)	EA/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 15705	E
Fosfatos por espectrofotometría UV-VIS / <i>Phosphate by UV-VIS spectrophotometry</i> ($\geq 3,1 \text{ mg/l}$)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	E
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus UV-VIS spectrophotometer</i> ($\geq 0,1 \text{ mg/l}$)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	E
Nitritos por espectrometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> ($\geq 0,026 \text{ mg/l}$)	EA/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Nitrógeno total por espectrofotometría UV-VIS / <i>Total Nitrogen by UV-VIS spectrophotometry</i> (≥ 2,5 mg/l)	EA/022-a Método interno basado en/ <i>In-house method based on:</i> UNE 11905-1	E
Titanio disuelto y total por espectrofotometría UV-VIS / <i>Soluble and total Titanium by UV-VIS spectrophotometry</i> (≥ 1 mg/l)	COL/008-a Rev. 6 Método interno / <i>In-house method</i>	E
Sulfuros disueltos y totales por espectrofotometría UV-VIS / <i>dissolved and total sulfides by UV-VIS spectrophotometry</i> (≥ 0,4 mg/l) Sulfuros disueltos / <i>Dissolved Sulfides</i> (≥ 0,4 mg/l) Sulfuros Totales / <i>Total Sulfides</i> (≥ 0,3 mg/l)	EA/041-a Método interno basado en/ <i>In-house method based on:</i> UNE 77043	A
Nitritos por espectrofotometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> (≥ 0,010 mg/l)	COL/007-a Metodo interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	A
Cromo (VI) por espectrofotometría UV-VIS / <i>Chrome VI by UV-VIS spectrophotometry</i> (≥ 0,005 mg/l)	COL/007-a Metodo interno basado en/ <i>In-house method based on:</i> UNE 77061	A
Nitrógeno Oxidado por espectrofotometría UV-VIS / <i>Nitric Oxidized Nitrogen by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO ₃ F	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate by UV-VIS spectrophotometry</i> (≥ 0,07 mg P/l)	COL/007-a Metodo interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Demanda Química de Oxígeno (DQO) por espectrofotometría UV-VIS / <i>Chemical Oxygen Demand (COD) by UV-VIS spectrophotometry</i> (≥ 5 mg/l)	EA/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 15705	A
Cianuros por espectrofotometría UV-VIS / <i>Cyanides by UV-VIS spectrophotometry</i> Cianuros Libres / <i>Free cyanides</i> (≥ 0,012 mg/l) Cianuros Totales / <i>Total cyanides</i> (≥ 0,012 mg/l)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14403-2	A
Cloro residual libre y total por espectrofotometría UV-VIS / <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	COL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Color y color aparente por espectrofotometría UV-VIS / <i>Colour and apparent colour by UV-VIS spectrophotometry</i> (≥ 3 mg/l Pt-Co)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887	A
Indice de Fenoles por espectrofotometría UV-VIS / <i>Phenols by UV-VIS spectrophotometry</i> (≥ 0,020 mg/l)	EA/029-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14402	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Color por espectrofotometría UV-VIS / <i>Colour by UV-VIS spectrophotometry</i> (hasta dilución 1/40)	EA/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7887. Método C	A
Tensioactivos aniónicos por espectrofotometría UV-VIS / <i>Anionic surfactants by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	EA/030-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16265	A
Tensioactivos cationicos por espectrofotometría UV-VIS / <i>Cationic surfactants by UV-VIS spectrophotometer</i> (≥ 0,5 mg/l)	EA/032-a Método interno basado en/ <i>In-house method based on:</i> DIN 38409-20	A
Tensioactivos no iónicos por espectrofotometría UV-VIS / <i>Nonionic surfactants by UV-VIS</i> (≥ 0,5 mg/l)	EA/033-a Método interno basado en/ <i>In-house method based on:</i> SM 5540 D	A
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Ortofosfatos por espectrofotometría UV-VIS / <i>Orthophosphate by UV-VIS spectrophotometry</i> (≥ 0,016 mg P/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Aceites y grasas e hidrocarburos por espectroscopía IR / <i>Oils, greases and hydrocarbons by IR spectroscopy</i> (≥ 0,20 mg/l)	IR/001-a, Rev. 31 Método interno / <i>In-house method</i>	A
Carbono Orgánico Total (COT) por espectroscopía IR / <i>Total Organic carbón by IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	E
Carbono Orgánico Total (COT) y disuelto (COD) por espectroscopía IR / <i>Total (COT) and soluble Organic carbón (DOC) by IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	A
Carbono Total (TC) e Inorgánico (IC) por espectroscopía IR / <i>Total carbon (TC), and Inorganic (IC) by IR spectroscopy</i> (≥ 5 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	
Nitrógeno total por combustión y quimioluminiscencia / <i>Total nitrogen by chemiluminescence combustion</i> (≥ 1,0 mg/l)	CAL/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12260	A
Nitrógeno total por quimioluminiscencia / <i>Total nitrogen by chemiluminescence detection</i> (≥ 1 mg/l)	CAL/004-a Método interno basado en/ <i>In-house method based on:</i> EN 12260	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Nitrógeno nítrico por espectrofotometría UV-VIS / <i>Nitric nitrogen by UV-VIS spectrophotometry</i> (≥ 0,50 mg/l)	EA/013-a Método interno basado en/ <i>In-house method based on:</i> DIN 38405-9	A
Nitrógeno nitroso por espectrofotometría UV-VIS / <i>Nitrous nitrate by UV-VIS spectrophotometry</i> (≥ 0,0030 mg/l)	EA/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	A
Nitrógeno total por espectrofotometría UV-VIS / <i>Total Nitrogen by UV-VIS spectrophotometry</i> (≥ 1,0 mg/l)	EA/022-a Método interno basado en/ <i>In-house method based on:</i> UNE 11905-1	A
Fósforo total por espectrofotometría UV-VIS/ <i>Total phosphorus by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Formaldehido por espectrofotometría UV-VIS/ <i>Formaldehyde by UV-VIS spectrophotometry</i> (≥ 0,5 mg/l)	EA/025-a Método interno basado en kit comercial (*) / <i>In-house method based on commercial kit (*)</i>	A
Punto de inflamación por combustión y termometría / <i>Flashpoint by combustion and thermometry</i> (20 -120 °C)	TM/003-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 56-16 ^a	A
Mercurio, mercurio disuelto y total por espectroscopía de absorción atómica de vapor frío / <i>Dissolved and total mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 1,0 µg/l)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Mercurio, mercurio disuelto y total por espectroscopía de absorción atómica de vapor frío / <i>Dissolved and total mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 1,0 µg/l)	EAA/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Compuestos Orgánicos Volátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> Bromodiclorometano / <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> Cloroformo / <i>Chloroform</i> Dibromoclorometano / <i>Dibromochloromethane</i> (≥ 1 µg/l)	CGM/044-a Método interno basado en/ <i>In-house method based on:</i> UNE EN ISO-17943	E

(*) La información sobre el kit concreto usado está disponible en el laboratorio

(*) *Information about the specific kit used is available in the laboratory*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Metales y metales disueltos por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / Soluble metals by inductively coupled plasma spectroscopy (ICP/AES)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Aluminio / Aluminium ($\geq 0,10 \text{ mg/l}$)	Manganoso / Manganese ($\geq 0,010 \text{ mg/l}$)	
Antimonio / Antimony ($\geq 0,050 \text{ mg/l}$)		
Arsénico / Arsenic ($\geq 0,050 \text{ mg/l}$)	Magnesio / Magnesium ($\geq 0,50 \text{ mg/l}$)	
Azufre / Sulfur ($\geq 0,66 \text{ mg/l}$)	Molibdeno / Molybdenum	
Bario / Barium ($\geq 0,025 \text{ mg/l}$)	($\geq 0,010 \text{ mg/l}$)	
Berilio / Beryllium ($\geq 0,010 \text{ mg/l}$)	Níquel / Nickel ($\geq 0,010 \text{ mg/l}$)	
Bismuto / Bismuth ($\geq 0,010 \text{ mg/l}$)	Plata / Silver ($\geq 0,10 \text{ mg/l}$)	
Boro / Boro ($\geq 0,050 \text{ mg/l}$)	Plomo / Lead ($\geq 0,010 \text{ mg/l}$)	
Cadmio / Cadmium ($\geq 0,010 \text{ mg/l}$)	Potasio / Potassium ($\geq 1,0 \text{ mg/l}$)	
Calcio / Calcium ($\geq 0,50 \text{ mg/l}$)	Sodio / Sodium ($\geq 1,0 \text{ mg/l}$)	
Cobre / Copper ($\geq 0,025 \text{ mg/l}$)	Silicio / Silicium ($\geq 0,12 \text{ mg/l}$)	
Cromo / Chrome ($\geq 0,010 \text{ mg/l}$)	Talio / Thallium ($\geq 0,025 \text{ mg/l}$)	
Cromo III / Chrome III ($\geq 0,020 \text{ mg/l}$)	Teluro / Tellurium ($\geq 0,025 \text{ mg/l}$)	
Cobalto / Cobalt ($\geq 0,010 \text{ mg/l}$)	Titanio / Titanium ($\geq 0,010 \text{ mg/l}$)	
Estaño / Tin ($\geq 0,025 \text{ mg/l}$)	Selenio / Selenium ($\geq 0,050 \text{ mg/l}$)	
Estroncio / Strontium ($\geq 0,050 \text{ mg/l}$)	Vanadio / Vanadium ($\geq 0,025 \text{ mg/l}$)	
Fósforo / Phosphorus ($\geq 0,30 \text{ mg/l}$)	Zinc / Zinc ($\geq 0,025 \text{ mg/l}$)	
Hierro / Iron ($\geq 0,025 \text{ mg/l}$)		
Litio / Lithium ($\geq 0,010 \text{ mg/l}$)		
Metales totales por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / Total metals by inductively coupled plasma spectroscopy (ICP/AES)	ICP/001-a ICP/014-a	A
Aluminio / Aluminium ($\geq 0,1 \text{ mg/l}$)	Hierro / Iron ($\geq 0,025 \text{ mg/l}$)	
Antimonio / Antimony ($\geq 0,05 \text{ mg/l}$)	Litio / Lithium ($\geq 0,010 \text{ mg/l}$)	
Arsénico / Arsenic ($\geq 0,05 \text{ mg/l}$)	Molibdeno / Molybdenum	
Azufre / Sulfur ($\geq 1,3 \text{ mg/l}$)	($\geq 0,010 \text{ mg/l}$)	
Bario / Barium ($\geq 0,050 \text{ mg/l}$)	Magnesio / Magnesium ($\geq 0,5 \text{ mg/l}$)	
Berilio / Beryllium ($\geq 0,010 \text{ mg/l}$)	Manganoso / Manganese	
Bismuto / Bismuth ($\geq 0,010 \text{ mg/l}$)	($\geq 0,010 \text{ mg/l}$)	
Boro / Boron ($\geq 0,050 \text{ mg/l}$)	Níquel / Nickel ($\geq 0,010 \text{ mg/l}$)	
Cadmio / Cadmium ($\geq 0,010 \text{ mg/l}$)	Sodio / Sodium ($\geq 1 \text{ mg/l}$)	
Calcio / Calcium ($\geq 0,5 \text{ mg/l}$)	Talio / Thallium ($\geq 0,050 \text{ mg/l}$)	
Cobalto / Cobalt ($\geq 0,010 \text{ mg/l}$)	Teluro / Tellurium ($\geq 0,025 \text{ mg/l}$)	
Cobre / Copper ($\geq 0,025 \text{ mg/l}$)	Titanio / Titanium ($\geq 0,010 \text{ mg/l}$)	
Cromo / Chrome ($\geq 0,010 \text{ mg/l}$)	Plata / Silver ($\geq 0,1 \text{ mg/l}$)	
Cromo III / Chrome III ($\geq 0,020 \text{ mg/l}$)	Potasio / Potassium ($\geq 1 \text{ mg/l}$)	
Estaño / Tin ($\geq 0,025 \text{ mg/l}$)	Plomo / Lead ($\geq 0,010 \text{ mg/l}$)	
Estroncio / Strontium ($\geq 0,10 \text{ mg/l}$)	Selenio / Selenium ($\geq 0,05 \text{ mg/l}$)	
Fósforo / Phosphorus ($\geq 0,3 \text{ mg/l}$)	Vanadio / Vanadium ($\geq 0,025 \text{ mg/l}$)	
Zinc / Zinc ($\geq 0,025 \text{ mg/l}$)		
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals and soluble metals by inductively coupled plasma spectrometry (ICP/MS)	ICP-MS/001-a ICP-MS/002-a	A
Torio / Thorium ($\geq 5 \mu\text{g/l}$)	Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	
Uranio / Uranium ($\geq 1 \mu\text{g/l}$)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Aniones por cromatografía iónica / <i>Anions by ion chromatography</i> Sulfatos / <i>Sulphates</i> ($\geq 0,5 \text{ mg/l}$) Cloruros / <i>Chlorides</i> ($\geq 0,5 \text{ mg/l}$) Nitratos / <i>Nitrates</i> ($\geq 0,5 \text{ mg/l}$) Bromuros / <i>Bromides</i> ($\geq 1 \text{ mg/l}$) Fluoruros / <i>Fluorides</i> ($\geq 0,015 \text{ mg/l}$)	CI/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	A
Bromatos por cromatografía iónica / <i>Bromates by ion chromatography</i> ($\geq 2,5 \mu\text{l/l}$)	CI/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15061	A
Acetato, Cianato y tiocianato por cromatografía iónica / <i>Acetate, Cyanate and thiocyanate by ion chromatography</i> Acetato / <i>Acetate</i> ($\geq 0,1 \text{ mg/l}$) Cianato / <i>Cyanate</i> ($\geq 0,25 \text{ mg/l}$) Tiocianato / <i>Thiocyanate</i> ($\geq 0,20 \text{ mg/l}$)	CI/007-a Rev.2 19-05-22 Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-3:1997	A
Cromo VI por cromatografía iónica / <i>Chrome VI by ion chromatography</i> ($\geq 5 \mu\text{g/l}$)	CI/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 218.7	A
Di (2-ethylhexil) ftalato (DEHP), por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Di (2-ethylhexyl) phthalate (DEHP), by gas chromatography / mass spectrometry (CG/MS)</i> ($\geq 5 \mu\text{g/l}$)	CGM/012-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 18856	A
Octil-nonilfenoles y fenoles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Octyl phenol and nonyl phenols by gas chromatography / mass spectrometry (GC / MS)</i> Nonilfenol técnico / <i>Technical Nonylphenol</i> ($\geq 5 \mu\text{g/l}$) Fenol / <i>Phenol</i> 2,4,5-Triclorofenol/ o-Cresol / <i>o-Cresol</i> 2,4,5-Trichlorophenol/ m, p-Cresol / <i>m, p-Cresol</i> 2,3,4,6-tetrachlorophenol/ 2-Clorofenol / <i>2-chlorophenol</i> 4-n-nonilfenol / 4-n-nonylphenol/ 2,6-Diclorofenol / <i>2,6-dichlorophenol</i> 4-n-octifenol / 4-n-octylphenol/ 2,4-Diclorofenol / <i>2,4-dichlorophenol</i> 4-t-octilfenol / 4-t-octylphenol/ 2,4,6-Triclorofenol / <i>2,4,6-trichlorophenol</i> Pentaclorofenol / <i>Pentachlorophenol</i> ($\geq 0,50 \mu\text{g/l}$) Suma de Fenoles / <i>Sum of phenols</i>	CGM/014-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Trifluralin / <i>Trifluralin</i>	Metidation / <i>Methidathion</i>	
p,p'-DDE / <i>p-p'-DDE</i>	Acenafteno / <i>Acenaphthene</i>	
Alfa-HCH / <i>Alfa-HCH</i>	Criseno / <i>Crysene</i>	
Endrin / <i>Endrin</i>	Acenaftileno / <i>Acenaphthylene</i>	
Hexaclorobenceno / <i>Hexachlorobezene</i>	Dibenzo(a,h)Antraceno / <i>Dibenzo (a, h) Anthracene</i>	
Endosulfan-II / <i>Endosulfan II</i>	Antraceno / <i>Anthracene</i>	
Beta-HCH / <i>Beta-HCH</i>	Fluoranteno / <i>Fluoranthene</i>	
p,p'-DDD / <i>p-p'-DDD</i>	Benzo(a)Antraceno / <i>Benzo(a)Pyrene</i>	
Lindano / <i>Lindane</i>	Indeno(1,2,3-cd)pireno / <i>Benzo (a)Anthracene</i>	
EndosulfanSulfato / <i>Endosulfan Sulphate</i>	Naftaleno / <i>Naphthalene</i> Benzo(b)Fluoranteno / <i>Benzo(b) Fluoranthene</i>	
Delta-HCH / <i>Delta-HCH</i>	Fenantreno / <i>Phenanthrene</i>	
p,p'-DDT / <i>p-p'-DDT</i>	Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>	
Heptaclor / <i>Heptachlor</i>	Benzo(ghi)Perileno / <i>Benzo (g, h , i) perlylene</i>	
Pentaclorobenceno / <i>Pentachlorobenzene</i>	Pireno / <i>Pyrene</i>	
Aldrin / <i>Aldrin</i>	Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i>	
Alaclor / <i>Alachlor</i>	Fluoreno / <i>Fluorene</i>	
Heptaclor Epóxido (isómero B) / <i>Heptachlor epoxide (isomere B)</i>	BDE28 (2,4,4' - Tribromodifenil Eter) / <i>BDE28(2,4,4'-Tribromodiphenyl Ether)</i> BDE-47 (2,2',4,4' -Tetrabromodifenil Eter) / <i>BDE47(2,2',4,4'-tetrabromodiphenyl Ether)</i>	
Metolaclor / <i>Metolachlor</i>	BDE-99 (2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE99(2,2',4,4',5-Pentabromodiphenyl Ether)</i>	
Endosulfan-I / <i>Endosulfan I</i>	BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE100(2,2',4,4',6-Pentabromodiphenyl Ether)</i>	
Isodrin / <i>Isodrin</i>	BDE-153 (2,2',4,4',5,5' - Hexabromodifenil Eter) / <i>BDE153(2,2',4,4',5, 5'-Hexabromodiphenyl Ether)</i>	
Dieldrin / <i>Dieldrin</i>	BDE-154 (2,2',4,4',5,6' - Hexabromodifenil Eter) / <i>BDE154(2,2',4,4',5, 6'Hexabromodiphenyl Ether)</i>	
o,p'-DDT / <i>o-p'-DDT</i>	PCB-28	
ClodinafopPropargil / <i>Clodinafop Propargil</i>	PCB-52	
Oxyfluorfen / <i>Oxyfluorfen</i>	PCB-101	
Pendimentalin / <i>Pendimethalin</i>	PCB-118	
Diclorofention / <i>Dichlorofenthion</i>	PCB-138	
Metil Bromofos / <i>Methyl Bromophos</i>	PCB-153	
Fenitrotion / <i>Fenitrothion</i>	PCB-180	
Tetraclorvinfos / <i>Tetraclorvinfos</i>	Terbumeton/Terbumeton	
Tetrachlorvinphos	Secbumeton / <i>Secbumeton</i>	
Etil Paration / <i>Ethylparathion</i>	Tebuconazol/ <i>Tebuconazole</i>	
Dicofol/Dicofol	(≥ 1,0 µg/l)	

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / Semivolatile organic compounds by gas chromatography / mass spectrometry (GC/MS)	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Épsilon-HCH/ <i>Epsilon-HCH</i> o,p'-DDD/ <i>o,p'-DDD</i> o,p'-DDE/ <i>o,p'-DDE</i> Etoprofos/ <i>Ethoprophos</i> Cadusafos/ <i>Cadusafos</i> Etion/ <i>Ethion</i> Bifenilo / <i>Biphenyl</i>	Metil Paration/ <i>Methyl Parathion</i> Almizcle xileno/ <i>Musk Xylene</i> Fenamifos/ <i>Fenamiphos</i> Malation/ <i>Malathion</i> Diazinon/ <i>Diazinon</i> Etil Azinfos/ <i>Ethyl Azinfos</i> Óxido de bifenilo / <i>Biphenyl Oxide</i>	
(≥ 1,0 µg/l)		
Terbutilacina / <i>Terbutylazine</i> Atracina/ <i>Atrazine</i> Ametrina/ <i>Ametrine</i> Simacina / <i>Simazine</i>	Prometrina / <i>Prometryne</i> Trietacina / <i>Trietazine</i> Terbutrina / <i>Terbutryne</i> Molinate / <i>Molinate</i>	
(≥ 2,0 µg/l)		
Cipermetrina/ <i>Cypermethrin</i> Ciproconazol/ <i>Cyproconazole</i> Clorprofam/ <i>Chlorpropham</i>	Permetrina/ <i>Permethrin</i> λ -Cihalotrín/ λ - <i>Cyhalothrin</i> Tetraconazol / <i>Tetraconazole</i>	
(≥ 1,0 µg/l)		
Fipronil/ <i>Fipronil</i>	(≥ 2,0 µg/l)	
Suma de compuestos		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC/MS)</i> 1,1-Dicloroetileno / <i>1,1-Dichloroethylene</i> Dibromoclorometano / <i>Dibromochloromethane</i> 4-Clorotolueno / <i>4-Chlorotoluene</i> 1,3,5-Trimetilbenceno / <i>1,3,5-Trimethyl Benzene</i> Clorobenceno / <i>chlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,2-Dibromoetano / <i>1,2-Dibromoethane</i> Sulfuro de Carbono / <i>Carbon disulphide</i> Tolueno / <i>Toluene</i> Terc-Butilbenceno / <i>Tert-Butylbenzene</i> CIS 1,2-Dicloroetileno / <i>CIS 1,2-Dichloroethylene</i> TRANS 1,2-Dicloroetileno / <i>TRANS 1,2-Dichloroethylene</i> n-Propilbenceno / <i>n-Propylbenzene</i> 1,1-Dicloroetano / <i>1,1-Dichloroethane</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-Tetrachloroethane</i> Etilbenceno / <i>Ethylbenzene</i> 1,2,4-Trimetilbenceno / <i>1,2,4-Trimethylbenzene</i> 1,3-Diclorobenceno / <i>1,3-Dichlorobenzene</i> Naftaleno / <i>Naphthalene</i> 1,1,1-Tricloroetano / <i>1,1,1-trichloroethane</i> Sec-Butilbenceno / <i>Sec-Butylbenzene</i> 1,2-Diclorobenceno / <i>1,2-Dichlorobenzene</i> Estireno / <i>Styrene</i> p-Isopropiltolueno / <i>p-isopropyltoluene</i> n-Butilbenceno / <i>n-Butylbenzene</i> Bromodicitrómico / <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> <i>(≥ 0,001 mg/l)</i>	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC/MS)</i> 1,4-Diclorobenceno / 1,4- <i>Dichlorobenzene</i> o-Xileno / <i>o-Xylene</i> 1,1,2,2-Tetracloroetano / 1,1,2,2- <i>Tetrachloroethane</i> Isopropilbenceno / <i>Isopropylbenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> 1,2-Dicloropropano / 1,2- <i>dichloropropane</i> Bromobenceno / <i>Bromobenzene</i> ($\geq 0,001 \text{ mg/l}$)	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
m,p-xileno / <i>m,p-Xylene</i> ($\geq 0,002 \text{ mg/l}$)		
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño / <i>Monobutyltin</i> Dibutilestaño / <i>Dibutyltin</i> Tributilestaño/ <i>Tributyltin</i> ($\geq 0,10 \mu\text{g/l}$)	CGM/009-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A
Fenoles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Phenols by gas chromatography / spectrometry-mass spectrometry (GC / MS-MS)</i> Fenol/ <i>Phenol</i> o-Cresol/ <i>o-Cresol</i> m -Cresol/ <i>m - Cresol</i> p-Cresol/ <i>p-Cresol</i> 2-Clorofenol/ <i>2-chlorophenol</i> 2,4-Dimetilfenol/ <i>2,4-dimethylphenol</i> 4-cloro-3-metilfenol/ <i>4-cloro-3-methylphenol</i> 2,6-Diclorofenol/ <i>2,6-dichlorophenol</i> 2,4-Diclorofenol+2,5-Diclorofenol / <i>2,4-dichlorophenol+2,5-dichlorophenol</i> 4-t-octilfenol / <i>4-t-octylphenol</i> ($\geq 0,50 \mu\text{g/l}$)	CGM/038-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
Nonilfenol técnico / <i>técnico nonilphenol</i> ($\geq 2,0 \mu\text{g/l}$)		
Suma de Fenoles / <i>Sum of phenols</i>		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Cloroalcanos (C ₁₀ -C ₁₃) por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Chloroalkanes C₁₀-C₁₃ by gas chromatography/ mass spectrometry-mass spectrometry (GC / MS-MS)</i> (≥ 4 µg/l)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC / MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Trifluralina/ <i>Triflouralin</i> p-p'-DDE/ <i>p,p'-DDE</i> Alpha-HCH Bifentrin/ <i>Bifenthrin</i> Endrin/ <i>Endrin</i> Hexaclorobenceno / <i>Hexachlorobenzene</i> Endosulfan II / <i>Endosulfan-II</i> Beta-HCH/ <i>Beta-HCH</i> p-p'-DDD / <i>p, p'-DDD</i> Lindano/ <i>Lindane</i> Endosulfan Sulfato / <i>Endosulfan Sulphate</i> Delta-HCH / <i>Delta-HCH</i> p-p'-DDT / <i>p, p'-DDT</i> Heptacloro/ <i>Heptachlor</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Aldrin/ <i>Aldrin</i> Alaclor/ <i>Alachlor</i> Heptacloro epóxido(<i>Isomero B / Heptachlor epoxide (isomer B)</i>) Metolaclor / <i>Metolachlor</i> Endosulfan I / <i>Endosulfan-I</i> Isodrin/ <i>Isodrin</i> Dieldrin/ <i>Dieldrin</i> o-p'-DDT / <i>o, p'-DDT</i> Clodinafop Propargil / <i>Clodinafop Propargil</i> Gamma-Clordano (<i>Trans-Clordano</i>)/ <i>Gamma-Clordane (Trans-Clordane)</i> Cipermetrina I-IV/ <i>Cypermethrin I-IV</i> Épsilon-HCH/ <i>Epsilon-HCH</i> o,p'-DDD / <i>o,p'-DDD</i> o,p'-DDE / <i>o,p'-DDE</i> Dicofol/ <i>Dicofol</i> Oxyfluorfen/ <i>Oxyfluorfen</i> Pendimetalin/ <i>Pendimethalin</i> Permetrina/ <i>Permethrin</i> (≥ 0,01 µg/l)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC/MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Clorfenvinfos/ <i>Chlорфенвинфос</i> Deltametrin/ <i>Deltamethrin</i> Diclorofentión/ <i>Dichlofenthion</i> Metil Bromofos/ <i>Methyl Bromophos</i> Fenclorfos/ <i>Fenclorfos</i> Etil Bromofos/ <i>Ethyl Bromophos</i> Clorpirifos/ <i>Chlorpyrifos</i> Diazinon/ <i>Diazinon</i> Metil Paration/ <i>Methyl Parathion</i> Malation/ <i>Malathion</i> Fenamifos/ <i>Fenamiphos</i> $(\geq 0,1 \mu\text{g/l})$	Fenitrotion/ <i>Fenitrothion</i> Tetraclorvinfos/ <i>Tetrachlorvinphos</i> Etil Paration/ <i>Ethyl parathion</i> Meditation/ <i>Metidation</i> Etion/ <i>Ethion</i> Etoprofós/ <i>Ethoprophos</i> Cadusafos/ <i>Cadusafos</i> Etil Azinfos/ <i>Ethyl Azinphos</i>	
BDE-28 (2,4,4' - Tribromodifenil Eter) / <i>BDE-28 (2,4,4' - Tetrabromodiphenyl Ether)</i> BDE-47 (2,2',4,4'-Tetrabromodifenil Eter) / <i>BDE-47 (2,2',4,4' - Tetrabromodiphenyl Ether)</i> BDE-99 (2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE-99 (2,2',4,4',5 - Pentabromodiphenyl Ether)</i> BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE-100 (2,2',4,4',6 - Pentabromodiphenyl Ether)</i> BDE-153 (2,2',4,4',5,5' - Hexabromodifenil Eter) / <i>BDE-153 (2,2',4,4',5,5' - hexabromodiphenyl ether)</i> BDE-154 (2,2',4,4',5,6' - Hexabromodifenil Eter) / <i>BDE-154 (2,2',4,4',5,6' - hexabromodiphenyl ether)</i> $(\geq 0,004 \mu\text{g/l})$		
Terbutilacina / <i>Terbutylazine</i> Atracina / <i>Atrazine</i> Ametrina / <i>Ametrine</i> Simacina / <i>Simazine</i> $(\geq 0,2 \mu\text{g/l})$	Prometrina / <i>Prometryn</i> Trietacina / <i>Trietazine</i> Terbutrina / <i>Terbutryne</i> Molinato / <i>Molinate</i>	
Naftaleno/ <i>Naphthalene</i> Hexabromobifenil / <i>Hexabromobiphenyl</i> Terbumeton / <i>Terbumeton</i> Secbumeton / <i>Secbumeton</i> Almizcle xíleno / <i>Musk Xylene</i> Tebuconazol / <i>Tebuconazole</i> Bifenilo / <i>Biphenyl</i> Oxido de bifenilo / <i>Biphenyl Oxide</i> $(\geq 0,20 \mu\text{g/l})$		
Hexabromociclododecano (HBCDD) / <i>Hexabromocyclododecane (HBCDD)</i> $(\geq 1,0 \mu\text{g/l})$ Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Hidrocarburos en el rango C ₁₀ -C ₄₀ (aceite mineral) por cromatografía de gases/ionización de llama (CG/FID) / <i>C₁₀-C₄₀ hydrocarbons (mineral oils) by gas chromatography / flame ionisation detector (GC / FID)</i> $(\geq 0.4 \text{ mg/l})$ C ₁₀ -C ₂₈ $(\geq 0.3 \text{ mg/l})$ C ₂₉ -C ₄₀ $(\geq 0.1 \text{ mg/l})$	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 9377-2 TNRCC 1006 UNE-EN ISO/TS 16558-2	A
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/gas chromatography / mass spectrometry (GC / MS)</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-tetrachloroethane</i> 1,3-Diclorobenceno / <i>Dichlorobenzene</i> 1,1,1-Tricloroetano / <i>1,1,1-trichloroethane</i> 1,3-Dicloropropano / <i>1,3-dichloropropane</i> 1,1,2,2-Tetracloroetano / <i>1,1,2,2-tetrachloroethane</i> 1,4-Diclorobenceno / <i>Dichlorobenzene</i> 1,1,2-Tricloroetano / <i>1,1,2-trichloroethane</i> 2,2-Dicloropropano / <i>Dichloropropane</i> 1,1-Dicloroetano / <i>1,1-dichloroethane</i> 2-Clortolueno / <i>2-Chlorotoluene</i> 1,1-Dicloroetileno / <i>1,1-Dichloroethylene</i> 4-Clortolueno / <i>4-Chlorotoluene</i> Benceno / <i>Benzene</i> 1,1 Dicloropropileno / <i>1,1-dichloropropylene</i> Bromobenceno / <i>Bromobenzene</i> 1,2,3,4-Tetraclorobenceno / <i>1,2,3,4-tetrachlorobenzen</i> Bromoclorometano / <i>Bromochloromethane</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> Bromodicitrormetano / <i>Bromodichloromethane</i> 1,2,3-Trimetilbenceno / <i>1,2,3-trimethylbenzene</i> Bromoformo / <i>Bromoform</i> Ciclohexano / <i>Cyclohexane</i> Cis 1,2-Dicloroetileno / <i>CIS 1,2-Dichloroethylene</i> Cis 1,3-Dicloro-1-propeno-Z / <i>CIS 1,3-Dichloro-1-propene-Z</i> Clorobenceno / <i>Chlorobenzene</i> Cloroformo / <i>Chloroform</i> Cloruro de Vinilo / <i>Vinyl chloride</i> Dibromoclorometano / <i>Dibromochloromethane</i> 1,2-Dibromoetano / <i>1,2-dibromoethane</i> Dibromometano / <i>Dibromomethane</i> Diclorometano / <i>Dichloromethane</i> Estireno / <i>Styrene</i> ETBE / <i>ETBE</i> Etilbenceno / <i>Ethylbenzene</i> Hexaclorobutadieno Hexacloroetano / <i>Hexachloroetane</i> Hexano / <i>Hexane</i> Isopropilbenceno / <i>Isopropylbenzene</i> Metil Isobutil Cetona (MIC) / <i>Methyl isobutyl ketone</i> $(\geq 0.5 \mu\text{g/l})$	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> Metil ter-butil éter (MTBE) / <i>Methyl tert-butyl ether</i> Naftaleno / <i>Naphthalene</i> n-Butilbenceno / <i>n-Butylbenzene</i> n-Propilbenceno / <i>n-propylbenzene</i> o-Xileno / <i>o-xylene</i> Pentacloroetano / <i>Pentachloroethane</i> p-Isopropil tolueno / <i>p-isopropyl toluene</i> Sec-Butil benceno / <i>Sec-Butyl benzene</i> ($\geq 0,5 \mu\text{g/l}$)	Sulfuro de carbono / <i>Carbon disulphide</i> Tert-Butil benceno / <i>Tert-Butylbenzene</i> Tetracloroetileno / <i>Tetrachlorethylene</i> Tetracloruro de Carbono / <i>Carbon tetrachloride</i> Tolueno / <i>Toluene</i> Trans 1,2-Dicloroetileno / <i>1,2-TRANS Dicloroethylene</i> Trans 1,3-Dicloro-1-propeno-E Tricloroetileno	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595
m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / <i>1,2,3,5+1,2,4,5-tetrachlorobenzene</i> ($\geq 1,0 \mu\text{g/l}$)		
Suma de compuestos Hidrocarburos Volátiles del Petróleo (GROS) (C ₅ -C ₁₀) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / <i>C₅-C₁₀ hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 25 \mu\text{g/l}$) Fracción Alifática C5-C10 ($\geq 15 \mu\text{g/l}$) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> ($\geq 5 \mu\text{g/l}$) Fracción Aromática C6-C10 ($\geq 10 \mu\text{g/l}$) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> ($\geq 2 \mu\text{g/l}$) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> ($\geq 5 \mu\text{g/l}$)	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID) / <i>Solvents by headspace (HS)/ gas chromatography / flame ionization detector (GC/FID)</i> Acetona / <i>Acetone</i> Etanol / <i>Ethanol</i> Ter-Butanol / <i>Ter-Butanol</i> ($\geq 1,0 \text{ mg/l}$) Metanol / <i>Methanol</i> ($\geq 2,0 \text{ mg/l}$)	CG/025-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Bifenilos policlorados por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography / mass spectrometry -mass spectrometry (GC / MS-MS)</i> PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153, PCB 180 $(\geq 0,002 \mu\text{g/l})$ Suma de compuestos	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Acenafteno / <i>Acenaphthene</i> Acenaftileno / <i>Acenaphthylene</i> Antraceno / <i>Anthracene</i> Benzo (a) antraceno / <i>Benzo (a) anthracene</i> Benzo (a) pireno / <i>Benzo (a) pyrene</i> Benzo (b) fluoranteno / <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno / <i>Benzo (g,h,i) perylene</i> Benzo (k) fluoranteno / <i>Benzo (k) fluoranthene</i> $(\geq 0,010 \mu\text{g/l})$ Suma de compuestos	Criseno / <i>Chrysene</i> Dibenzo (a,h) antraceno / <i>Dibenzo (a, h) anthracene</i> Fenantreno / <i>Phenanthrene</i> Fluoranteno / <i>Fluoranthene</i> Fluoreno / <i>Fluorene</i> Indeno (1,2,3,c,d) pireno / <i>Indeno (1,2,3,c,d) pyrene</i> Naftaleno / <i>Naphthalene</i> Pireno / <i>Pyrene</i>	A
Bifenilo y Óxido de Bifenilo por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Biphenyl and Biphenyl Oxide by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Bifenilo / <i>Biphenyl</i> Óxido de Bifenilo/ <i>Biphenyl Oxide</i> $(\geq 0,10 \mu\text{g/l})$	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Plaguicidas por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / Pesticides by gas chromatography / mass spectrometry- mass spectrometry (GC/MS-MS)	CGM/042 -a Método interno basado en/ <i>In-house method based on:</i>	A
Aldrin/ <i>Aldrin</i>	Heptaclor Epóxido (isómero B)	
Alfa-Clordano (Cis-Clordano)/ <i>Alfa-Clordane (Cis-Clordane)</i>	/Heptaclor epoxide (isomer B) Heptaclor/ <i>Heptaclor</i>	
Alfa-HCH/ <i>Alpha-HCH</i>	Hexaclorobenceno/ <i>Hexachlorobenzene</i>	
Beta-HCH/ <i>Beta-HCH</i>		
Delta-HCH/ <i>Delta-HCH</i>	Isodrin/ <i>Isodrin</i>	
Dieldrin/ <i>Dieldrin</i>	Lindano/ <i>Lindane</i>	
Endosulfan-I/ <i>Endosulfan-I</i>	o,p'-DDD/ <i>o,p'-DDD</i>	
Endosulfan-II/ <i>Endosulfan-II</i>	o,p'-DDE/ <i>o,p'-DDE</i>	
EndosulfanSulfato/ <i>Endosulfansulfate</i>	o,p'-DDT/ <i>o,p'-DDT</i>	
Endrin/ <i>Endrin</i>	p,p'-DDD/p,p'-DDD	
Gamma-Clordano (Trans-Clordano)/ <i>Gamma-Clordane (Trans-Clordane)</i>	p,p'-DDE/p,p'-DDE p,p'-DDT/ <i>p,p'-DDT</i>	
Heptaclor Epóxido (isómero A)/ <i>Heptaclor epoxide (isomer A)</i>	Pentaclorobenceno/ <i>Pentachlorobenzene</i> Trifluralin/ <i>Trifurali</i>	
(≥ 0,010 µg/l)		
Ametrina/ <i>Ametrine</i>	Terbutilazina/ <i>Terbutylazin</i>	
Atrazina/ <i>Atrazine</i>	Terbutrina/ <i>Terbutryne</i>	
Prometrina/ <i>Prometryne</i>	Trietazina/ <i>Trietazine</i>	
<i>Simazina/Simazin</i>		
(≥ 0,020 µg/l)		
p-cloroanilina/ <i>p-chloroaniline</i>	(≥ 0,010 µg/l)	

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
(E)-Mevinfos/(E)-Mevinphos (Z)-Mevinfos/(Z)-Mevinphos 2-Hidroxiatrazina/2-Hydroxyatrazine 3,4-Dicloroanilina/3,4-Dichloroaniline 4-Isopropilanilina/4-Isopropylaniline Acetamiprid/Acetamiprid Aldicarb sulfona/Aldicarb sulfone Aldicarb sulfoxido/Aldicarb sulfoxide Aldicarb/Aldicarb Ametrina/Ametrine Atracina/Atrazine Azoxistrobin/Azoxystrobin Benalaxil/Benalaxil Bromacilo/Bromacil Carbaril/Carbaryl Carbendazima/Carbendazim Carbofuran/Carbofuran Cianacina/Cyanazine Cibutrina/Cibutrina Ciprodinilo/Cyprodinilo Clorsulfuron/Chlorosulfuron Clortoluron/Chlortoluron Clotianidina/Clothianidin Desetyl-atracina/Desethyl-atrazine Desetilterbumeton/ Desethylterbumeton Desetilo-Terbutilacina/Desethyl- Terbutylazine Desisopropil-atracina/Desisopropyl- atrazine Diazinon/Diazinon Diclorvos/Dichlorvos Diflubenzuron/Diflubenzuron Diflufenican/Diflufenican Dimetenamida/Dimethenamid Dimetoato/Dimethoate	CLMS/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 543	A
Dimetomorf/ <i>Dimetomorph</i> Diuron/ <i>Diuron</i> <i>Flazasulfuron/Flazasulfuron</i> <i>Flufenacet/Flufenacet</i> <i>Flufenoxuron/Flufenoxuron</i> <i>Flurocloridona/Flurochloridone</i> <i>Fostiazato/Phosthiazate</i> <i>Imazalil/Imazalil</i> <i>Imidacloprid/Imidacloprid</i> <i>Isoproturon/Isoproturon</i> <i>Linuron/Linuron</i> <i>Lufenuron/Lufenuron</i> <i>Malation/Malathion</i> <i>Mepanipyrim/Mepanipyrim</i> <i>Metaflumizona/Metaflumizone</i> <i>Metalaxil/Metalaxy</i> <i>Metamitron/Metamitron</i> <i>Metil-Pirimifos/Methyl-Pirimifos</i> <i>Meticarb/Methiocarb</i> <i>Metomilo/Methomyl</i> <i>Metribucina/Metribuzin</i> <i>Metsulfuron-metil/Metsulfuron- methyl</i> <i>Miclobutanal/Myclobutanil</i> <i>Molinato/Molinate</i> <i>Ometoato/Omethoate</i> <i>Oxadiazon/Oxadiazon</i> <i>Oxamilo/Oxamyl</i> <i>Pirifenox/Pirifenox</i> <i>Pirimetanil/Pyrimethanil</i> <i>Pirimicarb/Pirimicarb</i> <i>Prochloraz/Prochloraz</i> <i>Prometrina/Prometryne</i> <i>Propazina/Propazine</i> <i>Propizamida/Propyzamide</i> <i>Prosulfocarb/Prosulfocarb</i> <i>(≥ 1 µg/l)</i>		

ENSAYO TEST	NORMA / PROCEDIMIENTO DE ENSAYO METHOD/TEST PROCEDURE	CÓDIGO CODE
Aguas residuales/Wastewater		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Pesticides by high-performance liquid chromatography / mass spectrometry (HPLC/MS)	CLMS/008-a Método interno basado en/ In-house method based on: EPA 543	A
Quinoxifeno/Quinoxifen Quizalofop- <i>p</i> -etil/Quizalofop- <i>p</i> -ethyl Simacina/Simazine Simetrina/Simetryne Terbutilacina/Terbutylazine Terbutrina/Terbutryn Tiabendazol/Thiabendazole (≥ 1 µg/l)	Tiacloprid/Tiacloprid Tiametoxam/Thiamethoxam Triadimenol/Triadimenol Trialato/Triallat Trietacina/Trietzazine	
Tribenuron-metil/Tribenuron-methyl (≥ 3 µg/l)		
Cromo III y Cromo VI por cromatografía líquida de alta eficacia (HPLC) y detección por ICP/MS / Chromium III and chromium VI by high-performance liquid chromatography (HPLC) and detection by ICP / MS (> 2,0 µg/l)	CL-ICP-MS/002-a Método interno basado en/ In-house method based on: EPA 218	A
Glifosato y Ácido Aminometil fosfórico (AMPA) por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Glyphosate and Aminomethyl phosphoric acid (AMPA) by high-performance liquid chromatography / mass spectrometry (HPLC/MS) (≥ 0,30 µg/l)	CLMS/007-a Método interno basado en/ In-house method based on: ISO 16308	A
Plaguicidas fenoxiácidos por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Phenoxyacid pesticides by high-performance liquid chromatography / mass spectrometry (HPLC/MS)	CLMS/005-a Método interno basado en/ In-house method based on: EPA 538	A
MCPCA / MCPA 2, 4 D Dicamba / Dicamba Dicloroprop / Dichloroprop Mecoprop / Mecoprop Bentazon / Bentazone Fluroxipir/Fluroxypyr 2,4,5-T/2,4,5-T 2,4-DB/2,4-DB Dalapon/Dalapon Diclofop/Diclofop Fenoprop/Phenoprop (≥ 1,0 µg/l) (≥ 1,5 µg/l) (≥ 1,5 µg/l) (≥ 1,5 µg/l) (≥ 1,0 µg/l) (≥ 1,0 µg/l) (≥ 1,0 µg/l) (≥ 1,0 µg/l) (≥ 2,5 µg/l) (≥ 1,0 µg/l) (≥ 1,0 µg/l)		
Octil-nonilfenoles y fenoles por cromatografía líquida de alta eficacia/espectrometría de masas (HPLC/MS) / Octyl- nonyl phenols and phenols by high-performance liquid chromatography / mass spectrometry (HPLC/MS)	CLMS/019-a Método interno basado en/ In-house method based on: EPA 543	A
4-n-nonilfenol / 4-n-nonylphenol 4-t-octilfenol / 4-t-octylphenol 4-n-octilfenol / 4-n-octylphenol Nonilfenol técnico / Technical nonylphenol Pentaclorofenol / Pentachlorophenol Ortofenilfenol / Orthophenylphenol Bisfenol A / Bisphenol A (≥ 0,5 µg/l) (≥ 0,10 µg/l) (≥ 0,5 µg/l) (≥ 0,5 µg/l) (≥ 0,5 µg/l) (≥ 0,5 µg/l) (≥ 0,5 µg/l)		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Ácidos haloacéticos por cromatografía líquida de alta eficacia / espectrometría de masas (HPLC/MS) / <i>Haloacetic acids by high-performance liquid chromatography / mass spectrometry (HPLC/MS)</i> Ácido monocloroacético / <i>Monochloroacetic acid</i> Ácido dicloroacético / <i>Dichloroacetic acid</i> Ácido tricloroacético / <i>Trichloroacetic acid</i> Ácido monobromoacético / <i>Monobromoacetic acid</i> Ácido dibromoacético / <i>Dibromoacetic acid</i> Suma de compuestos	CLMS/023-a Método interno basado en/ <i>In-house method based on:</i> EPA 557	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
<p>Compuestos per y polifluoroalquiladas (PFAS) por cromatografía líquida de alta eficacia/espectrometría de masas-masas (HPLC/MS-MS) / <i>Per and polyfluoroalkyl compounds by high-performance liquid chromatography / mass-mass spectrometry (HPLC / MS-MS)</i></p> <p>Ácido perfluorooctanoico (PFOA)/<i>Perfluorooctanoic acid (PFOA)</i> Ácido perfluorononanoico (PFNA)/<i>Perfluorononanoic acid (PFNA)</i> Ácido perfluorodecanoico (PFDA)/<i>Perfluorodecanoic acid (PFDA)</i> Ácido perfluorododecanoico (PFDoDA)/<i>Perfluorododecanoic acid (PFDoDA)</i> Ácido perfluorotridecanoico (PFTrDA)/<i>Perfluorotridecanoic Acid (PFTrDA)</i> Ácido perfluorobutano sulfónico (PFBS)/<i>Perfluorobutane sulfonic acid (PFBS)</i> Ácido perfluoropentano sulfónico (PFPeS)/<i>Perfluoropentane sulfonic acid (PFPeS)</i> Ácido perfluorohexano sulfónico (PFHxS)/<i>Perfluorohexane sulfonic acid (PFHxS)</i> Ácido perfluoroheptano sulfónico (PFHpS)/<i>Perfluoroheptane sulfonic acid (PFHpS)</i> Ácido perfluoroctanosulfónico (PFOS)/<i>Perfluoroctanesulfonic acid (PFOS)</i> Ácido perfluorononano sulfónico (PFNS)/<i>Perfluorononane Sulfonic Acid (PFNS)</i> Ácido perfluorodecano sulfónico (PFDS)/<i>Perfluorodecane Sulfonic Acid (PFDS)</i> Ácido perfluoroundecano sulfónico (PFUnDS)/<i>Perfluoroundecane Sulfonic Acid (PFUnDS)</i> Ácido perfluorododecano sulfónico (PFDoDS)/<i>Perfluorododecane Sulfonic Acid (PFDoDS)</i> Ácido perfluorotridecano sulfónico (PFTrDS)/<i>Perfluorotridecane Sulfonic Acid (PFTrDS)</i> $(\geq 0,02 \mu\text{g/l})$</p> <p>Ácido perfluorohexanoico (PFHxA)/<i>Perfluorohexanoic acid (PFHxA)</i> $(\geq 0,05 \mu\text{g/l})$</p> <p>Ácido perfluorobutanoico (PFBA)/<i>Perfluorobutanoic acid (PFBA)</i> Ácido perfluoropentanoico (PFPeA)/<i>Perfluoropentanoic acid (PFPeA)</i> Ácido perfluoroheptanoico (PFHpA)/<i>Perfluoroheptanoic acid (PFHpA)</i> Ácido perfluoroundecanoico (PFUnDA)/<i>Perfluoroundecanoic acid (PFUnDA)</i> $(\geq 0,1 \mu\text{g/l})$</p> <p>Bisfenol A/<i>Bisphenol A</i> $(\geq 5,0 \mu\text{g/l})$</p> <p>Suma de compuestos</p>	CLMS/028-a Método interno basado en/ <i>In-house method based on:</i> EPA 537	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> (E)-Mevinfos / (E)- <i>Mevinphos</i> (Z)-Mevinfos / (Z)- <i>Mevinphos</i> 2-Hidroxiatrazina / <i>2-Hydroxyatrazine</i> 3,4-Dicloroanilina / <i>3,4-Dichloroaniline</i> 4-Isopropilanilina / <i>4-Isopropylaniline</i> Acetamiprid / <i>Acetamiprid</i> Aldicarb / <i>Aldicarb</i> Aldicarb sulfona / <i>Aldicarb sulfone</i> Aldicarb sulfoxido / <i>Aldicarb sulfoxide</i> Ametrina / <i>Ametrine</i> Atracina / <i>Atrazine</i> Azoxistrobin / <i>Azoxystrobin</i> Benalaxil / <i>Benalaxil</i> Bromacilo / <i>Bromacil</i> Carbaril / <i>Carbaryl</i> Carbendazima / <i>Carbendazim</i> Carbofuran / <i>Carbofuran</i> Cianacina / <i>Cyanazine</i> Cibutrina / <i>Cibutrina</i> Ciprodinilo / <i>Cyprodinilo</i> Clorsulfuron / <i>Chlorosulfuron</i> Clortoluron / <i>Chlortoluron</i> Clotianidina / <i>Clothianidin</i> Desetyl-atracina / <i>Desethyl-atrazine</i> Desetilterbumeton / <i>Desethylterbumeton</i> Desetyl-Terbutilacina / <i>Desethyl-Terbutylazine</i> <i>Terbutylazine</i> Desisopropil-atracina / <i>Desisopropyl-atrazine</i> Diazinon / <i>Diazinon</i> Diclorvos / <i>Dichlorvos</i> Diflubenzuron / <i>Diflubenzuron</i> Diflufenican / <i>Diflufenican</i> Dimetenamida / <i>Dimethenamid</i> Dimetoato / <i>Dimethoate</i> Dimetomorf / <i>Dimetomorph</i> Diuron / <i>Diuron</i> Flazasulfuron / <i>Flazasulfuron</i> Flufenacet / <i>Flufenacet</i> Flufenoxuron / <i>Flufenoxuron</i> Flurocloridona / <i>Flurochloridone</i> ($\geq 1,0 \mu\text{g/l}$)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Plaguicidas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pesticides by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Nicosulfuron / <i>Nicosulfuron</i> (≥1,0 µg/l) 2,4 D / <i>2,4 D</i> 2,4,5-T/ <i>2,4,5-T</i> 2,4-DB/ <i>2,4-DB</i> Bentazon/ <i>Bentazon</i> Dalapon/ <i>Dalapon</i> Dicamba / <i>Dicamba</i> Lufenuron/ <i>Lufenuron</i> (≥ 3,0 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Microcistinas (totales) por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Total Microcystins by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Microcistina LR / <i>Microcystin - LR</i> Microcistina LR / <i>Microcystin – RR</i> Microcistina RR/ <i>Microcystin – YR</i> Microcistina Desmetil RR/ <i>Microcystin - demethyl-RR</i> (≥ 5,0 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Fármacos, por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Pharmacological compounds by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Amisulprid / <i>Amisulprid</i> Azitromicina / <i>Azithromycin</i> Benzotriazol / <i>Benzotriazole</i> Carbamazepina / <i>Carbamazepine</i> Citalopram / <i>Citalopram</i> Claritromicina / <i>Clarithromycin</i> Diclofenaco / <i>Diclofenac</i> Eritromicina / <i>Erythromycine</i> Ibuprofeno / <i>Ibuprofen</i> Triclosan / <i>Triclosan</i> Suma de 4-Metilbenzotriazol/4-Methylbenzotriazole y 6-Metilbenzotriazol/6-Methylbenzotriazole (≥ 5,0 µg/l)	CLMS/029-a Método interno basado en/ <i>In-house method based on:</i> EPA 53	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Hormonas por cromatografía líquida de alta eficacia/espectrometría de masas con inyección directa (HPLC/MS/MS) / <i>Hormones by high-performance liquid chromatography /direct injection mass spectrometry (HPLC / MS / MS)</i> Estrona / Estrone (≥ 2 ng/l) 17-α-Ethinilestradiol/ 17-α-Ethinylestradiol (≥ 50 ng/l) 17-β-Estradiol/ 17-β-Estradiol (≥ 10 ng/l)	CLMS/030-a Método interno basado en/ <i>In-house method based on:</i> EPA 538	A
Nitrógeno total por cálculo / <i>Total nitrogen by calculation</i> (≥ 1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno oxidado por cálculo / <i>Nitric Oxidized Nitrogen by calculation</i> (≥ 0,10 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO3 F Edición 24	A
Cloro combinado por cálculo / <i>Combined chlorine by calculation</i> (≥ 0,1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Índice de Ryznar por cálculo / <i>Ryznar index by calculation</i>	CALCU/001-a	A
Cromo VI por cálculo / <i>Chrome VI by calculation</i> (≥ 0,020 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Cromo III y Cromo III total por cálculo / <i>Chrome III and chromium III total by calculation</i> (≥ 0,020 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Dureza, dureza total, cálcica y/o magnésica por cálculo / <i>Hardness, total hardness, calcium and / or magnesium by calculation</i> Dureza y dureza total / <i>Hardness and total hardness</i> (≥ 0,4 °F) Dureza cálcica / <i>Calcium hardness</i> (≥ 0,2 °F) Dureza magnésica / <i>Magnesium hardness</i> (≥ 0,2 °F)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 2340 B	A
Nitrógeno orgánico (soluble) / <i>Organic nitrogen (soluble)</i> (≥ 2,0 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno oxidable por cálculo / <i>Oxidizable nitrogen by calculation</i> (≥ 0,1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitratos por cálculo / <i>Nitrates by calculation</i> (≥ 0,50 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM4500-NO ₃ F	A
Nitrógeno Nítrico por cálculo / <i>Nitric nitrogen by calculation</i> (≥ 0,11 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NO3 F	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewater		
Nitrógeno oxidado por cálculo / <i>Nitric oxidized nitrogen by calculation</i> (≥ 0,10 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NO3 F	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales regeneradas y depuradas / Reclaimed water and purified water		
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / <i>Total and dissolved metals spectrometry and inductively coupled plasma metals (ICP/MS)</i>	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / <i>Aluminium</i> (≥ 10 µg/l) Antimonio / <i>Antimony</i> (≥ 0,5 µg/l) Arsénico / <i>Arsenic</i> (≥ 0,5 µg/l) Bario / <i>Barium</i> (≥ 10 µg/l) Berilio / <i>Beryllium</i> (≥ 1 µg/l) Bismuto / <i>Bismuth</i> (≥ 10 µg/l) Boro / <i>Boro</i> (≥ 10 µg/l) Cadmio / <i>Cadmiun</i> (≥ 0,024 µg/l) Calcio/ <i>Calcium</i> (≥ 0,5 mg/l) Cobalto / <i>Cobalt</i> (≥ 0,5 µg/l) Cobre / <i>Copper</i> (≥ 0,5 µg/l) Cromo / <i>Chrome</i> (≥ 0,5 µg/l) Cromo III / <i>Chrome III</i> (≥ 5 µg/l) Estaño / <i>Tin</i> (≥ 5 µg/l) Estroncio / <i>Stontiun</i> (≥ 10 µg/l) Fosforo / <i>phosphorus</i> (≥ 0,050 mg/l)	Hierro / <i>Iron</i> (≥ 5 µg/l) Magnesio / <i>Magnesium</i> (≥ 0,5 mg/l) Manganeso / <i>Manganese</i> (≥ 5 µg/l) Molibdeno / <i>Molybdenum</i> (≥ 1 µg/l) Níquel / <i>Nickel</i> (≥ 0,5 µg/l) Plata / <i>Silver</i> (≥ 1 µg/l) Plomo / <i>Lead</i> (≥ 0,36 µg/l) Potasio/Potassium (≥ 0,5 mg/l) Selenio / <i>Selenium</i> (≥ 0,3 µg/l) Sodio/Sodium (≥ 1 mg/l) Talio / <i>Thallium</i> (≥ 10 µg/l) Teluro / <i>Tellurium</i> (≥ 1 µg/l) Uranio / <i>Uranium</i> (≥ 0,5 µg/l) Vanadio / <i>Vanadium</i> (≥ 0,5 µg/l) Zinc / <i>Zinc</i> (≥ 9 µg/l)	
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals and soluble metals by inductively coupled plasma spectrometry (ICP/MS)</i> Torio / <i>Thorium</i> (≥ 0,5 µg/l) Silicio / <i>Silicium</i> (≥ 1,0 mg/l)	ICP-MS/001-a ICP-MS/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales regeneradas y depuradas / Reclaimed water and purified water		
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Metals, soluble metals and total metals by inductively coupled plasma spectrometry (ICP/MS)	ICP-MS/001-a ICP-MS/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / Aluminum ($\geq 10 \mu\text{g/l}$) Antimonio / Antimony ($\geq 0,5 \mu\text{g/l}$) Arsénico / Arsenic ($\geq 0,5 \mu\text{g/l}$) Azufre / Sulfur ($\geq 3 \text{ mg/l}$) Bario / Barium ($\geq 10 \mu\text{g/l}$) Berilio / Beryllium ($\geq 1 \mu\text{g/l}$) Bismuto / Bismuth ($\geq 10 \mu\text{g/l}$) Boro / Boro ($\geq 10 \mu\text{g/l}$) Cadmio / Cadmium ($\geq 0,024 \mu\text{g/l}$) Calcio/Calcium ($\geq 0,1 \text{ mg/l}$) Cerio/Cerium ($\geq 10 \mu\text{g/l}$) Cobalto / Cobalt ($\geq 0,5 \mu\text{g/l}$) Cobre / Copper ($\geq 0,5 \mu\text{g/l}$) Cromo / Chromium ($\geq 0,5 \mu\text{g/l}$) Estaño / Tin ($\geq 5 \mu\text{g/l}$) Estroncio / Strontium ($\geq 10 \mu\text{g/l}$) Fosforo / Phosphorus ($\geq 0,050 \text{ mg/l}$)	Hierro / Iron ($\geq 5 \mu\text{g/l}$) Magnesio / Magnesium ($\geq 0,01 \text{ mg/l}$) Manganoso/Manganese ($\geq 5 \mu\text{g/l}$) Mercurio/Mercury ($\geq 0,05 \mu\text{g/l}$) Molibdeno/Molybdenum ($\geq 1 \mu\text{g/l}$) Níquel / Nickel ($\geq 0,5 \mu\text{g/l}$) Plata / Silver ($\geq 1 \mu\text{g/l}$) Plomo / Lead ($\geq 0,36 \mu\text{g/l}$) Potasio/Potassium ($\geq 0,5 \text{ mg/l}$) Selenio / Selenium ($\geq 0,3 \mu\text{g/l}$) Sodio/Sodium ($\geq 0,05 \mu\text{g/l}$) Talio / Thallium ($\geq 10 \mu\text{g/l}$) Teluro / Tellurium ($\geq 1 \mu\text{g/l}$) Titanio / Titanium ($\geq 10 \mu\text{g/l}$) Uranio / Uranium ($\geq 0,5 \mu\text{g/l}$) Vanadio / Vanadium ($\geq 0,5 \mu\text{g/l}$) Zinc / Zinc ($\geq 9 \mu\text{g/l}$)	

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales urbanas / Urban wastewater		
Nitrógeno amoniacal por espectrofotometría UV-VIS / Ammonia nitrogen by UV-VIS ($\geq 1,0 \text{ mg/l}$)	EA/042-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NH3 F	A
Formas nitrogenadas por cálculo / Nitrogen forms by calculation Nitrogeno Nítrico / Nitric Nitrogen Nitrogeno Nitroso / Nitrous nitrate Nitrogeno Kjeldhal / Nitrogen kjeldhal Nitrogeno total / Total nitrogen ($\geq 3,0 \text{ mg/l}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
pH (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A
pH (3 - 11 uds. de pH)		E
Conductividad / Conductivity (25000 - 110000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Turbidez / Turbidity (0,4 - 200 UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	A
Cloro residual libre / Free residual chlorine by UV-VIS spectrophotometry (≥ 0,2 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	A
Sólidos en suspensión / Suspended solids (≥ 3,0 mg/l)	GRV/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 872	A
Materia sedimentable (V30, V60) / Settleable matter (≥ 0,5 ml/l)	SD/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-77032	A
Color por espectrofotometría UV-VIS/ Colour by UV-VIS spectrophotometry (≥ 3 mg/l Pt-Co)	EA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7887	A
Densidad por densimetría y gravimetría / Density by density and gravimetria (≥ 0,8 g/cc)	DS/001-a Metodo interno basado en/ <i>In-house method based on:</i> UNE 55702	A
Salinidad / Salinity (≥ 0,5)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Alcalinidad, Alcalinidad total y dureza temporal por titulación volumétrica / <i>Alkalinity, total alkalinity and temporary hardness by volumetric titration</i> Carbonatos / Carbonates (≥ 20 mg/l CaCO ₃) Bicarbonatos por titulación volumétrica / Bicarbonates by volumetric titration (≥ 20 mg/l CaCO ₃) (≥ 25 mg/l HCO ₃ ⁻) Hidróxidos / Hydroxides (≥ 6,8 mg/l OH ⁻)	VL/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1067	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Nitrógeno Kjeldahl por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 1,0 mg/l)	VL/007-a Metodo interno basado en/ <i>In-house method based on:</i> SM4500Norg C	A
Demanda Bioquímica de Oxígeno (DBO ₅) por método manométrico / <i>Biochemical Oxygen Demand (BOD₅) by manometric method</i> (≥ 20 mg/l)	MN/001-a Método interno basado en/ <i>In-house method based on:</i> SM 5210D	A
Fluoruros/Fluor por electrometría / <i>Fluorides by electrometry</i> (≥ 0,50 mg/l)	ES/002-a Método interno basado en/ <i>In-house method based on:</i> ASTM D 1179	A
Amonio por espectrofotometría UV-VIS / <i>Ammonia by UV-VIS spectrophotometry</i> (≥ 0,050 mg/l)	EA/040-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11732	A
Demanda Química de Oxígeno (DQO) por espectrofotometría UV-VIS / <i>Chemical Oxygen Demand (COD) by UV-VIS spectrophotometry</i> (≥ 30 mg/l)	EA/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 15705	A
Nitritos por espectrofotometría UV-VIS / <i>Nitrites by UV-VIS spectrophotometry</i> (≥ 0,010 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 2677	A
Cromo VI por espectrofotometría UV-VIS / <i>Chrome VI by UV-VIS spectrophotometry</i> (≥ 1,5 µg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE 77061	A
Ortofosfatos/ Fósforo inorgánico soluble por espectrofotometría UV-VIS / <i>Orthophosphate /Soluble inorganic phosphate by UV-VIS spectrophotometry</i> (≥ 0,07 mg/l P)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Nitrógeno Oxidado por espectrofotometría UV-VIS / <i>Nitric Oxidized Nitrogen by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	COL/007-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NO ₃ F	A
Tensioactivos aniónicos por espectrofotometría UV-VIS / <i>Anionic surfactants by UV-VIS spectrophotometry</i> (≥ 0,10 mg/l)	EA/030-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16265	A
Cianuros libres y totales por espectrofotometría UV-VIS / <i>Free and total cyanides by UV-VIS spectrophotometry</i> Libres / Free (≥ 0,012 µg/l) Totales / Total (≥ 0,012 µg/l)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14403-2	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Clorofila "a" por espectrofotometría UV-VIS / <i>Chlorophyll "a" by UV-VIS spectrophotometry</i> (≥ 1,0 µg/l)	EA/024-a Método interno basado en/ <i>In-house method based on:</i> SM10200H	A
Carbono Orgánico (TOC) y disuelto (COD) por espectroscopía IR / <i>Total and soluble Organic carbón by IR spectroscopy</i> (≥ 1 mg/l)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1484	A
Aceites, grasas e hidrocarburos por espectroscopía IR / <i>Oils, grease and hydrocarbons by IR spectroscopy</i> (≥ 0,2 mg/l)	IR/001-a, Rev. 31 Método interno / <i>In-house method</i>	A
Fósforo total por espectrofotometría UV-VIS / <i>Total phosphorus UV-VIS spectrophotometer</i> (≥ 0,050 mg/l)	EA/046-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15681-2	A
Fósforo total y ortofosfatos por espectrofotometría UV-VIS / <i>Total phosphorus and Orthophosphate by UV-VIS spectrophotometry</i> (≥ 0,07 mg/l P)	EA/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6878	A
Nitrógeno total por combustión y quimioluminiscencia / <i>Total nitrogen by chemiluminescence</i> (≥ 2 mg/l)	CAL/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12260	A
Mercurio, mercurio disuelto y total por fluorescencia atómica / <i>Dissolved and total mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,015 µg/l)	FA/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17852	A
Mercurio, mercurio disuelto y total por espectrofotometría de absorción atómica de vapor frío / <i>Dissolved and total mercury by atomic fluorescence</i> (≥ 0,5 µg/l)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Metales, metales disueltos y totales por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / <i>Total metals by inductively coupled plasma spectroscopy (ICP / AES)</i> Aluminio / <i>Aluminium</i> ($\geq 0,1 \text{ mg/l}$) Hierro / <i>Iron</i> ($\geq 0,010 \text{ mg/l}$) Antimonio / <i>Antimony</i> ($\geq 0,050 \text{ mg/l}$) Litio / <i>Lithium</i> ($\geq 0,010 \text{ mg/l}$) Arsénico / <i>Arsenic</i> ($\geq 0,050 \text{ mg/l}$) Magnesio / <i>Magnesium</i> ($\geq 100 \text{ mg/l}$) Azufre / <i>Sulfur</i> ($\geq 66 \text{ mg/l}$) Manganeso / <i>Manganese</i> ($\geq 0,010 \text{ mg/l}$) Bario / <i>Barium</i> ($\geq 0,050 \text{ mg/l}$) Molibdeno / <i>Molybdenum</i> ($\geq 0,010 \text{ mg/l}$) Berilio / <i>Beryllium</i> ($\geq 0,010 \text{ mg/l}$) Níquel / <i>Nickel</i> ($\geq 0,025 \text{ mg/l}$) Bismuto / <i>Bismuth</i> ($\geq 0,010 \text{ mg/l}$) Potasio / <i>Potassium</i> ($\geq 50 \text{ mg/l}$) Boro / <i>Boron</i> ($\geq 0,050 \text{ mg/l}$) Plata / <i>Silver</i> ($\geq 100 \mu\text{g/l}$) Cadmio / <i>Cadmium</i> ($\geq 0,010 \text{ mg/l}$) Plomo / <i>Lead</i> ($\geq 0,050 \text{ mg/l}$) Calcio / <i>Calcium</i> ($\geq 100 \text{ mg/l}$) Selenio / <i>Selenium</i> ($\geq 0,050 \text{ mg/l}$) Cromo / <i>Chrome</i> ($\geq 0,010 \text{ mg/l}$) Silicio / <i>Silicium</i> ($\geq 0,10 \text{ mg/l}$) Cromo III / <i>Chrome III</i> ($\geq 0,010 \text{ mg/l}$) Sodio / <i>Sodium</i> ($\geq 800 \text{ mg/l}$) Cobalto / <i>Cobalt</i> ($\geq 0,0050 \text{ mg/l}$) Talio / <i>Thallium</i> ($\geq 0,025 \text{ mg/l}$) Cobre / <i>Copper</i> ($\geq 0,1 \text{ mg/l}$) Teluro / <i>Tellurium</i> ($\geq 0,025 \text{ mg/l}$) Estaño / <i>Tin</i> ($\geq 0,050 \text{ mg/l}$) Titanio / <i>Titanium</i> ($\geq 0,010 \text{ mg/l}$) Estroncio / <i>Strontium</i> ($\geq 3,0 \text{ mg/l}$) Vanadio / <i>Vanadium</i> ($\geq 0,010 \text{ mg/l}$) Fósforo / <i>Phosphorus</i> ($\geq 0,3 \text{ mg/l}$) Zinc / <i>Zinc</i> ($\geq 0,025 \text{ mg/l}$)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales, metales disueltos y totales por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / <i>Total and soluble spectrometry and inductively coupled plasma metals (ICP/MS)</i> Arsenico / <i>Arsenic</i> ($\geq 7,5 \mu\text{g/l}$) Níquel / <i>Nickel</i> ($\geq 2,6 \mu\text{g/l}$) Antimonio / <i>Antimony</i> ($\geq 30 \mu\text{g/l}$) Plata / <i>Silver</i> ($\geq 3 \mu\text{g/l}$) Cadmio / <i>Cadmium</i> ($\geq 0,06 \mu\text{g/l}$) Plomo / <i>Lead</i> ($\geq 0,39 \mu\text{g/l}$) Cobre / <i>Copper</i> ($\geq 5 \mu\text{g/l}$) Selenio / <i>Selenium</i> ($\geq 3 \mu\text{g/l}$) Cromo / <i>Chrome</i> ($\geq 5 \mu\text{g/l}$) Zinc / <i>Zinc</i> ($\geq 9 \mu\text{g/l}$)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aniones por cromatografía iónica / <i>Anions by ion chromatography</i> Sulfatos ($\geq 1500 \text{ mg/l}$) Cloruros ($\geq 10000 \text{ mg/l}$)	CI/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	A
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño/Monobutyltin Dibutilestaño/Dibutyltin Tributilestaño/Tributyltin ($\geq 0,01 \mu\text{g/l}$)	CGM/009-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño / Monobutyltin ($\geq 0,002 \mu\text{g/l}$) Dibutilestaño / Dibutyltin ($\geq 0,002 \mu\text{g/l}$) Tributilestaño / Tributyltin ($\geq 0,0002 \mu\text{g/l}$)	CGM/036-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17353	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Octil-nonilfenoles y fenoles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Octyl phenol and nonyl phenols by gas chromatography / mass spectrometry (GC/MS)</i> Fenol / <i>Phenol</i> o-Cresol / <i>o-Cresol</i> m, p-Cresol / <i>m, p-Cresol</i> 2-Clorofenol / <i>2-chlorophenol</i> 2,6-Diclorofenol / <i>2,6-dichlorophenol</i> 2,4-Diclorofenol / <i>2,4-dichlorophenol</i> 4-t-octilfenol / <i>4-t-octylphenol</i> Suma de Fenoles / <i>Sum of phenols</i>	CGM/014-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
Fenoles por por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Phenols by gas chromatography / spectrometry-mass spectrometry (GC / MS-MS)</i> Fenol / <i>Phenol</i> o-Cresol / <i>o-Cresol</i> m -Cresol / <i>m- Cresol</i> p-Cresol/ <i>p-Cresol</i> 2-Clorofenol/ <i>2-chlorophenol</i> 2,4-Dimetilfenol/ <i>2,4-dimethylphenol</i> 4-cloro-3-metilfenol/ <i>4-chloro-3-methylphenol</i> 2,6-Diclorofenol/ <i>2,6-dichlorophenol</i> 2,4-Diclorofenol+2,5-Diclorofenol <i>/2,4-dichlorophenol+2,5-dichlorophenol</i> 4-t-octilfenol / <i>4-t-octylphenol</i> Pentaclorofenol/ <i>pentachlorophenol</i>	CGM/038-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
Di (2-etilhexil) ftalato (DEHP), por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Di (2-ethylhexyl) phthalate (DEHP), gas chromatography / mass spectrometry</i> <i>(≥ 0,5 µg/l)</i> Suma de Fenoles / <i>Sum of phenols</i>	CGM/012-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 18856	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Cloroalcanos (C ₁₀ -C ₁₃) por cromatografía de gases con detector de espectrometría de masas-masas / <i>Chloroalkanes C₁₀-C₁₃ by gas chromatography / mass spectrometry-mass spectrometry</i> (≥ 0,2 µg/l)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC / MS)</i> Trifluralin / <i>Triflouralin</i> Fenitrotion / <i>Fenitrothion</i> p,p'-DDE / <i>p-p'-DDE</i> Tetraclorvinfos / <i>Tetrachlorvinphos</i> Alfa-HCH / <i>Alfa-HCH</i> Etil Paration / <i>Ethylparathion</i> Endrin / <i>Endrin</i> Metidation / <i>Methidathion</i> Hexaclorobenceno / <i>Hexachlorobezene</i> Acenafteno / <i>Acenaphthene</i> Criseno / <i>Crysene</i> Endosulfan-II / <i>Endosulfan II</i> Acenaftileno / <i>Acenaphthylene</i> Beta-HCH / <i>Beta-HCH</i> Dibenzo(a,h)Antraceno / <i>Dibenzo (a, h) Anthracene</i> p,p'-DDD / <i>p-p'-DDD</i> Antraceno / <i>Anthracene</i> Lindano / <i>Lindane</i> Fluoranteno / <i>Fluoranthene</i> EndosulfanSulfato / <i>Endosulfan Sulphate</i> Benzo(a)Antraceno / <i>Benzo (a)Anthracene</i> Indeno(1,2,3-cd) pireno / <i>indeno[1,2,3-cd]pyrene</i> Delta-HCH / <i>Delta-HCH</i> Naftaleno / <i>Naphtalene</i> p,p'-DDT / <i>p-p'-DDT</i> Benzo(b)Fluoranteno / <i>Benzo(b) Fluoranthene</i> Heptaclor / <i>Heptachlor</i> Fenantreno / <i>Phenanthrene</i> Pentaclorobenceno / <i>Pentachlorobenzene</i> Benzo(ghi)Perileno / <i>Benzo (g, h , i) perylene</i> Aldrin / <i>Aldrin</i> Pireno / <i>Pyrene</i> Alaclor / <i>Alachlor</i> Benzo(k)Fluoranteno / <i>Benzo (k) fluoranthene</i> Heptaclor Epóxido (isómero B) / <i>Heptachlor epoxide (isomere B)</i> Fluoreno/Fluorene Metolaclor / <i>Metolachlor</i> BDE28 (2,4,4' - Tribromodifenil Eter) / <i>BDE28 (2,4,4' -Tribromodiphenil Ether)</i> Endosulfan-I / <i>Endosulfan I</i> BDE-47 (2,2',4,4'-Tetrabromodifenil Eter) / <i>BDE47 (2,2',4,4'-tetrabromodiphenil Ether)</i> Isodrin / <i>Isodrin</i> BDE-99 (2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE99(2,2',4,4',5-Pentabromodiphenil Ether)</i> Dieldrin / <i>Dieldrin</i> BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE100(2,2',4,4',6-Pentabromodiphenil Ether)</i> o,p'-DDT / <i>o-p'-DDT</i> BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE100(2,2',4,4',6-Pentabromodiphenil Ether)</i> ClodinafopPropargil / <i>Clodinafop Propargil</i> BDE-153 (2,2',4,4',5,5' - Hexabromodifenil Eter) / <i>BDE153(2,2',4,4',5,5' - Hexabromodiphenil Ether)</i> Oxyfluorfen / <i>Oxyfluorfen</i> BDE-154 (2,2',4,4',5,6' - Hexabromodifenil Eter) / <i>BDE154(2,2',4,4',5,6' - Hexabromodiphenil Ether)</i> Pendimetalin / <i>Pendimethalin</i> Diclorofentión / <i>Dichlorofenthion</i> Metil Bromofos / <i>Methyl Bromophos</i> Fenclorfos / <i>Fenchlorphos</i> Etil Bromofos / <i>Ethyl Bromophos</i> Clorpirifos / <i>Chlorpyrifos</i> Clorfenvinfos / <i>Chlorgenviphos</i> (≥ 0,010 µg/l)	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Semivolatile organic compounds by gas chromatography / mass spectrometry (GC / MS)</i>	CGM/019-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Bifenilo / <i>Biphenyl</i>		
Ciproconazol/ <i>Cyproconazole</i>	PCB-2	
Clorprofam/ <i>Chlorpropham</i>	PCB-52	
Dicofol / <i>Dicofol</i>	Permetrina/ <i>Permethrin</i>	
Oxido de bifenilo / <i>Biphenyl Oxide</i>	Secbumeton / <i>Secbumeton</i>	
PCB-101	Tebuconazol / <i>Tebuconazole</i>	
PCB-118	Tetraconazol/ <i>Tetraconazole</i>	
PCB-138	Cipermetrina/ <i>Cypermethrin</i>	
PCB-153	Terbumeton / <i>Terbumeton</i>	
PCB-180	λ -Cihalotrín/ λ - <i>Cyhalothrin</i>	
$(\geq 0,010 \mu\text{g/l})$		
Épsilon-HCH/ <i>Epsilon-HCH</i>	o,p'-DDD/ <i>o,p'-DDD</i>	
Fipronil/ <i>Fipronil</i>	Etoprofos/ <i>Ethoprophos</i>	
o,p'-DDE/ <i>o,p'-DDE</i>	Etion/Ethion	
Cadusafos/ <i>Cadusafos</i>	Almizcle xileno/ <i>Musk Xylene</i>	
Metil Paration/ <i>Methyl Parathion</i>	Malation/ <i>Malathion</i>	
Fenamifos/ <i>Fenamiphos</i>		
Diazinon/ <i>Diazinon</i>		
Etil Azinfos/ <i>Ethyl Azinphos</i>		
Terbutilacina / <i>Terbutylazine</i>	Prometrina/ <i>Prometryne</i>	
Atracina / <i>Atrazine</i>	Trietacina/ <i>Trietazine</i>	
Ametrina / <i>Ametrine</i>	Terbutrina/ <i>Terbutryne</i>	
Simacina / <i>Simazine</i>	Molinate/ <i>Molinate</i>	
$(\geq 0,020 \mu\text{g/l})$		
Benzo(a)Pireno / <i>Benzo(a)Pyrene</i>		
$(\geq 0,007 \mu\text{g/l})$		
Suma de compuestos		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos orgánicos semivolátiles por cromatografía de gases / espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC / MS-MS)</i> Trifluralin / <i>Triflouralin</i> p,p'-DDE / <i>p, p'-DDE</i> Alfa-HCH Endrin / <i>Endrin</i> Hexaclorobenceno / <i>Hexachlorobenzene</i> Endosulfan-II / <i>Endosulfan-II</i> Beta-HCH / <i>Beta-HCH</i> p,p'-DDD / <i>p, p'-DDD</i> Lindano / <i>Lindane</i> EndosulfanSulfato / <i>Endosulfan Sulphate</i> Delta-HCH / <i>Delta-HCH</i> p,p'-DDT / <i>p, p'-DDT</i> Heptaclor / <i>Heptachlor</i> Pentaclorobenceno / <i>Pentachlorobenzen</i> Aldrin / <i>Aldrin</i> Alaclor / <i>Alachlor</i> Heptaclor Epóxido (isómero B) / <i>Heptachlor epoxide (isomer B)</i> Metolaclor / <i>Metolachlor</i> Endosulfan-I / <i>Endosulfan-I</i> Isodrin / <i>Isodrin</i> Dieldrin / <i>Dieldrin</i> o,p'-DDT / <i>o, p'-DDT</i> ClodinafopPropargil / <i>Clodinafop Propargil</i> Oxyfluorfen / <i>Oxyfluorfen</i> Pendimetalin / <i>Pendimethalin</i> Permetrina/ <i>Permethrin</i> Aclonifen/ <i>Aclonifen</i> Bifenox/ <i>Bifenox</i> Bifentrin/ <i>Bifenthrin</i> Mirex/ <i>Mirex</i> Alfa-Clordano (Cis-Clordano) / <i>Alfa-Clordane (Cis-Clordane)</i> Gamma-Clordano (Trans-Clordano) / <i>Gamma-Clordane (Trans-Clordane)</i> ($\geq 0,0005 \mu\text{g/l}$)	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos orgánicos semivolátiles por cromatografía de gases / espectrometría de masas-masas (CG/MS-MS) / <i>Volatile organic compounds by gas chromatography / mass spectrometry-mass spectrometry (GC / MS-MS)</i>	CGM/031-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 27108	A
Deltametrin/ <i>Deltamethrin</i>	Clorfenvinfos / <i>Chlорfenvinphos</i>	
Diclorofentión / <i>Dichlofenthion</i>	Fenitrotion / <i>Fenitrothion</i>	
Metil Bromofos / <i>Methyl Bromophos</i>	Tetraclorvinfos / <i>Tetrachlorvinphos</i>	
Fenclorfos / <i>Fenclorfos</i>	Etil Paration / <i>Ethyl parathion</i>	
Etil Bromofos / <i>Ethyl Bromophos</i>	Meditation / <i>Metidation</i>	
Clorpirifos / <i>Chlorpyrifos</i>	Etion/ <i>Ethion</i>	
Diazinon/ <i>Diazinon</i>	Etoprofos/ <i>Ethoprophos</i>	
Metil Paration/ <i>Methyl Parathion</i>	Cadusafos/ <i>Cadusafos</i>	
Malation/ <i>Malathion</i>	Etil Azinfos/ <i>Ethyl Azinphos</i>	
Fenamifos/ <i>Fenamiphos</i> (≥ 0,005 µg/l)		
Hexabromociclododecano (HBCDD)/ <i>Hexabromocyclododecane (HBCDD)</i> (≥ 0,050 µg/l)		
BDE-28 (2,4,4' - Tribromodifenil Eter) / <i>BDE-28 (2,4,4' - Tribromodiphenyl Ether)</i>		
BDE-47 (2,2',4,4'-Tetrabromodifenil Eter) / <i>BDE-47 (2,2 ', 4,4'-Tetrabromodiphenyl Ether)</i>		
BDE-99 (2,2',4,4',5-Pentabromodifenil Eter) / <i>BDE-99 (2,2 ', 4,4', 5-Pentabromodiphenyl Ether)</i>		
BDE-100 (2,2',4,4',6-Pentabromodifenil Eter) / <i>BDE-100 (2,2 ', 4,4', 6-Pentabromodiphenyl Ether)</i>		
BDE-153 (2,2',4,4',5,5' - Hexabromodifenil Eter) / <i>BDE-153 (2,2 ', 4,4', 5,5 ' hexabromodiphenyl ether)</i>		
BDE-154 (2,2',4,4',5,6' - Hexabromodifenil Eter) / <i>BDE-154 (2,2 ', 4,4', 5,6 ' hexabromodiphenyl ether)</i> (≥ 0,0002 µg/l)		
Terbutilacina / <i>Terbutylazine</i> Atracina/ <i>Atrazine</i>	Prometrina/ <i>Prometryne</i> Trietacina/ <i>Trietazine</i>	
Ametrina/ <i>Ametrine</i>	Terbutrina/ <i>Terbutryne</i>	
Simacina / <i>Simazine</i>	Molinate/ <i>Molinate</i>	
(≥ 0,010 µg/l)		
Naftaleno / <i>Naphthalene</i>		
Hexabromobifenil/ <i>Hexabromobiphenyl</i>		
Terbumeton/ <i>Terbumeton</i>		
Secbumeton/ <i>Secbumeton</i>		
Almizcle xileno/ <i>Musk Xylene</i>		
Tebuconazol/ <i>Tebuconazole</i>		
Bifenilo / <i>Biphenyl</i>		
Oxido de bifenilo / <i>Biphenyl Oxide</i>		
(≥ 0,010 µg/l)		
Benzo(a)Pireno / <i>Benzo (a) Pyrene</i>		
(≥ 0,00017 µg/l)		
Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> 1,1-Dicloroetileno / <i>1,1-Dichloroethylene</i> Dibromoclorometano / <i>Dibromochloromethane</i> 4-Clorotolueno / <i>4-Chlorotoluene</i> 1,3,5-Trimetilbenceno / <i>1,3,5-Trimethyl Benzene</i> Clorobenceno / <i>Chlorobenzene</i> 1,2-Dibromoetano / <i>1,2-Dibromoethane</i> Sulfuro de Carbono / <i>Carbon disulphide</i> Tolueno / <i>Toluene</i> Terc-Butilbenceno / <i>Tert-Butylbenzene</i> CIS 1,2-Dicloroetileno / <i>CIS 1,2-Dichloroethylene</i> TRANS 1,2-Dicloroetileno / <i>TRANS 1,2-Dichloroethylene</i> n-Propilbenceno / <i>n-Propylbenzene</i> 1,1-Dicloroetano / <i>1,1-Dichloroethane</i> 1,1,1,2-Tetracloroetano / <i>1,1,1,2-tetrachloroethane</i> Etilbenceno / <i>Ethylbenzene</i> 1,2,4-Trimetilbenceno / <i>1,2,4-Trimethylbenzene</i> 1,3-Diclorobenceno / <i>1,3-Dichlorobenzene</i> Naftaleno / <i>Naphthalene</i> 1,1,1-Tricloroetano / <i>1,1,1-trichloroethane</i> Sec-Butilbenceno / <i>Sec-Butylbenzene</i> 1,2-Diclorobenceno / <i>1,2-Dichlorobenzene</i> Estireno / <i>Styrene</i> p-Isopropiltolueno / <i>p-isopropyltoluene</i> n-Butilbenceno / <i>n-Butylbenzene</i> Bromodiclorometano / <i>Bromodichloromethane</i> Bromoformo / <i>Bromoform</i> 1,4-Diclorobenceno / <i>1,4-Dichlorobenzene</i> o-Xileno / <i>o-Xylene</i>	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A

(≥ 0,001 mg/l)

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos Orgánicos Volátiles (COV's) por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by gas chromatography / mass spectrometry (GC / MS)</i> 1,2-Dicloropropano / 1,2-dichloropropane Benceno / Benzene Bromobenceno / Bromobenzene 1,2-Dicloroetano / 1,2-Dichloroethane Ciclohexano / Cyclohexane CIS (Z) 1,3-Dicloro-1-Propeno / CIS (Z) 1,3-Dichloro-1-propene (≥ 0,001 mg/l) 1,2,3-Triclorobenceno / 1,2,3-Trichlorobenzene 1,2,4-Triclorobenceno / 1,2,4-Trichlorobenzene 1,3,5 Triclorobenceno / 1,3,5 Trichlorobenzene Hexaclorobutadieno / Hexachlorobutadiene (≥ 0,0001 mg/l) m,p-xileno / m,p-xylene (≥ 0,002 mg/l)	CGM/024-a Método interno basado en/ <i>In-house method based on:</i> ISO 17943	A
Hidrocarburos en el rango C ₁₀ -C ₄₀ (aceite mineral) por cromatografía de gases/ionización de llama (CG/FID) / <i>C₁₀-C₄₀ hydrocarbons (mineral oils) by gas chromatography / flame ionisation detector (GC / FID)</i> (≥ 0,04 mg/l) C ₁₀ -C ₂₈ (≥ 0,03 mg/l) C ₂₉ -C ₄₀ (≥ 0,01 mg/l)	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 9377-2 TNRCC 1006 UNE-EN ISO/TS 16558-2	A
Fracciones alifáticas y aromáticas de hidrocarburos semivolátiles de petróleo por cromatografía de gases/ionización de llama (CG/FID) / <i>Aliphatic and aromatic fractions of semivolatile petroleum hydrocarbons by gas chromatography/flame ionisation detector (GC/FID)</i> Fracciones alifáticas TPH alifáticos C ₁₀ -C ₄₀ (≥ 0,20 mg/l) TPH alifáticos >C ₁₀ -C ₁₂ (≥ 0,04 mg/l) TPH alifáticos >C ₁₂ -C ₁₆ (≥ 0,04 mg/l) TPH alifáticos >C ₁₆ -C ₂₁ (≥ 0,04 mg/l) TPH alifáticos >C ₂₁ -C ₃₅ (≥ 0,04 mg/l) TPH alifáticos >C ₃₅ -C ₄₀ (≥ 0,04 mg/l) Fracciones aromáticas TPH aromáticos C ₁₀ -C ₄₀ (≥ 0,20 mg/l) TPH aromáticos >C ₁₀ -C ₁₂ (≥ 0,04 mg/l) TPH aromáticos >C ₁₂ -C ₁₆ (≥ 0,04 mg/l) TPH aromáticos >C ₁₆ -C ₂₁ (≥ 0,04 mg/l) TPH aromáticos >C ₂₁ -C ₃₅ (≥ 0,04 mg/l) TPH aromáticos >C ₃₅ -C ₄₀ (≥ 0,04 mg/l)	CG/021-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9377-2 TNRCC 1006 UNE-EN ISO/TS 16558-2	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOC's) by Headspace (HS) / gas chromatography / mass spectrometry (GC / MS)</i> 1,1,1,2-Tetracloroetano 1,1,1-Tricloroetano / 1,1,1-trichloroethane 1,1,2,2-Tetracloroetano / 1,1,2,2-tetrachloroethane 1,1,2-Tricloroetano / 1,1,2-trichloroethane 1,1-Dicloroetano / 1,1-dichloroethane 1,1-Dicloroetileno / 1,1 -Dichloroethylene 1,1-Dicloropropileno / 1,1-dichloropropylene 1,2,3,4-Tetraclorobenceno / 1,2,3,4-tetrachlorobenzen 1,2,3-Tricloropropano / 1,2,3-Trichloropropane 1,2,3-Trimetilbenceno / 1,2,3-trimethylbenzene 1,2,4-Trimetilbenceno / 1,2,4-Trimethylbenzene 1,2-Dibromo-3-Cloropropano / 1,2-Dibromo-3-chloropropane 1,2-Dibromoetano/ 1,2-dibromoethane 1,2-Diclorobenceno 1,2-Dicloropropano / 1,2-dichloropropane 1,3,5-Trimetilbenceno / 1,3,5-Trimethylbenzene 1,3-Diclorobenceno / 1,3-Dichlorobenzene 1,3-Dicloropropano / 1,3-dichloroproppane 1,4-Diclorobenceno / 1,4-Dichlorobenzene 2,2-Dicloropropano / 2,2-Dichloropropane 2-Clortolueno / 2-Chlorotoluene 4-Clortolueno / 4-Chlorotoluene Bromobenceno / Bromobenzene Bromoclorometano / Bromochloromethane ($\geq 0,5 \mu\text{g/l}$)	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> 1,2,3-Triclorobenceno / <i>1,2,3-Trichlorobenzene</i> 1,2,4-Triclorobenceno / <i>1,2,4-Trichlorobenzene</i> 1,3,5 Triclorobenceno / <i>1,3,5 Trichlorobenzene</i> Hexaclorobutadieno / <i>Hexachlorobutadiene</i> ($\geq 0,10 \mu\text{g/l}$) m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / <i>1,2,3,5+1,2,4,5-tetrachlorobenzene</i> ($\geq 1.0 \mu\text{g/l}$) 1,2-Dicloroetano / <i>1,2-Dichloroethane</i> ($\geq 0,3 \mu\text{g/l}$) Cloruro de Vinilo / <i>Vinyl chloride</i> Hexacloroetano / <i>Hexachloroetane</i> Benceno / <i>Benzene</i> ($\geq 0,20 \mu\text{g/l}$) Suma de compuestos	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Hidrocarburos Volátiles del Petróleo (GROS) (C ₅ -C ₁₀) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / <i>C₅-C₁₀ hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 25 \mu\text{g/l}$) Fracción Alifática C5-C10 ($\geq 15 \mu\text{g/l}$) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> ($\geq 5 \mu\text{g/l}$) Fracción Aromática C6-C10 ($\geq 10 \mu\text{g/l}$) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> ($\geq 2 \mu\text{g/l}$) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> ($\geq 5 \mu\text{g/l}$)	CGM/040-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID)/ <i>Solvents by headspace (HS)/ gas chromatography / flame ionization detector (GC/FID)</i> Etanol / <i>Ethanol</i> Acetona / <i>Acetone</i> Ter-Butanol / <i>Ter-Butanol</i> ($\geq 1,0 \text{ mg/l}$) Metanol / <i>Methanol</i> ($\geq 2,0 \text{ mg/l}$)	CG/025-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Bifenilos policlorados por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography / mass spectrometry -mass spectrometry (GC / MS-MS)</i> PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153, PCB 180 ($\geq 0,002 \mu\text{g/l}$)	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Acenafteno / <i>Acenaphthene</i> Acenaftileno / <i>Acenaphthylene</i> Antraceno / <i>Anthracene</i> Benzo (a) antraceno / <i>Benzo (a) anthracene</i> Benzo (a) pireno / <i>Benzo (a) pyrene</i> Benzo (b) fluoranteno / <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno / <i>Benzo (g,h,i) perylene</i> Benzo (k) fluoranteno / <i>Benzo (k) fluoranthene</i> ($\geq 0,010 \mu\text{g/l}$)	Criseno / <i>Chrysene</i> Dibenzo (a,h) antraceno / <i>Dibenzo (a, h) anthracene</i> Fenantreno / <i>Phenanthrene</i> Fluoranteno / <i>Fluoranthene</i> Fluoreno / <i>Fluorene</i> Indeno (1,2,3,c,d) pireno / <i>Indeno (1,2,3,c,d) pyrene</i> Naftaleno / <i>Naphtalene</i> Pireno / <i>Pyrene</i>	A
Suma de compuestos Bifenilo y Óxido de Bifenilo por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Biphenyl and Biphenyl Oxide by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Bifenilo/ <i>Biphenyl</i> Óxido de Bifenilo/ <i>Biphenyl Oxide</i> ($\geq 0,10 \mu\text{g/l}$)	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Plaguicidas por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Pesticides by gas chromatography / mass spectrometry- mass spectrometry (GC/MS-MS)</i>	CGM/042-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270E	A
Aldrin/ <i>Aldrin</i> Alfa-Clordano (<i>Cis-Clordano</i>)/ <i>Alfa-Clordane (Cis-Clordane)</i> <i>Alpha-HCH/ Alpha-HCH</i> <i>Beta-HCH/ Beta-HCH</i> <i>Delta-HCH/Delta-HCH</i> <i>Dieldrin/Dieldrin</i> <i>Endosulfan-I/ Endosulfan-I</i> <i>Endosulfan-II/ Endosulfan-II</i> <i>EndosulfanSulfato/ Endosulfansulfate</i> <i>Endrin/ Endrin</i> <i>Gamma-Clordano (Trans-Clordano)/ Gamma-Clordane (Trans-Clordane)</i> <i>Heptaclor Epóxido (isómero A)/ Heptachlor epoxide (isomer A)</i> (≥ 0,010 µg/l)	Heptaclor Epóxido (isómero B) <i>/Heptachlor epoxide (isomer B)</i> <i>Heptaclor/Heptachlor</i> <i>Hexaclorobenceno/Hexachlorobenzene</i> <i>Isodrin/ Isodrin</i> <i>Lindano/Lindane</i> <i>o,p'-DDD/ o,p'-DDD</i> <i>o,p'-DDE/ o,p'-DDE</i> <i>o,p'-DDT/ o,p'-DDT</i> <i>p,p'-DDD/p,p'-DDD</i> <i>p,p'-DDE/p,p'-DDE</i> <i>p,p'-DDT/ p,p'-DDT</i> <i>Pentaclorobenceno/</i> <i>Pentachlorobenzene</i> <i>Trifluralin/Trifurali</i> (≥ 0,010 µg/l)	
Ametrina/ <i>Ametrine</i> <i>Atrazina/ Atrazine</i> <i>Prometrina/Prometryne</i> <i>Simazina/Simazin</i> (≥ 0,020 µg/l)	<i>Terbutilazina/Terbutylazin</i> <i>Terbutrina/Terbutryne</i> <i>Trietazina/Trietzazine</i>	
<i>p-cloroanilina/p-chloroaniline</i> (≥ 0,010 µg/l)		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Compuestos per y polifluoroalquiladas (PFAS) por cromatografía líquida de alta eficacia/espectrometría de masas-masas (HPLC/MS-MS) / <i>Per and polyfluoroalkyl compounds by high-performance liquid chromatography / mass-mass spectrometry (HPLC / MS-MS)</i> Ácido perfluorooctanoico (PFOA)/ <i>Perfluorooctanoic acid (PFOA)</i> Ácido perfluorononanoico (PFNA)/ <i>Perfluorononanoic acid (PFNA)</i> Ácido perfluorodecanoico (PFDA)/ <i>Perfluorodecanoic acid (PFDA)</i> Ácido perfluorododecanoico (PFDoDA)/ <i>Perfluorododecanoic acid (PFDoDA)</i> Ácido perfluorotridecanoico (PFTrDA)/ <i>Perfluorotridecanoic Acid (PFTrDA)</i> Ácido perfluorobutano sulfónico (PFBS)/ <i>Perfluorobutane sulfonic acid (PFBS)</i> Ácido perfluoropentano sulfónico (PFPeS)/ <i>Perfluoropentane sulfonic acid (PFPeS)</i> Ácido perfluorohexano sulfónico (PFHxS)/ <i>Perfluorohexane sulfonic acid (PFHxS)</i> Ácido perfluoroheptano sulfónico (PFHpS)/ <i>Perfluoroheptane sulfonic acid (PFHpS)</i> Ácido perfluorooctanosulfónico (PFOS)/ <i>Perfluorooctanesulfonic acid (PFOS)</i> Ácido perfluorononano sulfónico (PFNS)/ <i>Perfluorononane Sulfonic Acid (PFNS)</i> Ácido perfluorodecano sulfónico (PFDS)/ <i>Perfluorodecane Sulfonic Acid (PFDS)</i> Ácido perfluoroundecano sulfónico (PFUnDS)/ <i>Perfluoroundecane Sulfonic Acid (PFUnDS)</i> Ácido perfluorododecano sulfónico (PFDoDS)/ <i>Perfluorododecane Sulfonic Acid (PFDoDS)</i> Ácido perfluorotridecano sulfónico (PFTrDS)/ <i>Perfluorotridecane Sulfonic Acid (PFTrDS)</i> (≥ 0,02 µg/l)	CLMS/028-a Método interno basado en/ <i>In-house method based on:</i> EPA 537	A
Ácido perfluorohexanoico (PFHxA)/ <i>Perfluorohexanoic acid (PFHxA)</i> (≥ 0,05 µg/l)		
Ácido perfluorobutanoico (PFBA)/ <i>Perfluorobutanoic acid (PFBA)</i> Ácido perfluoropentanoico (PFPeA)/ <i>Perfluoropentanoic acid (PFPeA)</i> Ácido perfluoroheptanoico (PFHpA)/ <i>Perfluoroheptanoic acid (PFHpA)</i> Ácido perfluoroundecanoico (PFUnDA)/ <i>Perfluoroundecanoic acid (PFUnDA)</i> (≥ 0,1 µg/l)		
Bisfenol A/ <i>Bisphenol A</i> (≥ 5,0 µg/l) Suma de compuestos	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno total por cálculo / <i>Total nitrogen by calculation</i> (≥ 1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Cromo III y Cromo III total por cálculo / <i>Chrome III and chromium III total by calculation</i>		
(≥ 0,020 mg/l)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Cromo VI por cálculo / <i>Chrome VI by calculation</i> (≥ 0,005 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Dureza, dureza total, cálcica y/o magnésica por cálculo / <i>Hardness, total hardness, calcium and /or magnesium by calculation</i> Dureza y dureza total / <i>Hardness and total hardness</i> (≥ 66 °F) Dureza cálcica / <i>Calcium hardness</i> (≥ 33 °F) Dureza magnésica / <i>Magnesium hardness</i> (≥ 33 °F)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 2340 B	A
Nitrógeno oxidable por cálculo / <i>Oxidizable nitrogen by calculation</i> (≥ 0,1 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
Nitrógeno inorgánico soluble por cálculo / <i>Soluble inorganic nitrogen by calculation</i> Nitratos/Nitrates (≥ 8,06 µmol/l NO3) Nitritos /Nitrites (≥ 0,22 µmol/l NO2) Amonio/Amonium (≥ 2,78 µmol/l NH4)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N D	A
Nitratos por cálculo / <i>Nitrates by calculation</i> (≥ 0,50 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM4500-NO3 F	A
Nitrógeno Nítrico por cálculo / <i>Nitric Nitrogen by calculation</i> (≥ 0,10 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26777	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas ultralimpias / Ultra clean water		
Metales y metales disueltos por espectrometría de plasma de acoplamiento inductivo (ICP/MS) / Soluble metals inductively coupled plasma spectroscopy (ICP/AES) (ICP/MS)	ICP-MS/001-a ICP-MS/002-a Método interno basado en / <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / Aluminun ($\geq 2,0 \mu\text{g/l}$)	Hierro / Iron ($\geq 5 \mu\text{g/l}$)	
Antimonio / Antimony ($\geq 0,5 \mu\text{g/l}$)	Níquel / Nickel ($\geq 1,0 \mu\text{g/l}$)	
Arsénico / Arsenic ($\geq 0,25 \mu\text{g/l}$)	Manganoso / Manganese ($\geq 0,20 \mu\text{g/l}$)	
Bario / Barium ($\geq 1,0 \mu\text{g/l}$)	Molibdeno / Molybdenum ($\geq 0,5 \mu\text{g/l}$)	
Berilio / Berilium ($\geq 0,1 \mu\text{g/l}$)	Plata / Silver ($\geq 1,0 \mu\text{g/l}$)	
Bismuto / Bismuth ($\geq 0,20 \mu\text{g/l}$)	Plomo / Lead ($\geq 0,20 \mu\text{g/l}$)	
Boro / Boron ($\geq 10 \mu\text{g/l}$)	Selenio / Selenium ($\geq 0,5 \mu\text{g/l}$)	
Cadmio / Cadmium ($\geq 0,10 \mu\text{g/l}$)	Talio / Thallium ($\geq 1 \mu\text{g/l}$)	
Cobalto / Cobalt ($\geq 0,20 \mu\text{g/l}$)	Teluro / Tellurium ($\geq 5 \mu\text{g/l}$)	
Cobre / Copper ($\geq 0,50 \mu\text{g/l}$)	Uranio / Uranium ($\geq 0,25 \mu\text{g/l}$)	
Cromo / Chrome ($\geq 1 \mu\text{g/l}$)	Vanadio / Vanadium ($\geq 0,5 \mu\text{g/l}$)	
Estaño / Tin ($\geq 5 \mu\text{g/l}$)	Zinc / Zinc ($\geq 5,0 \mu\text{g/l}$)	
Estroncio / Strontium ($\geq 5 \mu\text{g/l}$)		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Fangos líquidos / Liquid Sludge		
Humedad / Humidity ($\geq 0,40 \%$)	GRV/004-a Método interno basado en / <i>In-house method based on:</i> UNE-EN ISO 12880	A
Cenizas/Inertes/Sólidos totales fijos / Ash/Inert/Total Solid fixed ($\geq 10 \%$)	GRV/005-a Método interno basado en / <i>In-house method based on:</i> UNE-EN ISO 15169	A
Extracto seco/Sólidos totales/Materia seca / Dry extract/Total Solids/Dry matter ($\geq 0,40 \%$)	GRV/004-a Método interno basado en / <i>In-house method based on:</i> UEN EN ISO 12880	A
Sólidos Totales Volátiles / Total Volatile Solids ($\geq 0,25 \%$)	GRV/005-a Método interno basado en / <i>In-house method based on:</i> UNE-EN ISO 15169	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos líquidos / Liquid waste		
Punto de inflamación por combustión y termometría / <i>Flashpoint by combustion and thermometry</i> (20 - 120 °C)	TM/003-a Método interno basado en/ <i>In-house method based on:</i> ASTM D56-16a	A

II. Análisis físico-químicos *in situ*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO / <i>CODE</i>
Aguas de consumo		
pH (1 - 13 uds. de pH)	IT-A-007 Método interno basado en/ <i>In-house method based on:</i> SM 4500-H ⁺ B	I
Conductividad / <i>Conductivity</i> (20 - 50000 µS/cm)	IT-A-008 Método interno basado en/ <i>In-house method based on:</i> SM 2510 B	I
Temperatura (≥ 1 °C)	IT-A-058 Método interno basado en/ <i>In-house method based on:</i> SM 2550 B	I
Cloro residual libre y total por espectrofotometría UV-VIS/ <i>Free and total residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	IT-A-012 Método interno basado en/ <i>In-house method based on:</i> SM 4500-Cl G	I
Cloro combinado por cálculo / <i>Combined chlorine by calculation</i> (≥ 0,1 mg/l)	IT-A-012 Método interno basado en/ <i>In-house method based on:</i> SM 4500-Cl G	I

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas continentales / <i>Inland waters</i>		
pH (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / <i>Conductivity</i> (10 - 45000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas continentales / Inland waters		
Temperatura / Temperature (≥ 1 °C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> SM 2550	I
Cloro residual libre y total por espectrofotometría UV-VIS / Free and total chlorine by spectrophotometry UV-VIS (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro combinado por cálculo / Combined chlorine by calculation (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas residuales / Wastewater		
pH (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / Conductivity (10 - 45000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I
Temperatura / Temperature (≥ 1 °C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> SM 2550	I
Cloro residual libre y total por espectrofotometría UV-VIS / Free and total residual chlorine by UV-VIS spectrophotometry (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro combinado por cálculo / Combined chlorine by calculation (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Aguas marinas		
Temperatura (≥ 1 °C)	IT-A-058 Método interno basado en/ <i>In-house method based on:</i> SM 2550 B	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

III. Análisis microbiológicos / Microbiological analysis

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable water		
Recuento en placa de microorganismos aerobios a 22°C y 36°C / <i>Enumeration of aerobic microorganisms at 22 °C and 36°C</i>	UNE-EN ISO 6222	A
Recuento de Coliformes totales y <i>Escherichia coli</i> (NMP) / <i>Enumeration of total coliforms and Escherichia coli (NMP)</i>	UNE-EN ISO 9308-2	A
Recuento de Coliformes totales y <i>Escherichia coli</i> / <i>Enumeration of total coliforms and Escherichia coli</i> (Filtración / Filtration)	UNE-EN ISO 9308-1	A
Recuento de Enterococos / <i>Enumeration of enterococci</i> (Filtración / Filtration)	UNE-EN ISO 7899-2	A
Recuento de Enterococos / <i>Enumeration of enterococci</i> (NMP / NMP)	Método alternativo Enterolert DW Ministerio de Sanidad	A
Recuento de colifagos somáticos / <i>Enumeration of Somatic</i> (Filtración / Filtration)	UNE-EN ISO 10705-2 UNE-EN ISO 10705-3	A
Recuento de <i>Clostridium perfringens</i> (incluidas las esporas)/ <i>Enumeration of Clostridium perfringens (including spores)</i> (Filtración / Filtration)	UNE-EN ISO 14189	A
Recuento de <i>Clostridium perfringens</i> (incluidas las esporas)/ <i>Enumeration of Clostridium perfringens (including spores)</i> (Filtración / Filtration)	Método alternativo TSC-MUP Ministerio de Sanidad	A
Recuento de <i>Pseudomonas aeruginosa</i> / <i>Enumeration of Pseudomonas aeruginosa</i> (Filtración /Filtration)	UNE-EN ISO 16266	A
Recuento en placa de colifagos somáticos / <i>Enumeration of Somatic</i>	RCP/049-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10705-2	A
Recuento de Coliformes fecales / <i>Enumeration of faecal Coliforms</i> (Filtración / Filtration)	FIL/002-a Método interno basado en/ <i>In-house method based on:</i> SM 9222D	A
Recuento de Estreptococos fecales/ <i>Enumeration of streptococcus faecales</i> (Filtración / Filtration)	FIL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7899-2	A
Recuento de esporas de Clostridios sulfito reductores / <i>Enumeration of sulphite reducing clostridia</i> (Filtración / Filtration)	FIL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26461-2	A
Detección de <i>Staphylococcus aureus</i> / <i>Detection of Staphylococcus aureus</i>	PA/008-a Método interno basado en/ <i>In-house method based on:</i> NF T90-41	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / Drinking/Potable water		
Detección de <i>Salmonella</i> / <i>Detection of Salmonella</i>	PA/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 19250	A
Recuento en placa de gérmenes mesófilos a 31°C / <i>Enumeration of mesophilic bacteria at 31°C</i>	RCP/003-a Método interno basado en/ <i>In-house method based on:</i> Farmacopea española.	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales / Inland waters		
Recuento en placa de microorganismos aerobios a 22°C y 36°C / <i>Enumeration of aerobic microorganisms at 22 °C and 36 °C</i>	UNE-EN ISO 6222	A
Recuento de Coliformes totales / <i>Enumeration of total Coliforms (Filtración / Filtration)</i>	FIL/003-a Método interno basado en/ <i>In-house method based on:</i> SM 9222B	A
Recuento de Coliformes fecales / <i>Enumeration of faecal Coliforms (Filtración / Filtration)</i>	FIL/002-a Método interno basado en/ <i>In-house method based on:</i> SM 9222D	A
Recuento de Coliformes totales y <i>Escherichia coli</i> (NMP) / <i>Enumeration of total coliforms and Escherichia coli (NMP)</i>	NMP/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9308-2	A
Recuento de <i>Escherichia coli</i> / <i>Enumeration of Escherichia coli (Filtración / Filtration)</i>	FIL/010-a Método interno basado en/ <i>In-house method based on:</i> Metodi analitici per le acque APAT Agenzia per la protezione dell'ambiente e per i servizi tecnici.7030F	A
Recuento de Enterococos / <i>Enumeration of enterococci (Filtración / Filtration)</i>	FIL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7899-2	A
Recuento de Estreptococos fecales/ <i>Enumeration of streptococcus faecales (Filtración / Filtration)</i>	FIL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7899-2	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales / <i>Inland waters</i>		
Recuento de <i>Pseudomonas aeruginosa</i> / <i>Enumeration of Pseudomonas aeruginosa</i> (<i>Filtración / Filtration</i>)	FIL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16266	A
Recuento de esporas de Clostridios sulfito reductores / <i>Enumeration of sulphite reducing clostridia</i> (<i>Filtración / Filtration</i>)	FIL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26461-2	A
Recuento de <i>Clostridium perfringens</i> (<i>incluidas las esporas</i>)/ <i>Enumeration of Clostridium perfringens</i> (<i>including spores</i>) (<i>Filtración / Filtration</i>)	FIL/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14189	A
Detección de <i>Staphylococcus aureus</i> / <i>Detection of Staphylococcus aureus</i>	PA/008-a Método interno basado en/ <i>In-house method based on:</i> NF T90-41	A
Detección de <i>Salmonella</i> / <i>Detection of Salmonella</i>	PA/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 19250	A
Recuento en placa de gérmenes mesófilos a 31°C / <i>Enumeration of mesophilic bacteria at 31°C</i>	RCP/003-a Método interno basado en/ <i>In-house method based on:</i> Farmacopea Española	A
Recuento en placa de colifagos somáticos / <i>Enumeration of Somatic</i>	RCP/049-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10705-2	A
Recuento de Bacteriófagos ARN F específicos / <i>Enumeration of Specific</i>	RCP/050-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10705-1	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/<i>Wastewaters</i>		
Recuento en placa de microorganismos aerobios a 22 °C y 36 °C / <i>Enumeration of aerobic microorganisms at 22 °C and 36 °C</i>	UNE-EN ISO 6222	A
Recuento de Coliformes totales / <i>Enumeration of total Coliforms</i> (<i>Filtración / Filtration</i>)	FIL/003-a Método interno basado en/ <i>In-house method based on:</i> SM 9222B	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewaters		
Recuento de Coliformes fecales / <i>Enumeration of faecal Coliforms</i> (Filtración / <i>Filtration</i>)	FIL/002-a Método interno basado en/ <i>In-house method based on:</i> SM 9222D	A
Recuento de Coliformes totales y <i>Escherichia coli (NMP)</i> / <i>Enumeration of total coliforms and Escherichia coli (NMP)</i>	NMP/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9308-2	A
Recuento de <i>Escherichia coli</i> / <i>Enumeration of Escherichia coli</i> (Filtración / <i>Filtration</i>)	FIL/010-a Método interno basado en/ <i>In-house method based on:</i> Metodi analitici per le acque APAT Agenzia per la protezione dell'ambiente e per i servizi tecnici.7030F	A
Recuento de Enterococos / <i>Enumeration of enterococci</i> (Filtración / <i>Filtration</i>)	FIL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7899-2	A
Recuento de Estreptococos fecales/ <i>Enumeration of streptococcus faecales</i> (Filtración / <i>Filtration</i>)	FIL/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7899-2	A
Recuento de <i>Pseudomonas aeruginosa</i> / <i>Enumeration of Pseudomonas aeruginosa</i> (Filtración / <i>Filtration</i>)	FIL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16266	A
Recuento de <i>Clostridium perfringens</i> (incluidas las esporas)/ <i>Enumeration of Clostridium perfringens (including spores)</i> (Filtración / <i>Filtration</i>)	FIL/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14189	A
Recuento de esporas de Clostridios sulfito reductores / <i>Enumeration of sulphite reducing clostridia</i> (Filtración / <i>Filtration</i>)	FIL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 26461-2	A
Detección de <i>Salmonella</i> / <i>Detection of Salmonella</i>	PA/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 19250	A
Recuento de Esporas de <i>Clostridium perfringens</i> / <i>Enumeration of spores Clostridium perfringens</i> (Filtración / <i>Filtration</i>)	FIL/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14189	A
Recuento en placa de colifagos somáticos / <i>Enumeration of Somatic</i>	RCP/049-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10705-2	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/Wastewaters		
Recuento de Bacteriófagos ARN F específicos / <i>Enumeration of Specific</i>	RCP/050-a Método interno basado en/ In-house method based on: UNE-EN ISO 10705-1	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Recuento en placa de microorganismos aerobios a 22°C y 36°C / <i>Enumeration of aerobic microorganisms at 22 °C and 36 °</i>	UNE-EN ISO 6222	A
Recuento de Coliformes totales / <i>Enumeration of total Coliforms (Filtración / Filtration)</i>	FIL/003-a Método interno basado en/ In-house method based on: SM 9222B	A
Recuento de Coliformes fecales / <i>Enumeration of faecal Coliforms (Filtración / Filtration)</i>	FIL/002-a Método interno basado en/ In-house method based on: SM 9222D	A
Recuento de <i>Escherichia coli</i> / <i>Enumeration of Escherichia coli (Filtración / Filtration)</i>	FIL/010-a Método interno basado en/ In-house method based on: Metodi analitici per le acque APAT Agenzia per la protezione dell'ambiente e per i servizi tecnici.7030F	A
Recuento de Enterococos / <i>Enumeration of enterococci (Filtración / Filtration)</i>	FIL/005-a Método interno basado en/ In-house method based on: UNE-EN ISO 7899-2	A
Recuento de Estreptococos fecales/ <i>Enumeration of streptococcus faecales (Filtración / Filtration)</i>	FIL/005-a Método interno basado en/ In-house method based on: UNE-EN ISO 7899-2	A
Recuento de <i>Pseudomonas aeruginosa</i> / <i>Enumeration of Pseudomonas aeruginosa (Filtración / Filtration)</i>	FIL/007-a Método interno basado en/ In-house method based on: UNE-EN ISO 16266	A
Recuento de <i>Clostridium perfringens</i> (incluidas las esporas) / <i>Enumeration of Clostridium perfringens (including spores) (Filtración / Filtration)</i>	FIL/006-a Método interno basado en/ In-house method based on: UNE-EN ISO 14189	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Seawaters		
Detección de <i>Staphylococcus aureus</i> / <i>Detection of Staphylococcus aureus</i>	PA/008-a Método interno basado en/ <i>In-house method based on:</i> NF T90-412	A
Detección de <i>Salmonella</i> spp. / <i>Detection of Salmonella</i> spp	PA/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 19250	A
Recuento de Coliformes totales y <i>Escherichia coli</i> (NMP) / <i>Enumeration of total coliforms and Escherichia coli (NMP)</i>	NMP/010-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9308-2	A
Recuento de enterococos (NMP)/ <i>Enumeration of enterococci (NMP)</i>	NMP/011-a Método interno basado en/ <i>In-house method based on:</i> Enterolert E	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

IV. Análisis de Legionella / Analysis of Legionella

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo, aguas continentales, aguas residuales y aguas marinas/ Drinking/potable water, inland waters, wastewater and seawaters		
Recuento de <i>Legionella pneumophila</i> / Detection, enumeration and serotyping of <i>Legionella pneumophila</i>	RCP/037-a Método interno basado en/ <i>In-house method based on:</i> NF T90-431	A
Identificación de <i>Legionella pneumophila</i> por inmunoaglutinación	AGC/002-a Método interno basado en kit comercial (*) / <i>In-house method based on commercial kit(*)</i>	
Recuento de <i>Legionella</i> spp. / Detection, enumeration and serotyping of <i>Legionella</i> spp.	UNE-EN ISO 11731 AGC/002-a Método interno basado en kit comercial (*) / <i>In-house method based on commercial kit(*)</i>	A

(*) La información sobre el kit concreto usado está disponible en el laboratorio

(*) *Information about the specific kit used is available in the laboratory*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo, aguas continentales y aguas residuales / Drinking/potable water, inland Waters and wastewater		
Detección de <i>Legionella pneumophila</i> por PCR a tiempo real / <i>Detection of Legionella pneumophila by RT-PCR.</i>	PCR/002-a Método interno basado en kit comercial (*) / <i>In-house method based on commercial kit(*)</i>	A
Detección de <i>Legionella</i> spp. por PCR a tiempo real / <i>Detection of Legionella sp. by real-time</i>	PCR/003-a Método interno basado en kit comercial (*) / <i>In-house method based on commercial kit(*)</i>	A

(*) La información sobre el kit concreto usado está disponible en el laboratorio

(*) *Information about the specific kit used is available in the laboratory*

V. Análisis de virus/ Virus Analyses

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales / Wastewater		
Detección y cuantificación de SARS-CoV-2 por PCR a tiempo real / <i>Detection and quantification of SARS-CoV-2 by real-time PCR</i>	PCR/008-a Método interno basado en/ In-house method based on: protocolo detección de SARS-CoV-2 en aguas residuales (VATar covid-19, MITECO)	A

VI. Análisis ecotoxicológicos / Ecotoxicologic análisis

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo, aguas continentales, aguas residuales y aguas marinas / Drinking/potable water, inland waters, wastewater and sea waters		
Toxicidad por inhibición de la bioluminiscencia bacteriana con <i>Vibrio fischeri</i> / <i>Toxicity by inhibition bacterial bioluminescence with Vibrio fischeri</i> ($> 2 \text{ U.T.}$)	LUM/001-a Método interno basado en/ In-house method based on: UNE-EN ISO 11348-3	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales / Wastewater		
Toxicidad por inhibición de la movilidad con <i>Daphnia magna</i> / <i>Toxicity by inhibition mobility with Daphnia magna</i> ($\geq 1 \text{ Equitox}$)	INM/001-a Método interno basado en/ In-house method based on: UNE-EN ISO 6341	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

VII. Análisis parasitológicos / Parasitological Analyses

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales y aguas residuales/ <i>Inland waters and wastewater</i>		
Detección y recuento de huevos de nematodos por microscopía / <i>Detection and Enumeration of Nematode egg counting by microscopy</i>	OM/003-a Metodo interno basado en/ <i>In-house method based on:</i> Bailinger modificado por Bouhoum & Schwartzbrod. “Analysis of wastewater for use in agriculture” Ayres & Mara O.M.S. (1996)	A
Detección y recuento de huevos de helmintos por microscopía / <i>Detection and Enumeration of Helminth egg counting by microscopy</i>	OM/002-a Metodo interno basado en/ <i>In-house method based on:</i> Bailinger modificado por Bouhoum & Schwartzbrod. “Analysis of wastewater for use in agriculture” Ayres & Mara O.M.S. (1996)	A

VIII. Análisis Organolépticos / *Organoleptic Analyses*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y envasadas / <i>Drinking/Potable Water</i>		
Olor / <i>Odour</i> (Método de elección no forzada y de elección forzada)	UNE-EN 1622	A
Sabor / <i>Flavour</i> (Método de elección no forzada y de elección forzada)	UNE-EN 1622	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

IX. Toma de muestra y análisis biológicos / Biological sampling and analysis

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Macroinvertebrados en curso de agua / Macroinvertebrates in water course		
Toma de muestra para la determinación de invertebrados bentónicos incluido en el presente anexo técnico / <i>Sampling to asses composition and abundance of benthic invertebrates included in this technical annex</i>	ML-Rv-I-2013	I
Método de los 20 kicks / "20 kicks" multimetric method		
Identificación y recuento de macroinvertebrados bentónicos / <i>Identification and quantification of benthic macroinvertebrates</i>	ML-Rv-I-2013	D
Índices IBMWP e IASPT / <i>IBMWP and IASPT Index</i>	IBMWP-2013	D
Índice METI (Índice Multimétrico Específico del Tipo) / <i>METI Index</i>	METI-2015	D
Recolección e identificación de macroinvertebrados bentónicos según protocolo IBWMP (Guadalmed) / <i>Collection and identification of benthic invertebrates as IBWMP protocol (Guadalmed)</i>	P-LB-TM-061 (ID/003-a) Método interno basado en/ <i>In-house method based on:</i> PROTOCOLO PRECE (GUADALMED) Protocolo 3 IBMWP	I, D
Índices / Index: IBMWP, IASPT		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Macrofitos en ríos vadeables / Macrophytes in fordable rivers		
Toma de muestra e identificación de macrófitos acuáticos ¹ / <i>Sampling and identification of aquatic macrophytes</i>	ML-R-M-2015	I
(1) Toma de muestra y ensayos realizados <i>in situ</i> , excepto la identificación de ejemplares que no se pueden determinar de forma apropiada en campo y que se determinan en laboratorio.		
Toma de muestra e identificación de macrófitos acuáticos y posterior confirmación de la identificación en laboratorio / <i>Sampling and identification of aquatic macrophytes and subsequent confirmation of identification in the laboratory</i>	Protocolo de toma de muestras e identificación de macrófitos en ríos vadeables: Confederación Hidrográfica del Ebro (2018)	I, B
Cálculo del Índice IBMR 2015 / <i>IBMR 2015 index calculation</i>	IBMR-2015	B
Cálculo del índice IVAM-CLM / <i>IVAM-CLM index calculation</i>	Moreno et al. (2006)	B
Cálculo del índice IVAM-FBL / <i>IVAM-FBL index calculation</i>	Moreno et al. (2008)	B
Cálculo del índice IM / <i>IM index calculation</i>	Suárez et al. (2005)	B
Cálculo del índice IMF / <i>IMF index calculation</i>	Flor et al. (2015)	B

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Macrofitos en ríos vadeables / <i>Macrophytes in fordable rivers</i>		
Cálculo del índice IBMR FRANCÉS / <i>IBMR FRANCÉS index calculation</i>	Haury et al. (2006)	B

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Ictiofauna en ríos / <i>Ichthyofauna in rivers</i>		
Toma de muestra de ictiofauna con pesca eléctrica y posterior identificación, recuento y evaluación de datos biométricos y estado sanitario / <i>Ichthyofauna sampling with electric fishing and subsequent identification, counting and evaluation of biometric data and health status.</i>	ML-R-FI-2015	I
Cálculo de Capturas por Unidad de Esfuerzo (CPUE) y Biomasa por Unidad de Esfuerzo (BPUE) / <i>Calculation of Catch per Unit Effort (CPUE) and Biomass per Unit Effort (BPUE)</i>	ML-R-FI-2015	B

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Diatomeas en ríos / <i>Diatoms in rivers</i>		
Toma de muestras para la determinación de diatomeas incluido en el presente anexo técnico / <i>Sampling for diatom determination included in this technical annex</i>	ML-R-D-2013	I
Composición y abundancia relativa de diatomeas / <i>Composition and relative abundance of diatoms</i>	ML-R-D-2013	B
Indice IPS / <i>IPS Index</i>	IPS-2013	B

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Fitoplancton en lagos, embalses y humedales / <i>Lakes, reservoirs and wetlands</i>		
Toma de muestra puntual e integrada para la identificación y cuantificación de fitoplancton incluido en el presente anexo técnico / <i>Spot and integrated sampling samples for identification and quantification of phytoplankton included in this technical annex</i>	M-LE-FP-2013	I
Toma de muestra integrada con red para el análisis cualitativo de fitoplancton incluido en el presente anexo técnico / <i>Integrated sampling with net for the qualitative analysis of phytoplankton included in this technical annex</i>		I
Identificación y cuantificación de fitoplancton / <i>Phytoplankton identification and quantification</i>	MFIT-2013	B
Análisis cualitativo de fitoplancton / <i>Qualitative analysis of phytoplankton</i>		B

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

X. Análisis físico-químicos *in situ* / On site Physical Chemical Analyses

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo / Inland waters		
pH (4,5 - 9,5 uds de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / Conductivity (10 - 10000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I
Temperatura / Temperature (≥ 1 °C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> SM 2550	I
Turbidez (0,3 - 100UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	I
Oxígeno disuelto por método óptico / Dissolved oxygen by optical method (0,5 mg/l – 15 mg/l)	ES/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17289	I
Cloro residual libre y total por espectrofotometría UV-VIS / Free and total chlorine by spectrophotometry UV-VIS (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro combinado por cálculo / Computationally combined chlorine (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales / Inland Waters		
pH (1 - 13 uds de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / Conductivity (10 - 45000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales / Inland Waters		
Temperatura / Temperature (≥ 1°C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> SM 2550	I
Turbidez (0,5 - 100UNT)	NF/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-ISO 7027	I
Transparencia (Secchi) / Transparency (Secchi) (2 - 15m)	VIS/001-a Método interno basado en/ <i>In-house method based on:</i> SOP-WR-W-7 4-2011	I
Oxígeno disuelto por método óptico / Dissolved Oxygen by optical method (0,5 mg/l – 15 mg/l) (5% - 150%)	ES/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17289	I
Salinidad / Salinity (≥ 0,5 %)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I
Cloro residual libre y total por espectrofotometría UV-VIS / Free and total residual chlorine by UV-VIS spectrophotometry (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro combinado por cálculo / Combined chlorine by calculation (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Salinidad por calculo / Salinity calculation (≥ 0,5)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> SM 2510	I

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales / Wastewater		
pH (1 - 13 uds de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / Conductivity (10 - 45000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales / Wastewater		
Temperatura / <i>Temperature</i> (≥ 1°C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> SM 2550.	I
Oxígeno disuelto por método óptico / <i>Disolved Oxygen by optical method</i> (0,5 mg/l – 15 mg/l) (5% - 150%)	ES/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17289	I
Cloro residual libre por espectrofotometría UV-VIS / <i>Free chlorine by spectrophotometry UV-VIS</i> (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro total por espectrofotometría UV-VIS / <i>Residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,05 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Cloro combinado por cálculo / <i>Combined chlorine by calculation</i> (≥ 0,05 mg/l)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Sales solubles (según D 103/2000 de 6 de marzo de la Agencia Catalana del Agua) (≥ 15 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Sea Waters		
pH (1 - 13 uds de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	I
Conductividad / <i>Conductivity</i> (12870 - 110000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I
Salinidad / <i>Salinity</i> (≥ 0,5 %)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	I
Cloro residual libre por espectrofotometría UV-VIS / <i>Residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,1 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Sea Waters		
Cloro residual libre por espectrofotometría UV-VIS / <i>Residual chlorine by UV-VIS spectrophotometry</i> (≥ 0,08 mg/l)	COL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 7393-2	I
Temperatura / <i>Temperature</i> (≥ 1°C)	TM/002-a Método interno basado en/ <i>In-house method based on:</i> Standard Methods 2550.	I
Transparencia (Secchi) / <i>Transparency (Secchi)</i> (2 - 15m)	VIS/001-a Método interno basado en/ <i>In-house method based on:</i> SOP-WR-W-7 4-2011	I
Oxígeno disuelto por método óptico / <i>Dissolved oxygen by optical method</i> (0,5 mg/l – 15 mg/l)	ES/003-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17289	I

XI. Toma de muestra / Sampling

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo / Potable waters		
Toma de muestra puntual para los análisis físico-químicos, microbiológicos, de radiactividad y de radón incluidos en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Taking spot sample for analysis physicochemical, microbiological, radiactivity and radon included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	ISO 5667-5 UNE-EN ISO 19458	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas continentales / Inland waters		
Toma de muestra puntual, integrada y compuesta manual para los análisis físico-químicos ** incluidos en el presente anexo técnico, realizados en este laboratorio y en laboratorio acreditado / <i>Taking spot sample and integrated for analysis physical-chemicals ** included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 5667-6 ISO 5667-11	I
Toma de muestra puntual para los análisis microbiológicos, de radiactividad y de radón incluidos en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Taking spot sample for microbiological, radiactivity and radon analysis included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 5667-6 ISO 5667-11 UNE-EN ISO 19458	I

⁽¹⁾ Excepto para Compuestos Orgánicos Volátiles

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales/ Wastewater		
Toma de muestra puntual y compuesta*** en función del tiempo para los análisis físico-químicos ** incluidos en el presente anexo técnico, realizados en este laboratorio y en laboratorio acreditado / <i>Taking spot sample and composite sample *** as a function of time for physical-chemicals analysis ** included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> ISO 5667-10	I
Toma de muestra puntual para los análisis microbiológicos incluidos en el presente anexo técnico, realizados en este laboratorio y en laboratorio acreditado / <i>Spot sampling for microbiological analysis included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 19458	I

** Excepto para Compuestos Orgánicos Volátiles/ *Except for Volatile Organic Compounds*

***Compuesta en función del tiempo a intervalos regulares y compuesta en función del tiempo a intervalos irregulares por eventos /*Composed as a function of time at regular intervals and compounded as a function of time at irregular intervals by events.*

⁽¹⁾ Excepto para Compuestos Orgánicos Volátiles

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas residuales / Wastewater		
Toma de muestra puntual y compuesta en función del tiempo para el análisis del virus SARS-CoV-2 incluido en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Spot sampling and composite sample for virus analyses of SARS-CoV-2 included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> Randazzo, W., Truchado, P., Allende, A., Sánchez, G. 2020. Protocolo para la detección de SARS-CoV-2 en aguas residuales. VIARAL-CSIC	I

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas marinas / Marine Waters		
Toma de muestra puntual, integrada ^{**} y compuesta manual para los análisis físico-químicos incluidos en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Spot samples and integrated samples for physical-chemical analyses contained in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> ISO 5667-9	I
Toma de muestra puntual para los análisis microbiológicos incluidos en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Spot samples for microbiological analyses included in this Annex technical performed in this laboratory and in an accredited laboratory.</i>		I

** Excepto para Compuestos Orgánicos Volátiles/ *Except for Volatile Organic Compounds*

***Compuesta en función del tiempo a intervalos regulares y compuesta en función del tiempo a intervalos irregulares por eventos / *Composed as a function of time at regular intervals and compounded as a function of time at irregular intervals by events.*

(¹) Excepto para Compuestos Orgánicos Volátiles

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

XII. Toma de muestra *Legionella* / Sampling *Legionella*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo, aguas continentales y aguas residuales (incluye lixiviados, aguas regeneradas y aguas depuradas) / Potable waters, inland waters and wastewater (including leachate, reclaimed water and treated water)		
Toma de muestra para análisis de <i>Legionella</i> / sampling for <i>Legionella</i> analysis		
<ul style="list-style-type: none"> - Sistemas de refrigeración- humidificación y nebulizadores - Sistemas de agua fría de consumo humano y agua caliente sanitaria (acumuladores, depósitos y puntos terminales) - Sistemas de agua climatizada con agitación constante y recirculación a través de chorros de alta velocidad o inyección de aire - Fuentes ornamentales - Riego por aspersión - Sistemas de agua contra incendios - Instalaciones de lavado de vehículos - Planta tratamiento de aguas residuales urbanas e industriales - Piscinas 	P-LB-TM-006 Método interno basado en/ <i>In-house method based on:</i> UNE 100030 y RD 487/2022 Anexo VI	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

MUESTRAS SÓLIDAS

I. Análisis físico-químicos / *Physical-Chemical analyses*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
pH ext.1/2.5 y 1/5 (1 - 13 uds pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE 10390	A
Conductividad ext.1/5 / <i>Conductivity ext.1/5</i> (10 - 110000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE 77308	A
Humedad / <i>Humidity</i> (≥ 0,5 %)	GRV/026-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12880	C
Extracto seco/sólidos totales por gravimetría / <i>Dry extract/Total Solids by gravimetry</i> (≥ 0,10 %)	GRV/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12880	A
Humedad y humedad residual por gravimetría / <i>Moisture and residual moisture by gravimetry</i> (≥ 0,40 %)	GRV/004-a Método interno basado en/ <i>In-house method based on</i> UNE-EN ISO 12880	A
Textura por método granulométrico y difracción láser / <i>By sieve texture and laser diffraction method</i> Arena, limo y arcilla/ <i>Sand, silt and clay</i> (≥ 2 %)	SD/004-a Método interno basado en/ <i>In-house method based on:</i> ISO 13320	A
Curva de distribución granulométrica/ <i>Particle size distribution curve</i>		
Textura U.S.D.A por el método de Bouyoucos / <i>U.S.D.A texture by the method Bouyoucos</i> Arena, Limo, Arcilla, Arena fina y Arena gruesa / <i>Sand, silt, clay, fine sand and gravel</i> (≥ 1%)	SD/002-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A
Distribución granulométrica por tamices/ <i>Sieve particle size distribution</i>	SD/003-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A
Arcilla por sedimentación/ <i>Determination of clay by sedimentation</i> (≥ 2 %)	SD/005-a Método interno basado en/ <i>In-house method based on:</i> NEN 5753	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Materia orgánica/Carbono orgánico total por titulación volumétrica / <i>Organic matter/ total organic carbon by volumetric titration</i> Materia orgánica / <i>Organic matter</i> (≥ 1%) Carbono orgánico / <i>Organic carbon</i> (≥ 0,6%)	VL/019-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A
Nitrógeno Kjeldhal por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 0,05 %)	VL/007-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A
Nitrógeno amoniacal por titulación volumétrica / <i>Ammonia nitrogen by volumetric titration</i> (≥ 50 mg/kg)	VL/013-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-NH ₃ C	A
Pérdida por calcinación a 550 °C / <i>Loss on ignition at 550 °C</i> (≥ 0,25%)	GRV/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15169	A
Carbono Orgánico Total (COT) por espectroscopía IR / <i>Total organic carbón (TOC) leachate IR spectroscopy</i> (≥ 0,5%)	CAL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15936	A
Materia orgánica por calculo / <i>Organic matter by calcul</i> (≥ 0,9%)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> MAPA	A
Cianuros libres y totales por espectroscopia UV-VIS / <i>Free and total cyanides by UV-VIS spectrophotometer</i> (≥ 1 mg/Kg)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> ISO 17380	A
Aceites, grasas e hidrocarburos por espectroscopía IR / <i>Oils, grease and hydrocarbons by IR spectroscopy</i> (≥ 50 mg/kg)	IR/001-a, Rev. 31 Método interno / <i>In-house method</i>	A
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,05 mg/kg)	EAA/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Cromo VI por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Chrome VI by inductively coupled plasma spectroscopy (ICP/AES)</i> (≥ 0,5 mg/Kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Metales por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / <i>Metals inductively coupled plasma spectroscopy (ICP/AES)</i> Arsénico / Arsenic (≥ 5 mg/kg) Hierro / Iron (≥ 125 mg/Kg) Cadmio / Cadmium (≥ 1 mg/kg) Manganese / Manganese (≥ 25 mg/Kg) Cobalto / Cobalt (≥ 5 mg/kg) Níquel / Nickel (≥ 25 mg/Kg) Cromo / Chrome (≥ 25 mg/kg) Plomo / Lead (≥ 10 mg/Kg) Cobre / Copper (≥ 25 mg/kg) Zinc / Zinc (≥ 50 mg/kg) Fosforo total/ total phosphorus (≥ 0,005 % P ₂ O ₅)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales por espectroscopia de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals by inductively coupled plasma spectroscopy (ICP/MS)</i> Aluminio / Aluminum (≥ 5 mg/Kg) Mercurio / Mercury (≥ 0,05 mg/Kg) Antimonio / Antimony (≥ 0,48mg/Kg) Molibdeno/Molybdenum Arsénico / Arsenic (≥ 1 mg/Kg) (≥ 0,7 mg/Kg) Bario / Barium (≥ 10 mg/Kg) Níquel / Nickel (≥ 3 mg/Kg) Berilio / Beryllium (≥ 0,8 mg/Kg) Plata / Silver (≥ 0,12 mg/Kg) Boro / Boro (≥ 2 mg/Kg) Plomo / Lead (≥ 3 mg/Kg) Cadmio / Cadmium (≥ 0,05mg/Kg) Potasio/Potassium (≥ 15 mg/Kg) Calcio/Calcium (≥ 50 mg/Kg) Selenio / Selenium (≥ 0,24 mg/Kg) Cobalto / Cobalt (≥ 5 mg/Kg) Sodio/Sodium (≥ 10 mg/Kg) Cobre / Copper (≥ 5 mg/Kg) Talio / Thallium (≥ 0,08 mg/Kg) Cromo / Chromium (≥ 1 mg/Kg) Teluro / Tellurium (≥ 3,3 mg/Kg) Estaño / Tin (≥ 4 mg/Kg) Titanio / Titanium (≥ 5 mg/Kg) Estroncio / Strontium (≥ 5 mg/Kg) Torio / Thorium (≥ 3,3 mg/Kg) Fosforo total/total phosphorus (≥ 0,005 % P ₂ O ₅) Vanadio / Vanadium (≥ 5 mg/Kg) Hierro / Iron (≥ 25 mg/Kg) Zinc / Zinc (≥ 5 mg/Kg) Magnesio / Magnesium (≥ 5 mg/Kg) Manganese / Manganese (≥ 3,5mg/Kg)	ICP-MS/001-a ICP-MS/013-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Cromo VI por cromatografía iónica / <i>Chrome VI by ion chromatography</i> (≥ 0,5 mg/Kg)	CI/008-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15192	A
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC / MS)</i> Monobutilestaño, Dibutilestaño, Tributilestaño / <i>Monobutyltin, Dibutyltin, Tributyltin</i> (≥ 10 µg/Kg)	CGM/011-a Método interno basado en/ <i>In-house method based on:</i> ISO23161	A
Hidrocarburos (C ₁₀ -C ₄₀) por cromatografía de gases/ionización de llama (CG/FID) / <i>Hydrocarbons (C₁₀-C₄₀) by gas chromatography / flame ionisation detector (GC / FID)</i> (≥ 25 mg/Kg) C ₁₀ -C ₂₈ (≥ 15 mg/kg) C ₂₉ -C ₄₀ (≥ 10 mg/kg)	CG/022-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 14039 UNE-EN ISO/TS 16558-2 TNRCC 1006	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Fracciones alifáticas y aromáticas de hidrocarburos semivolátiles de petróleo por cromatografía de gases/ionización de llama (CG/FID) / <i>Aliphatic and aromatic fractions of semivolatile petroleum hydrocarbons by gas chromatography/flame ionisation detector (GC/FID)</i>	CG/022-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 14039 UNE-EN ISO/TS 16558-2 TNRCC 1006	A
Fracciones alifáticas		
TPH alifáticos C10-C40	(≥ 25 mg/kg)	
TPH alifáticos >C10-C12	(≥ 5 mg/Kg)	
TPH alifáticos >C12-C16	(≥ 5 mg/Kg)	
TPH alifáticos >C16-C21	(≥ 5 mg/Kg)	
TPH alifáticos >C21-C35	(≥ 5 mg/Kg)	
TPH alifáticos >C35-C40	(≥ 5 mg/Kg)	
Fracciones aromáticas		
TPH aromáticos C10-C40	(≥ 25 mg/kg)	
TPH aromáticos >C10-C12	(≥ 5 mg/Kg)	
TPH aromáticos >C12-C16	(≥ 5 mg/Kg)	
TPH aromáticos >C16-C21	(≥ 5 mg/Kg)	
TPH aromáticos >C21-C35	(≥ 5 mg/Kg)	
TPH aromáticos >C35-C40	(≥ 5 mg/Kg)	

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic **aquí**

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC / MS)</i> 1,1,1-Tricloroetano / 1,1,1- <i>trichloroethane</i> 1,1,2-Tricloroetano / 1,1,2- <i>trichloroethane</i> 1,1-Dicloroetano / 1,1-dichloroethane 1,2,3,4-Tetraclorobenceno / 1,2,3,4- <i>tetrachlorobenzene</i> 1,2,3-Triclorobenceno / 1,2,3- <i>Trichlorobenzene</i> 1,2,4-Triclorobenceno / 1,2,4- <i>Trichlorobenzene</i> 1,2-Dicloropropano / 1,2- <i>dichloropropane</i> 1,3,5 Triclorobenceno / 1,3,5 <i>Trichlorobenzene</i> 1,3-Diclorobenceno / 1,3- <i>Dichlorobenzene</i> 1,4-Diclorobenceno / 1,4- <i>Dichlorobenzene</i> Cis-1,2-dicloroetileno / <i>CIS</i> 1,2- <i>Dichloroethylene</i> Clorobenceno ($\geq 0,05 \text{ mg/Kg}$)	CGM/041-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
1,2-Dicloroetano / <i>1,2-Dichloroethane</i> Cis 1,3-Dicloropropeno Trans 1,3-Dicloropropeno ($\geq 0,03 \text{ mg/Kg}$)		
1,1,2,2-Tetracloroetano / 1,1,2,2- <i>tetrachloroethane</i> 1,2-Diclorobenceno / 1,2- <i>Dichlorobenzene</i> Hexaclorobutadieno ($\geq 0,020 \text{ mg/Kg}$)	Tetracloroetileno / <i>Tetrachlorethylene</i> Tetracloruro de Carbono / <i>Carbon tetrachloride</i>	
1,1-Dicloroetileno / 1,1 - <i>Dichloroethylene</i> Benceno / <i>Benzene</i> Cloruro de Vinilo / <i>Vinyl chloride</i> ($\geq 0,010 \text{ mg/Kg}$)		
m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / 1,2,3,5+1,2,4,5-tetrachlorobenzene ($\geq 0,10 \text{ mg/Kg}$)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Hidrocarburos Volátiles del Petróleo (GROS) (C_5-C_{10}) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / C_5-C_{10} <i>hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> ($\geq 5 \text{ mg/Kg}$) Fracción Alifática C5-C10 ($\geq 3 \text{ mg/Kg}$) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> ($\geq 1 \text{ mg/Kg}$) Fracción Aromática C6-C10 ($\geq 2 \text{ mg/Kg}$) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> ($\geq 0,5 \text{ mg/Kg}$) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> ($\geq 1,0 \text{ mg/Kg}$)	CGM/041-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID) / <i>Solvents by headspace (HS)/ gas chromatography / flame ionization detector (GC/FID)</i> Etanol / <i>Ethanol</i> Ter-Butanol / <i>Ter-Butanol</i> ($\geq 1,0 \text{ mg/Kg}$) Metanol / <i>Methanol</i> ($\geq 2,0 \text{ mg/Kg}$) Acetona / <i>Acetone</i> ($\geq 0,5 \text{ mg/Kg}$)	CG/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Bifenilos policlorados por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography / mass spectrometry -mass spectrometry (GC / MS-MS)</i> PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153, PCB 180 ($\geq 0,001 \text{ mg/Kg}$) Suma de compuestos	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Acenafteno / <i>Acenaphthene</i> Acenaftileno / <i>Acenaphthylene</i> Antraceno / <i>Anthracene</i> Benzo (a) antraceno / <i>Benzo (a) anthracene</i> Benzo (a) pireno / <i>Benzo (a) pyrene</i> Benzo (b) fluoranteno / <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno / <i>Benzo (g,h,i) perylene</i> Benzo (k) fluoranteno / <i>Benzo (k) fluoranthene</i> ($\geq 0,01 \text{ mg/Kg}$)	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A
Suma de compuestos Bifenilo y Óxido de Bifenilo por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Biphenyl and Biphenyl Oxide by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Bifenilo / <i>Biphenyl</i> Óxido de Bifenilo / <i>Biphenyl Oxide</i> ($\geq 0,10 \text{ mg/Kg}$)	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A
Plaguicidas por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Pesticides by gas chromatography / mass spectrometry- mass spectrometry (GC/MS-MS)</i> Aldrin/ <i>Aldrin</i> Alfa-HCH/ <i>Alpha-HCH</i> Beta-HCH/ <i>Beta-HCH</i> Delta-HCH/ <i>Delta-HCH</i> Dieldrin/ <i>Dieldrin</i> Endosulfan-I/ <i>Endosulfan-I</i> Endosulfan-II/ <i>Endosulfan-II</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> Endrin/ <i>Endrin</i> Heptaclor/ <i>Heptachlor</i> ($\geq 0,010 \text{ mg/Kg}$)	Hexaclorobenceno/ <i>Hexachlorobenzene</i> indano/ <i>Lindane</i> Isodrin/ <i>Isodrin</i> p,p'-DDD/ <i>p,p'-DDD</i> p,p'-DDE/ <i>p,p'-DDE</i> p,p'-DDT/ <i>p,p'-DDT</i> Pentaclorobenceno/ <i>Pentachlorobenzene</i> Trifluralin/ <i>Trifuralin</i>	A
Alfa-Clordano (Cis-Clordano) / <i>Alfa-Clordane (Cis-Clordane)</i> Gamma-Clordano (Trans- Clordano) / <i>Gamma-Clordane (Trans- Clordane)</i> Heptaclor Epóxido (isómero A) / <i>Heptachlor epoxide (isomer A)</i> Heptaclor Epóxido (isómero B) / <i>Heptachlor epoxide (isomer B)</i> ($\geq 0,005 \text{ mg/Kg}$) p-cloroanilina/ <i>p-chloroaniline</i> ($\geq 0,010 \text{ mg/Kg}$)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Fenoles por cromatografía de gases con espectrometría de masas (CG/MS) / <i>Phenols by gas chromatography mass spectrometry (GC / MS)</i>	CGM/039-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
<p>Fenol/ <i>Phenol</i> o-Cresol/ <i>o-Cresol</i> m -Cresol/ <i>m- Cresol</i> p-Cresol/<i>p-Cresol</i> 2-Clorofenol/<i>2-chlorophenol</i> 2,4-Dimetilfenol/<i>2,4-dimethylphenol</i> 4-cloro-3-metilfenol/4-cloro-3-metilfenol (≥ 0,10 mg/Kg)</p> <p>2,4-Diclorofenol +2,5-Diclorofenol/<i>2,4-dichlorophenol+2,5-dichlorophenol</i> (≥ 0.05 mg/Kg)</p> <p>Pentaclorofenol/ <i>pentachlorophenol</i> (≥ 0.005 mg/Kg)</p> <p>Nonilfenol técnico / <i>técnico nonilphenol</i> (≥ 1,0 mg/Kg)</p>		
Relación C/N por cálculo / <i>C/N ratio by calculation</i> (≥ 0,02)	CALCU/001-a	A
Cromo III por cálculo / <i>Chrome III by calculation</i> (≥ 2 mg/kg)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Nitrógeno orgánico por cálculo / <i>Organic nitrogen by calculation</i>	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A
pH lixiviado ⁽¹⁾ / <i>pH leachate</i> (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A
Conductividad lixiviada ⁽¹⁾ / <i>Leached conductivity</i> (10 - 110000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Sólidos totales disueltos lixiviados ⁽¹⁾ / <i>TDS leachate</i> (≥ 300 mg/kg)	GRV/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15216	A
Fluoruros lixiviados ⁽¹⁾ por electrometría / <i>Leached fluoride by electrometry</i> Fluoride (≥ 0,5 mg/kg)	ES/002-a Método interno basado en/ <i>In-house method based on:</i> ISO 10359-1	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos / Soils		
Carbono Orgánico Disuelto (COD) y Carbono Orgánico Total (COT) lixiviado ⁽¹⁾ por espectroscopía IR / <i>Total Organic Carbon (TOC) and Dissolved Organic Carbon (DOC) leachate by IR spectroscopy</i> (≥ 10 mg/kg)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-1484	A
Indice de Fenoles lixiviados ⁽¹⁾ por espectrofotometría UV-VIS / <i>Leachate phenols by UV-VIS spectrophotometry</i> (≥ 0,2 mg/kg)	EA/029-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14402	A
Mercurio lixiviado ⁽¹⁾ por espectrofotometría de absorción atómica de vapor frío / <i>Leachate Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,005 mg/kg)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales lixiviados ⁽¹⁾ por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / <i>Leachate Metals inductively coupled plasma spectroscopy (ICP/AES)</i> Arsénico / Arsenic (≥ 0,50 mg/kg) Molibdeno / Molybdenum (≥ 0,10 mg/kg) Antimonio / Antimony (≥ 0,50 mg/kg) Níquel / Nickel (≥ 0,10 mg/kg) Bario / Barium (≥ 0,25 mg/kg) Plomo / Lead (≥ 0,50 mg/kg) Cadmio / Cadmium (≥ 0,10 mg/kg) Selenio / Selenium (≥ 0,50 mg/kg) Cromo / Chrome (≥ 0,10 mg/kg) Zinc / Zinc (≥ 0,25 mg/kg) Cobre / Copper (≥ 0,25mg/kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales lixiviados ⁽¹⁾ por espectroscopia de plasma de acoplamiento inductivo (ICP/MS) / <i>Leachate Metals inductively coupled plasma spectroscopy (ICP / MS)</i> Arsénico / Arsenic (≥ 0,25 mg/kg) Níquel / Nickel (≥ 0,10 mg/kg) Antimonio / Antimony (≥ 0,040 mg/kg) Plomo / Lead (≥ 0,25 mg/kg) Bario / Barium (≥ 0,25 mg/kg) Selenio / Selenium (≥ 0,070 mg/kg) Cadmio / Cadmium (≥ 0,020 mg/kg) Zinc / Zinc (≥ 0,25 mg/kg) Cromo / Chrome (≥ 0,10 mg/kg) Mercurio /Mercury (≥ 0,005 mg/kg) Cobre / Copper (≥ 0,25mg/kg) Molibdeno / Molybdenum (≥ 0,10mg/kg)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on</i> UNE-EN ISO 11885	A
Aniones lixiviados ⁽¹⁾ por cromatografía iónica / <i>Leachate anions by ion chromatography</i> Sulfatos / Sulfates (≥ 5 mg/kg) Cloruros / Chlorides (≥ 5 mg/kg) Fluoruros / Fluorides (≥ 0,15 mg/kg)	CI/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	A

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Humedad / <i>Humidity</i> (≥ 0,5 %)	GRV/026-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12880	C

⁽¹⁾ Lixiviación según UNE-EN 12457-4 / *Leaching according to standard UNE-EN 12457-4*

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Extracto seco/sólidos totales / <i>Dry extract/Total Solids</i> (≥ 0,10 %)	GRV/004-a Método interno basado en/ <i>In-house method based on</i> UNE-EN 15934	A
Materia orgánica total a 550°C / <i>Total organic matter at 550 °C</i> (≥ 0,25 %)	GRV/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15169	A
Humedad y humedad residual / <i>Moisture and residual moisture by gravimetry</i> (≥ 0,40 %)	GRV/004-a Método interno basado en/ <i>In-house method based on</i> UNE-EN 15934	A
Textura por método granulométrico / <i>Texture by sieve method</i> Arena, limo y arcilla / <i>Sand, silt and clay</i> (≥ 2 %)	SD/004-a Método interno basado en/ <i>In-house method based on:</i> ISO 13320	A
Curva de distribución granulométrica / <i>Particle size distribution curve</i>		
Distribución granulométrica por tamices/ <i>Sieve particle size distribution</i>	SD/003-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A
Cromo VI por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Chrome VI by inductively coupled plasma spectroscopy (ICP/AES)</i> (≥ 0,5 mg/Kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Arcilla por sedimentación/ <i>Determination of clay by sedimentation</i> (≥ 2 %)	SD/005-a Método interno basado en/ <i>In-house method based on:</i> NEN 5753	A
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,050 mg/kg)	EAA/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Carbono Orgánico Total (COT) por espectroscopía IR / <i>Total organic carbon by IR</i> (≥ 0,5%)	CAL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15936	A
Cianuros libres y totales por espectroscopia UV-VIS / <i>Free and total cyanides by UV-VIS spectrophotometer</i> (≥ 1 mg/Kg)	EA/019-a Método interno basado en/ <i>In-house method based on:</i> ISO 17380	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>																																		
Sedimentos / Sediments																																				
Nitrógeno Kjeldhal por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 0,05%)	VL/007-a Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis TOMO III (MAPA)	A																																		
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Metals inductively coupled plasma spectroscopy (ICP/AES)</i> <table> <tr> <td>Arsénico / Arsenic (≥ 5 mg/kg)</td> <td>Manganoso / Manganese (≥ 25 mg/Kg)</td> </tr> <tr> <td>Cadmio / Cadmium (≥ 1 mg/kg)</td> <td>Níquel / Nickel (≥ 25 mg/Kg)</td> </tr> <tr> <td>Cromo / Chrome (≥ 25 mg/kg)</td> <td>Plomo / Lead (≥ 10 mg/Kg)</td> </tr> <tr> <td>Cobre / Copper (≥ 25 mg/kg)</td> <td>Zinc / Zinc (≥ 50 mg/kg)</td> </tr> <tr> <td>Fósforo total (≥ 0,005 % P₂O₅)</td> <td></td> </tr> </table>	Arsénico / Arsenic (≥ 5 mg/kg)	Manganoso / Manganese (≥ 25 mg/Kg)	Cadmio / Cadmium (≥ 1 mg/kg)	Níquel / Nickel (≥ 25 mg/Kg)	Cromo / Chrome (≥ 25 mg/kg)	Plomo / Lead (≥ 10 mg/Kg)	Cobre / Copper (≥ 25 mg/kg)	Zinc / Zinc (≥ 50 mg/kg)	Fósforo total (≥ 0,005 % P ₂ O ₅)		ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 16170	A																								
Arsénico / Arsenic (≥ 5 mg/kg)	Manganoso / Manganese (≥ 25 mg/Kg)																																			
Cadmio / Cadmium (≥ 1 mg/kg)	Níquel / Nickel (≥ 25 mg/Kg)																																			
Cromo / Chrome (≥ 25 mg/kg)	Plomo / Lead (≥ 10 mg/Kg)																																			
Cobre / Copper (≥ 25 mg/kg)	Zinc / Zinc (≥ 50 mg/kg)																																			
Fósforo total (≥ 0,005 % P ₂ O ₅)																																				
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals by inductively coupled plasma spectroscopy (ICP/MS)</i> <table> <tr> <td>Aluminio / Aluminum (≥ 5 mg/Kg)</td> <td>Mercurio / Mercury (≥ 0,05 mg/Kg)</td> </tr> <tr> <td>Antimonio / Antimony (≥ 0,48mg/Kg)</td> <td>Molibdeno / Molybdenum</td> </tr> <tr> <td>Arsénico / Arsenic (≥ 1 mg/Kg)</td> <td>(≥ 0,7 mg/Kg)</td> </tr> <tr> <td>Bario / Barium (≥ 10 mg/Kg)</td> <td>Níquel / Nickel (≥ 3 mg/Kg)</td> </tr> <tr> <td>Berilio / Beryllium (≥ 0,8 mg/Kg)</td> <td>Plata / Silver (≥ 0,12 mg/Kg)</td> </tr> <tr> <td>Boro / Boro (≥ 2 mg/Kg)</td> <td>Plomo / Lead (≥ 3 mg/Kg)</td> </tr> <tr> <td>Cadmio / Cadmium (≥ 0,05mg/Kg)</td> <td>Potasio/Potassium (≥ 15 mg/Kg)</td> </tr> <tr> <td>Calcio/Calcium (≥ 50 mg/Kg)</td> <td>Selenio / Selenium (≥ 0,24 mg/Kg)</td> </tr> <tr> <td>Cobalto / Cobalt (≥ 5 mg/Kg)</td> <td>Sodio/Sodium (≥ 10 mg/Kg)</td> </tr> <tr> <td>Cobre / Copper (≥ 5 mg/Kg)</td> <td>Talio / Thallium (≥ 0,08 mg/Kg)</td> </tr> <tr> <td>Cromo / Chromium (≥ 1 mg/Kg)</td> <td>Teluro / Tellurium (≥ 3,3 mg/Kg)</td> </tr> <tr> <td>Estaño / Tin (≥ 4 mg/Kg)</td> <td>Titanio / Titanium (≥ 5 mg/Kg)</td> </tr> <tr> <td>Estroncio / Strontium (≥ 5 mg/Kg)</td> <td>Torio / Thorium (≥ 3,3 mg/Kg)</td> </tr> <tr> <td>Fosforo total/ total phosphorus (≥ 0,005 % P₂O₅)</td> <td>Uranio / Uranium (≥ 5 mg/Kg)</td> </tr> <tr> <td>Hierro / Iron (≥ 25 mg/Kg)</td> <td>Vanadio / Vanadium (≥ 5 mg/Kg)</td> </tr> <tr> <td>Magnesio / Magnesium (≥ 5 mg/Kg)</td> <td>Zinc / Zinc (≥ 5 mg/Kg)</td> </tr> <tr> <td>Manganoso / Manganese (≥ 3,5mg/Kg)</td> <td></td> </tr> </table>	Aluminio / Aluminum (≥ 5 mg/Kg)	Mercurio / Mercury (≥ 0,05 mg/Kg)	Antimonio / Antimony (≥ 0,48mg/Kg)	Molibdeno / Molybdenum	Arsénico / Arsenic (≥ 1 mg/Kg)	(≥ 0,7 mg/Kg)	Bario / Barium (≥ 10 mg/Kg)	Níquel / Nickel (≥ 3 mg/Kg)	Berilio / Beryllium (≥ 0,8 mg/Kg)	Plata / Silver (≥ 0,12 mg/Kg)	Boro / Boro (≥ 2 mg/Kg)	Plomo / Lead (≥ 3 mg/Kg)	Cadmio / Cadmium (≥ 0,05mg/Kg)	Potasio/Potassium (≥ 15 mg/Kg)	Calcio/Calcium (≥ 50 mg/Kg)	Selenio / Selenium (≥ 0,24 mg/Kg)	Cobalto / Cobalt (≥ 5 mg/Kg)	Sodio/Sodium (≥ 10 mg/Kg)	Cobre / Copper (≥ 5 mg/Kg)	Talio / Thallium (≥ 0,08 mg/Kg)	Cromo / Chromium (≥ 1 mg/Kg)	Teluro / Tellurium (≥ 3,3 mg/Kg)	Estaño / Tin (≥ 4 mg/Kg)	Titanio / Titanium (≥ 5 mg/Kg)	Estroncio / Strontium (≥ 5 mg/Kg)	Torio / Thorium (≥ 3,3 mg/Kg)	Fosforo total/ total phosphorus (≥ 0,005 % P ₂ O ₅)	Uranio / Uranium (≥ 5 mg/Kg)	Hierro / Iron (≥ 25 mg/Kg)	Vanadio / Vanadium (≥ 5 mg/Kg)	Magnesio / Magnesium (≥ 5 mg/Kg)	Zinc / Zinc (≥ 5 mg/Kg)	Manganoso / Manganese (≥ 3,5mg/Kg)		ICP-MS/001-a ICP-MS/013-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Aluminio / Aluminum (≥ 5 mg/Kg)	Mercurio / Mercury (≥ 0,05 mg/Kg)																																			
Antimonio / Antimony (≥ 0,48mg/Kg)	Molibdeno / Molybdenum																																			
Arsénico / Arsenic (≥ 1 mg/Kg)	(≥ 0,7 mg/Kg)																																			
Bario / Barium (≥ 10 mg/Kg)	Níquel / Nickel (≥ 3 mg/Kg)																																			
Berilio / Beryllium (≥ 0,8 mg/Kg)	Plata / Silver (≥ 0,12 mg/Kg)																																			
Boro / Boro (≥ 2 mg/Kg)	Plomo / Lead (≥ 3 mg/Kg)																																			
Cadmio / Cadmium (≥ 0,05mg/Kg)	Potasio/Potassium (≥ 15 mg/Kg)																																			
Calcio/Calcium (≥ 50 mg/Kg)	Selenio / Selenium (≥ 0,24 mg/Kg)																																			
Cobalto / Cobalt (≥ 5 mg/Kg)	Sodio/Sodium (≥ 10 mg/Kg)																																			
Cobre / Copper (≥ 5 mg/Kg)	Talio / Thallium (≥ 0,08 mg/Kg)																																			
Cromo / Chromium (≥ 1 mg/Kg)	Teluro / Tellurium (≥ 3,3 mg/Kg)																																			
Estaño / Tin (≥ 4 mg/Kg)	Titanio / Titanium (≥ 5 mg/Kg)																																			
Estroncio / Strontium (≥ 5 mg/Kg)	Torio / Thorium (≥ 3,3 mg/Kg)																																			
Fosforo total/ total phosphorus (≥ 0,005 % P ₂ O ₅)	Uranio / Uranium (≥ 5 mg/Kg)																																			
Hierro / Iron (≥ 25 mg/Kg)	Vanadio / Vanadium (≥ 5 mg/Kg)																																			
Magnesio / Magnesium (≥ 5 mg/Kg)	Zinc / Zinc (≥ 5 mg/Kg)																																			
Manganoso / Manganese (≥ 3,5mg/Kg)																																				
Cromo VI por cromatografía iónica / <i>Chrome VI by ion chromatography</i> (≥ 0,5 mg/Kg)	CI/008-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15192	A																																		
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño, Dibutilestaño, Tributilestaño / <i>Monobutyltin, Dibutyltin, Tributyltin</i> (≥ 10 µg/Kg)	CGM/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 23161	A																																		

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Hidrocarburos (C ₁₀ -C ₄₀) por cromatografía de gases/ionización de llama (CG/FID) / Hydrocarbons (C ₁₀ -C ₄₀) by gas chromatography / flame ionisation detector (GC / FID) ($\geq 25 \text{ mg/Kg}$) C ₁₀ -C ₂₈ ($\geq 15 \text{ mg/kg}$) C ₂₉ -C ₄₀ ($\geq 10 \text{ mg/kg}$)	CG/022-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 14039	A
Disolventes por espacio de cabeza/ cromatografía de gases/ionización de llama (CG/FID) / Solvents by headspacec (HS)/ gas chromatography / flame ionization detector (GC/FID) Etanol / Ethanol Ter-Butanol / Ter-Butanol ($\geq 1,0 \text{ mg/Kg}$)	CG/026-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Metanol / Methanol ($\geq 2,0 \text{ mg/Kg}$) Acetona / Acetone ($\geq 0,5 \text{ mg/Kg}$)		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Compuestos Orgánicos Volátiles (COV's) por espacio de cabeza /cromatografía de gases/espectrometría de masas (CG/MS) / <i>Volatile Organic Compounds (VOCs) by Headspace (HS)/ gas chromatography / mass spectrometry (GC / MS)</i> 1,1,1-Tricloroetano / 1,1,1-trichloroethane 1,1,2-Tricloroetano / 1,1,2-trichloroethane 1,1-Dicloroetano / 1,1-dichloroethane 1,2,3,4-Tetraclorobenceno / 1,2,3,4-tetrachlorobenzene 1,2,3-Triclorobenceno / 1,2,3-Trichlorobenzene 1,2,4-Triclorobenceno / 1,2,4-Trichlorobenzene 1,2-Dicloropropano / 1,2-dichloropropane 1,3,5 Triclorobenceno / 1,3,5 Trichlorobenzene 1,3-Diclorobenceno / 1,3-Dichlorobenzene 1,4-Diclorobenceno / 1,4-Dichlorobenzene (≥ 0,05 mg/Kg)	CGM/041-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
1,2-Dicloroetano / 1,2-Dichloroethane Cis 1,3-Dicloropropeno Trans 1,3-Dicloropropeno (≥ 0,03 mg/Kg)		
1,1,2,2-Tetracloroetano / 1,1,2,2-tetrachloroethane 1,2-Diclorobenceno / 1,2-Dichlorobenzene Hexaclorobutadieno (≥ 0,020 mg/Kg)	Tetracloroetileno / <i>Tetrachlorethylene</i> Tetracloruro de Carbono / <i>Carbon tetrachloride</i>	
1,1-Dicloroetileno / 1,1 - <i>Dichloroethylene</i> Benceno Cloruro de Vinilo / <i>Vinyl chloride</i> (≥ 0,010 mg/Kg)		
m,p-xileno / <i>m,p-Xylene</i> 1,2,3,5+1,2,4,5-Tetraclorobenceno / 1,2,3,5+1,2,4,5-tetrachlorobenzene Suma de compuestos		

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Hidrocarburos Volátiles del Petróleo (GROS) (C ₅ -C ₁₀) por espacio de cabeza/cromatografía de gases / espectrometría de masas (CG/MS) / C ₅ -C ₁₀ <i>hydrocarbons by Headspace (HS)/ gas chromatography / mass spectrometry (GC/MS)</i> (≥ 5 mg/Kg) Fracción Alifática C5-C10 (≥ 3 mg/Kg) TPH Alifáticos C5-C6 / <i>TPH Aliphatic C5-C6</i> TPH Alifáticos > C6-C8 / <i>TPH Aliphatic >C6-C8</i> TPH Alifáticos > C8-C10 / <i>TPH Aliphatic > C8-C10</i> (≥ 1 mg/Kg) Fracción Aromática C6-C10 (≥ 2 mg/Kg) TPH Aromáticos C6-C7 / <i>Aromatic TPH C6-C7</i> TPH Aromáticos > C7-C8 / <i>Aromatic TPH > C7-C8</i> (≥ 0,5 mg/Kg) TPH Aromáticos > C8-C10 / <i>Aromatic TPH > C8-C10</i> (≥ 1,0 mg/Kg)	CGM/041-a Método interno basado en/ <i>In-house method based on:</i> ISO 20595	A
Bifenilos policlorados por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography / mass spectrometry -mass spectrometry (GC / MS-MS)</i> PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153, PCB 180 (≥ 0,001 mg/Kg) Suma de compuestos	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Acenafteno / <i>Acenaphthene</i> Criseno / <i>Chrysene</i> Acenaftileno / <i>Acenaphthylene</i> Dibenzo (a,h) antraceno / <i>Dibenzo (a, h) anthracene</i> Antraceno / <i>Anthracene</i> Fenantreno / <i>Phenanthrene</i> Benzo (a) antraceno / <i>Benzo (a) anthracene</i> Fluoranteno / <i>Fluoranthene</i> Benzo (a) pireno / <i>Benzo (a) pyrene</i> Fluoreno / <i>Fluorene</i> Benzo (b) fluoranteno / <i>Benzo (b) fluoranthene</i> Indeno (1,2,3,c,d) pireno / <i>Indeno (1,2,3,c,d) pyrene</i> Benzo (g,h,i) perileno / <i>Benzo (g,h,i) perylene</i> Naftaleno / <i>Naphthalene</i> Benzo (k) fluoranteno / <i>Benzo (k) fluoranthene</i> Pireno / <i>Pyrene</i> (≥ 0,01 mg/Kg)	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A
Bifenilo y Óxido de Bifenilo por cromatografía de gases/ espectrometría de masas-masas (CG/MS-MS) / <i>Biphenyl and Biphenyl Oxide by gas chromatography / mass spectrometry- mass spectrometry (GC / MS-MS)</i> Bifenilo / <i>Biphenyl</i> Óxido de Bifenilo / <i>Biphenyl Oxide</i> (≥ 0,10 mg/Kg)	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Sedimentos / Sediments		
Plaguicidas por cromatografía de gases/espectrometría de masas-masas (CG/MS-MS) / <i>Pesticides by gas chromatography / mass spectrometry- mass spectrometry (GC/MS-MS)</i> Aldrin/ <i>Aldrin</i> Alfa-HCH/ <i>Alpha-HCH</i> Beta-HCH/ <i>Beta-HCH</i> Delta-HCH/ <i>Delta-HCH</i> Dieldrin/ <i>Dieldrin</i> Endosulfan-I/ <i>Endosulfan-I</i> Endosulfan-II/ <i>Endosulfan-II</i> EndosulfanSulfato/ <i>Endosulfansulfate</i> Endrin/ <i>Endrin</i> Heptaclor/ <i>Heptachlor</i> ($\geq 0,001 \text{ mg/Kg}$)	CGM/043-a Método interno basado en/ <i>In-house method based on:</i> 8270E	A
Alfa-Clordano (<i>Cis-Clordano</i>) / <i>Alfa-Clordane (Cis-Clordane)</i> Gamma-Clordano (<i>Trans- Clordano</i>) / <i>Gamma-Clordane (Trans- Clordane)</i> Heptaclor Epóxido (<i>isómero A</i>) / <i>Heptachlor epoxide (isomer A)</i> Heptaclor Epóxido (<i>isómero B</i>) / <i>Heptachlor epoxide (isomer B)</i> ($\geq 0,001 \text{ mg/Kg}$)		
Fenoles por cromatografía de gases con espectrometría de masas (CG/MS) / <i>Phenols by gas chromatography mass spectrometry (GC / MS)</i> Fenol/ <i>Phenol</i> o-Cresol/ <i>o-Cresol</i> m -Cresol/ <i>m- Cresol</i> p-Cresol/ <i>p-Cresol</i> 2-Clorofenol/ <i>2-chlorophenol</i> 2,4-Dimetilfenol/ <i>2,4-dimethylphenol</i> 4-cloro-3-metilfenol/ <i>4-chloro-3-methylphenol</i> ($\geq 0,10 \text{ mg/Kg}$)	CGM/039-a Método interno basado en/ <i>In-house method based on:</i> EPA 1653	A
2,4-Diclorofenol+2,5-Diclorofenol/ <i>2,4-dichlorophenol+2,5-dichlorophenol</i> ($\geq 0.05 \text{ mg/Kg}$)		
Pentaclorofenol/ <i>pentachlorophenol</i> ($\geq 0.005 \text{ mg/Kg}$)		
Nonilfenol técnico / <i>técnico nonilphenol</i> ($\geq 1,0 \text{ mg/Kg}$)		
Cromo III por cálculo / <i>Chrome III by calculation</i> ($\geq 2 \text{ mg/kg}$)	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Lodos de depuradora / Sewage Sludge		
pH ext.1/5 (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15933	A
pH ext.1/2.5 y 1/5 (2 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE 10390	E
Conductividad ext.1/5 / <i>Conductivity ext.1/5</i> (20 - 50000 μ S/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE 77308	E
Pérdida de masa a 105°C / <i>mass loss at 105°C</i> (\geq 0,4%)	GRV/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12880	E
Materia orgánica por titulación volumétrica / <i>Organic matter by volumetric titration</i> (\geq 1 %)	VL/019-a Método interno basado en/ <i>In-house method based on:</i> Metodos oficiales de análisis TOMO III (MAPA)	A
Carbono orgánico por titulación volumétrica / <i>Total organic carbon by volumetric titration</i> (\geq 0,6 %)	VL/019-a Método interno basado en/ <i>In-house method based on:</i> Metodos oficiales de análisis TOMO III (MAPA)	A
Nitrógeno Kjeldhal por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (\geq 0,5 %)	VL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 13342	A
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (\geq 0,1 mg/Kg)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Metals spectroscopy inductively coupled plasma spectroscopy (ICP/AES)</i> Cadmio / <i>Cadmium</i> (\geq 2 mg/kg) Magnesio / <i>Magnesium</i> (\geq 0,02 %) Calcio / <i>Calcium</i> (\geq 0,02 %) Niquel / <i>Nickel</i> (\geq 4 mg/kg) Cobre / <i>Copper</i> (\geq 8 mg/kg) Potasio / <i>Potassium</i> (\geq 0,04 %) Cromo / <i>Chrome</i> (\geq 8 mg/kg) Plomo / <i>Lead</i> (\geq 10 mg/kg) Fósforo / <i>Phosphorus</i> (\geq 0,01 %) Zinc / <i>Zinc</i> (\geq 8 mg/kg) Hierro / <i>Iron</i> (\geq 4 mg/kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 16170	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos sólidos / Solid Waste		
pH ext.1/5 (1 - 13 uds pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15933	A
pH ext.1/2.5 y 1/5 (2 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE 10390	E
Conductividad ext.1/5 / <i>Conductivity ext.1/5</i> (10 - 110000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Conductividad ext.1/5 / <i>Conductivity ext.1/5</i> (20 - 50000 µS/cm)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE 77308	E
Extracto seco/sólidos totales / <i>Dry extract/Total Solids</i> (≥ 0,40 %)	GRV/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15934	A
Humedad / <i>Humidity</i> (≥ 0,40 %)	GRV/004-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15934	A
Humedad/ <i>Humidity</i> (≥ 0,5%)	GRV/026-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 12880	C
Pérdida de masa a 105°C / <i>mass loss at 105°C</i> (≥ 0,4%)	GRV/004-a Método interno basado en/ <i>In-house method based on</i> UNE-EN ISO 12880	E
Sólidos Volátiles/Pérdida por calcinación a 550°C/Materia orgánica total / <i>Volatile Solids / Loss on ignition at 550 ° C / Total organic matter</i> (≥ 0,25 %)	GRV/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15169	A
Cenizas / Inertes / Sólidos Totales Fijos / <i>Ash/Inert/Total Solids Fixed</i> (≥ 10 %)	GRV/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 15169	A
Carbono Orgánico Total (COT) por espectroscopía IR / <i>Total organic carbón (TOC)</i> <i>leachate IR spectroscopy</i> (≥ 1,0%)	CAL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15936	A
Nitrógeno Kjeldhal por titulación volumétrica / <i>Kjeldahl nitrogen by volumetric titration</i> (≥ 0,5 %)	VL/007-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 13342	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos sólidos / Solid Waste		
Nitrógeno amoniacal por titulación volumétrica / <i>Ammonia nitrogen by volumetric titration</i> (≥ 0,15 %)	VL/013-a Método interno basado en/ <i>In-house method based on:</i> SM 4500 NH3 C	A
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,1 mg/Kg)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,1 mg/Kg)	EAA/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Metals spectroscopy inductively coupled plasma spectroscopy (ICP/AES)</i> Antimonio / Antimony (≥ 50 mg/kg) Magnesio / Magnesium (≥ 0,02 %) Arsénico / Arsenic (≥ 50 mg/kg) Manganeso / Manganese (≥ 10 mg/Kg) Bario / Barium (≥ 25 mg/kg) Molibdeno / Molybdenum (≥ 10 mg/Kg) Berilio / Berillium (≥ 10 mg/kg) Niquel / Nickel (≥ 4 mg/kg) Cadmio / Cadmium (≥ 2 mg/kg) Plomo / Lead (≥ 10 mg/kg) Calcio / Calcium (≥ 0,02 %) Potasio / Potassium (≥ 0,04 %) Cobalto / Cobalt (≥ 10 mg/kg) Selenio / Selenium (≥ 50 mg/kg) Cobre / Copper (≥ 8 mg/kg) Sodio / Sodium (≥ 0,01 %) Cromo / Chrome (≥ 8 mg/kg) Talio / Taliun (≥ 25 mg/kg) Cromo VI / Chrome VI (≥ 2 mg/kg) Vanadio / Vanadium (≥ 25 mg/kg) Estaño / Tin (≥ 25 mg/kg) Zinc / Zinc (≥ 8 mg/kg) Fósforo / Phosphorus (≥ 0,01 %) Zinc / Zinc (≥ 8 mg/kg) Hierro / Iron (≥ 4 mg/kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Bifenilos policlorados (PCB's) por cromatografía de gases/captura electrónica (CG/ECD) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography/electron capture (GC/ECD)</i> Congéneres/ <i>Congeners</i> nºs 18,28, 31,44,52, 101, 118, 138, 149,153, 180,194 (≥ 1 µg/kg <i>Congenere individual/Individual Congener</i>)	CG/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15308	C
Hidrocarburos C ₁₀ -C ₄₀ por cromatografía de gases/ionización de llama (CG/FID) / <i>C₁₀-C₄₀ hydrocarbons by gas chromatography / flame ionization detector (CG/FID)</i> C ₁₀ -C ₄₀ (≥ 50 mg/kg) C ₁₀ -C ₂₈ (≥ 25mg/kg) C ₂₉ -C ₄₀ (≥ 50 mg/kg)	CG/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 14039	C

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos sólidos / Solid Waste		
Compuestos Orgánicos Volátiles (COVs) por cromatografía de gases/espectrometría de masas (CG/MS) /Volatile Organic Compounds (VOCs) by gas chromatography/mass spectrometry (GC/MS)	CGM/004-a Método interno basado en/ <i>In-house method based on:</i> EPA 8260B	C
1,1,2,2-Tetracloroetano/1,1,2,2-tetrachloroethane	(≥ 0,02 mg/kg)	
1,1,2-Tricloroetano/1,1,2-trichloroethane	(≥ 0,05 mg/kg)	
1,1-Dicloroetano/1,1-dichloroethane	(≥ 0,05 mg/kg)	
1,1-Dicloroetileno/1,1-Dichloroethylene	(≥ 0,02 mg/kg)	
1,2,4-Triclorobenceno/1,2,4-trichlorobenzene	(≥ 0,20 mg/kg)	
1,2-Diclorobenceno/1,2-Dichlorobenzene	(≥ 0,02 mg/kg)	
1,2-Dicloroetano/1,2-Dichloroethane	(≥ 0,05 mg/kg)	
1,2-Dicloropropano/1,2-dichloropropane	(≥ 0,05 mg/kg)	
1,3-Diclorobenceno/1,3-Dichlorobenzene	(≥ 0,05 mg/kg)	
1,4-Diclorobenceno/1,4-dichlorobenzene	(≥ 0,05 mg/kg)	
Acetona/Acetone	(≥ 0,50 mg/kg)	
Benceno/Benzene	(≥ 0,02 mg/kg)	
Cis 1,3-Dicloropropeno/Cis 1,3-dichloropropene	(≥ 0,05 mg/kg)	
Clorobenceno/Chlorobenzene	(≥ 0,05 mg/kg)	
Cloroformo/Chloroform	(≥ 0,05 mg/kg)	
Cloruro de vinilo/Vinyl chloride	(≥ 0,05 mg/kg)	
Diclorometano/Dichloromethane	(≥ 0,20 mg/kg)	
Estireno/Styrene	(≥ 0,05 mg/kg)	
Etil Benceno/Ethyl Benzene	(≥ 0,05 mg/kg)	
Etil terc-butil éter/ Ethyl tert-butyl ether	(≥ 0,05 mg/kg)	
Hexaclorobutadieno/ Hexachlorobutadiene	(≥ 0,02 mg/kg)	
Hexacloroetano/Hexamchloroethane	(≥ 0,05 mg/kg)	
Metil terc-butil éter/Methyl tert-butyl ether	(≥ 0,05 mg/kg)	
m-p Xilenos/m-p Xylenes	(≥ 0,10 mg/kg)	
o-Xileno/o-Xylene	(≥ 0,05 mg/kg)	
Suma Xilenos/Sum Xylenes	(≥ 0,15 mg/Kg)	
Tetracloroetileno/ Tetrachlorethylene	(≥ 0,02 mg/kg)	
Tetracloruro de Carbono/Carbon tetrachloride	(≥ 0,02 mg/kg)	
Tolueno/Toluene	(≥ 0,05 mg/kg)	
Trans 1,3-Dicloropropeno/Trans 1,3-dichloropropene	(≥ 0,05 mg/kg)	
Tricloroetileno/Trichloroethylene	(≥ 0,05 mg/kg)	

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos sólidos / Solid Waste		
Hidrocarburos Aromáticos Policíclicos (PAHs) por cromatografía de gases con espectrometría de masas en tandem (CG/MS-MS) / <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography with tandem mass spectrometry (GC/MS-MS)</i> Acenafteno/ <i>Acenaphthene</i> Acenaftileno/ <i>Acenaphthylene</i> Antraceno/ <i>Anthracene</i> Benzo (a) antraceno/ <i>Benzo (a) anthracene</i> Benzo (a) pireno/ <i>Benzo (a) pyrene</i> Benzo (b) fluoranteno/ <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno/ <i>Benzo (g, h, i) perylene</i> Benzo (k) fluoranteno/ <i>Benzo (k) fluoranthene</i> ($\geq 0,01 \text{ mg/kg}$)	CGM/028-a EXT/008-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270 D	C
Relación C/N por cálculo / <i>C/N ratio by calculation</i> ($\geq 0,02$)	CALCU/001-a	A
Cromo III por cálculo / <i>Chrome III by Calculation</i> ($\geq 2 \text{ mg/kg}$)	CALC/001-a Método interno basado en/ <i>In-house method based on:</i> SM 3500-Cr A	A
Punto de inflamación por combustión y termometría / <i>Flashpoint by combustion and thermometry</i> (20 - 120 °C)	TM/003-a Método interno basado en/ <i>In-house method based on:</i> ASTM D56-16 ^a	A
pH lixiviado ⁽¹⁾ / <i>pH leachate</i> (1 - 13 uds. de pH)	EL/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10523	A
Conductividad lixiviada ⁽¹⁾ / <i>Leached conductivity</i> (10 - 110000 $\mu\text{S}/\text{cm}$)	EL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 27888	A
Sólidos totales disueltos lixiviados ⁽¹⁾ / <i>TDS leachate</i> ($\geq 300 \text{ mg/kg}$)	GRV/006-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN 15216	A
Fluoruros lixiviados ⁽¹⁾ por electrometría / <i>Leached fluoride by electrometry</i> Fluoride ($\geq 0,5 \text{ mg/kg}$)	ES/002-a Método interno basado en/ <i>In-house method based on:</i> ISO 10359-1	A

⁽¹⁾ Lixiviación según UNE-EN 12457-4 / *Leaching according to standard UNE-EN 12457-4*

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Residuos sólidos / Solid Waste		
Carbono Orgánico Disuelto (COD) y Carbono Orgánico Total (COT) lixiviado ⁽¹⁾ por espectroscopía IR / <i>Total Organic Carbon (TOC) and Dissolved Organic Carbon (DOC) leachate by IR spectroscopy</i> (≥ 10 mg/kg)	CAL/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN-1484	A
Indice de Fenoles lixiviados ⁽¹⁾ por espectrofotometría UV-VIS / <i>Leachate phenols by UV-VIS spectrophotometry</i> (≥ 0,2 mg/kg)	EA/029-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 14402	A
Mercurio lixiviado ⁽¹⁾ por espectrofotometría de absorción atómica de vapor frío / <i>Leachate Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,005 mg/kg)	AGH/005-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales lixiviados ⁽¹⁾ por espectroscopia de plasma de acoplamiento inductivo (ICP/AES) / <i>Leachate Metals inductively coupled plasma spectroscopy (ICP/AES)</i> Arsénico / Arsenic (≥ 0,50 mg/kg) Cobre / Copper (≥ 0,25mg/kg) Antimonio / Antimony (≥ 0,50 mg/kg) Molibdeno / Molybdenum Bario / Barium (≥ 0,25 mg/kg) (≥ 0,10mg/kg) Cadmio / Cadmium (≥ 0,10 mg/kg) Níquel / Nickel (≥ 0,10 mg/kg) Cromo / Chrome (≥ 0,10 mg/kg) Plomo / Lead (≥ 0,50 mg/kg) Selenio / Selenium (≥ 0,50 mg/kg) Zinc / Zinc (≥ 0,25 mg/kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales lixiviados ⁽¹⁾ por espectroscopia de plasma de acoplamiento inductivo (ICP/MS) / <i>Leachate Metals inductively coupled plasma spectroscopy (ICP / MS)</i> Arsénico / Arsenic (≥ 0,25 mg/kg) Níquel / Nickel (≥ 0,10 mg/kg) Antimonio / Antimony (≥ 0,040 mg/kg) Plomo / Lead (≥ 0,25 mg/kg) Bario / Barium (≥ 0,25 mg/kg) Selenio / Selenium (≥ 0,070 mg/kg) Cadmio / Cadmium (≥ 0,020 mg/kg) Zinc / Zinc (≥ 0,25 mg/kg) Cromo / Chrome (≥ 0,10 mg/kg) Cobre / Copper (≥ 0,25mg/kg) Mercurio / Mercury (≥ 0,005 mg/kg) Molibdeno / Molybdenum (≥ 0,10mg/kg)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Aniones lixiviados ⁽¹⁾ por cromatografía iónica / <i>Leachate anions by ion chromatography</i> Sulfatos / Sulfates (≥ 5 mg/kg) Cloruros / Chlorides (≥ 5 mg/kg) Fluoruros / Fluorides (≥ 0,15 mg/kg)	CI/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10304-1	A
Nitrógeno orgánico por cálculo / <i>Organic nitrogen by calculation</i>	CALCU/001-a Método interno basado en/ <i>In-house method based on:</i> SM 4500-N A	A

⁽¹⁾ Lixiviación según UNE-EN 12457-4 / *Leaching according to standard UNE-EN 12457-4*

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	
Biomasa		
Pérdida de masa a 105°C / <i>mass loss at 105°C</i> (≥ 2 %)	GRV/004-a Método interno basado en/ <i>In-house method based on</i> UNE-EN ISO 18134-3	E

ENSAYO <i>TYPE OF TEST</i>	NORMA/PROCEDIMIENTO DE ENSAYO <i>STANDARD SPECIFICATIONS/ TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Biota (equinodermos, peces, crustáceos y moluscos) / Biota (equinoderms, fish, shellfish and seaweed)		
Compuestos orgánicos semivolátiles por cromatografía de gases/espectrometría de masas en tandem (CG/MS/MS)/ <i>SVOC's by gas chromatography with tandem mass spectrometry (GC / MS-MS)</i> β-HCH/ α-HCH δ-HCH/ β-HCH α-HCH/ δ-HCH Aldrin/ <i>Aldrin</i> Hexaclorobenceno/ <i>Hexachlorobenzene</i> (≥ 1 µg/Kg) Endrin/ <i>Endrin</i> Dieldrin/ <i>Dieldrin</i> (5 µg/Kg)	CGM/028-a EXT/013-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270 D	C
Hidrocarburos Aromáticos Policíclicos (HAPs) por cromatografía de gases/espectrometría de masas en tandem (CG/MS/MS)/ <i>Polycyclic Aromatic Hydrocarbons (PAHs) by gas chromatography with tandem mass spectrometry (GC / MS-MS)</i> Acenafreno/ <i>Acenaphthene</i> Acenaftíleno/ <i>Acenaphthylene</i> Antraceno/ <i>Anthracene</i> Benzo (a) antraceno/ <i>Benzo (a) anthracene</i> Benzo (a) pireno/ <i>Benzo (a) pyrene</i> Benzo (b) fluoranteno/ <i>Benzo (b) fluoranthene</i> Benzo (g,h,i) perileno/ <i>Benzo (g, h, i) perylene</i> Benzo (k) fluoranteno/ <i>Benzo (k) fluoranthene</i> (≥ 5 µg/Kg)	CGM/028-a EXT/013-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270 D	C
Bifenilos policlorados (PCB's) por cromatografía de gases/espectrometría de masas en tandem (CG/MS-MS) / <i>Polychlorinated biphenyls (PCBs) by gas chromatography/mass spectrometry (GC/MS-MS)</i> Congéneres/ <i>Congeners</i> nºs 18, 44, 52, 101, 118, 138, 149, 153, 180, 194 (≥ 1 µg/Kg) Congéneres / <i>Congeners</i> nºs 28+31 (≥ 2 µg/Kg)	CGM/028-a EXT/013-a Método interno basado en/ <i>In-house method based on:</i> EPA 8270 D	C

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Biota (equinodermos, peces, moluscos y algas) / Biota (equinoderms, fish, shellfish and seaweed)		
Mercurio por espectrofotometría de absorción atómica de vapor frío / <i>Mercury by atomic absorption spectrophotometry cold vapor</i> (≥ 0,006 mg/kg)	EAA/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 12846	A
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/AES) / <i>Metals inductively coupled plasma spectroscopy (ICP/AES)</i> Arsénico / Arsenic (≥ 2 mg/kg) Manganese / Manganese (≥ 1 mg/kg) Cadmio / Cadmium (≥ 0,5 mg/kg) Níquel / Nickel (≥ 1 mg/kg) Cobre / Copper (≥ 7 mg/kg) Plomo / Lead (≥ 4 mg/kg) Cromo / Chrome (≥ 1 mg/kg) Selenio / Selenium (≥ 5 mg/kg) Hierro / Iron (≥ 2 mg/kg) Zinc / Zinc (≥ 10 mg/kg)	ICP/001-a ICP/014-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11885	A
Metales por espectroscopía de plasma de acoplamiento inductivo (ICP/MS) / <i>Metals by isotope dilution inductively coupled plasma spectrometry (ICP/MS)</i> Aluminio / Aluminum (≥ 7 mg/kg) Hierro / Iron (≥ 7 mg/kg) Arsénico / Arsenic (≥ 1 mg/kg) Mercurio / Mercury (≥ 0,005 mg/kg) Cadmio / Cadmium (≥ 0,05 mg/kg) Níquel / Nickel (≥ 1 mg/kg) Cobre / Copper (≥ 5 mg/kg) Selenio / Selenium (≥ 0,5 mg/kg) Cromo / Chrome (≥ 1 mg/kg) Plomo / Lead (≥ 0,2 mg/kg) Zinc / Zinc (≥ 7 mg/kg)	ICP-MS/001-a ICP-MS/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 17294	A
Compuestos organoestánicos por cromatografía de gases/espectrometría de masas (CG/MS) / <i>Organotin compounds by gas chromatography / mass spectrometry (GC/MS)</i> Monobutilestaño, Dibutilestaño, Tributilestaño/ <i>Monobutyltin, Dibutyltin, Tributyltin</i> (≥ 10 µg/Kg)	CGM/011-a Método interno basado en/ <i>In-house method based on:</i> ISO 23161	A

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	
Material vegetal y sus residuos, lodos de EDAR, cenizas, estiércol y biomasa		
pH (2 - 13 uds. de pH)	IT-A-007 Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis. Ministerio de Agricultura, Pesca y Alimentación	E
Conductividad / <i>Conductivity</i> (20 - 50000 µS/cm)	IT-A-008 Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis. Ministerio de Agricultura, Pesca y Alimentación	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	
Material vegetal y sus residuos, lodos de EDAR, cenizas, estiércol y biomasa		
Pérdida de masa a 105°C (≥ 2%)	IT-A-032 Método interno basado en/ In-house method based on: UNE-EN 14774-3	E

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic **aquí**

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Foliares		
Nitrógeno Kjeldahl por titulación volumétrica (≥ 1 %)	IT-A-001B Método interno basado en/ <i>In-house method based on:</i> Métodos oficiales de análisis. Ministerio de Agricultura, Pesca y Alimentación.	E

ENSAYO	NORMA/PROCEDIMIENTO DE ENSAYO	CÓDIGO
Crustáceos		
Dióxido de azufre (SO ₂) por titulación volumétrica (≥ 50 mg/Kg)	IT-A-006 Método interno basado en/ <i>In-house method based on:</i> UNE-EN 1988-1	A

II. Análisis microbiológicos / Microbiological analysis

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos, sedimentos, lodos y residuos sólidos / Soils, sediments, sludge and solid waste		
Recuento de <i>Escherichia coli</i> / <i>Enumeration of Escherichia coli</i>	RCP/013-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 16649-1	A
Detección de <i>Salmonella</i> spp./ <i>Detection od Salmonella</i> spp	PA/015-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 6579-1	A

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

III. Análisis ecotoxicológicos / Ecotoxicological analysis

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos, sedimentos, lodos y residuos sólidos / Soils, sediments, sludge and solid waste		
Toxicidad por inhibición de la bioluminiscencia bacteriana con <i>Vibrio fischeri</i> <i>/ Toxicity by inhibiting bacterial bioluminescence Vibrio fischeri</i> <i>(> 3 U.T.)</i>	LUM/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 11348-3	A

IV. Toma de muestra / Sampling

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Suelos, sedimentos, lodos de depuradora y residuos sólidos / Soils, sediments, sewage Sludge and solid waste		
Toma de muestras puntual y compuesta para los análisis físico-químicos incluido en el presente anexo técnico realizados en este laboratorio y en laboratorio acreditado / <i>Taking timely and integrated samples for physical and chemical analyzes included in this technical annex performed in this laboratory and in an accredited laboratory.</i>	P-LB-TM-057 Método interno basado en/ <i>In-house method based on:</i> ISO 5667-12 UNE-EN ISO 5667-13	I

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es

Código Validación Electrónica: 3iW93SyD101bgIKC50

La acreditación mantiene su vigencia hasta notificación en contra. La presente acreditación está sujeta a modificaciones, suspensiones temporales y retirada. Su vigencia puede confirmarse en <https://www.enac.es/web/enac/validacion-electronica> o haciendo clic [aquí](#)

RADIACTIVIDAD AMBIENTAL

ENSAYO <i>TEST</i>	NORMA / PROCEDIMIENTO DE ENSAYO <i>METHOD/TEST PROCEDURE</i>	CÓDIGO <i>CODE</i>
Aguas de consumo y aguas continentales / Drinking/Potable and Inland Waters		
Actividad alfa total por evaporación y medida por contador proporcional / <i>Total alpha activity by evaporation and measured by proportional counter</i> (> 0,02 Bq/l)	CPROP/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10704	A
Actividad alfa total por coprecipitación y medida por contador proporcional / <i>Total alpha activity total alpha by co-precipitation and measured by proportional counter</i> (> 0,02 Bq/l)	CPROP/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10704	A
Actividad beta total y beta resto por contador proporcional/ <i>Total beta and the remaining beta activity by proportional detector</i> Beta total / <i>Total Beta</i> (> 0,02 Bq/l) Beta resto/ <i>The remaining Beta</i> (> 0,02 Bq/l)	CPROP/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 10704	A
Actividad de tritio por centelleo líquido/ <i>Tritium Activity by liquid scintillation counting</i> (> 10 Bq/l)	CCENT/001-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 9698	A
Actividad de radón por centelleo líquido/ <i>Radon activity by liquid scintillation counting</i> (> 2 Bq/l)	CCENT/002-a Método interno basado en/ <i>In-house method based on:</i> UNE-EN ISO 13164-4	A

Un método interno se considera que está basado en métodos normalizados cuando su validez y su adecuación al uso se han demostrado por referencia a dicho método normalizado y en ningún caso implica que ENAC considere que ambos métodos sean equivalentes. Para más información recomendamos consultar el Anexo I al CGA-ENAC-LEC.

An in-house method is considered based on standardized methods when its validity and suitability have been demonstrated against standard reference methods. This will never imply that ENAC considers both methods equivalents. For more information, please consult Annex I to the CGA-ENAC-LEC.

Emplazamientos desde los que se llevan a cabo actividades *in situ*:

C/ Lituania nº 6-8; 12006 Castellón de la Plana (Castellón)
C/ Manuel Trillo, parcela 14, nave 8. Parque Tecnológico Citec.; 41120 Gelves (Sevilla)
Avenida de los Pirineos nº7, Nave 8-A, San Sebastián de los Reyes, C.P.: 28703. Madrid
C/ Pablo Iglesias, nº 34-36, local; 50018 Zaragoza
Carrer del Garbí, 13, Local 10; 08150 Parets del Vallès (Barcelona)
Camiño vello de Santiago, nº 24 Bajo; 36419 Mos (Pontevedra)
Parque Huelva Empresarial, Factoría Comercial, nave 13; 21007 Huelva

Accreditation will remain valid until notification to the contrary. This accreditation is subject to modifications, temporary suspensions and withdrawal. Its validity can be confirmed at www.enac.es